

# INTERNATIONAL STANDARD



Low-voltage switchgear and controlgear –  
Part 2: Circuit-breakers

ITeH Standards  
(<https://standards.iteh.ai>)  
Document Preview

[IEC 60947-2:2024](https://standards.iteh.ai/catalog/standards/iec/2fe357ba-324b-405a-9790-0690985f76ee/iec-60947-2-2024)

<https://standards.iteh.ai/catalog/standards/iec/2fe357ba-324b-405a-9790-0690985f76ee/iec-60947-2-2024>



**THIS PUBLICATION IS COPYRIGHT PROTECTED**  
**Copyright © 2024 IEC, Geneva, Switzerland**

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Secretariat  
3, rue de Varembe  
CH-1211 Geneva 20  
Switzerland

Tel.: +41 22 919 02 11  
[info@iec.ch](mailto:info@iec.ch)  
[www.iec.ch](http://www.iec.ch)

**About the IEC**

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

**About IEC publications**

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

**IEC publications search - [webstore.iec.ch/advsearchform](http://webstore.iec.ch/advsearchform)**

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

**IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)**

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

**IEC Customer Service Centre - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)**

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: [sales@iec.ch](mailto:sales@iec.ch).

**IEC Products & Services Portal - [products.iec.ch](http://products.iec.ch)**

Discover our powerful search engine and read freely all the publications previews, graphical symbols and the glossary. With a subscription you will always have access to up to date content tailored to your needs.

**Electropedia - [www.electropedia.org](http://www.electropedia.org)**

The world's leading online dictionary on electrotechnology, containing more than 22 500 terminological entries in English and French, with equivalent terms in 25 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

International Standards  
(standards.iteh.ai)  
Document Preview

[IEC 60947-2:2024](https://standards.iteh.ai/catalog/standards/iec/2fe357ba-324b-405a-9790-0690985f76ee/iec-60947-2-2024)

<https://standards.iteh.ai/catalog/standards/iec/2fe357ba-324b-405a-9790-0690985f76ee/iec-60947-2-2024>



IEC 60947-2

Edition 6.0 2024-10  
REDLINE VERSION

# INTERNATIONAL STANDARD



Low-voltage switchgear and controlgear –  
Part 2: Circuit-breakers

iteh Standards  
(<https://standards.iteh.ai>)  
Document Preview

[IEC 60947-2:2024](https://standards.iteh.ai/catalog/standards/iec/2fe357ba-324b-405a-9790-0690985f76ee/iec-60947-2-2024)

<https://standards.iteh.ai/catalog/standards/iec/2fe357ba-324b-405a-9790-0690985f76ee/iec-60947-2-2024>

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

ICS 29.130.20

ISBN 978-2-8322-9870-1

**Warning! Make sure that you obtained this publication from an authorized distributor.**

## CONTENTS

FOREWORD.....	15
<del>1 General.....</del>	<del>15</del>
1 Scope <del>and object</del> .....	18
2 Normative references .....	19
3 Terms and definitions .....	20
4 Classification.....	25
4.1 According to the selectivity category, A or B (see 5.4).....	25
4.2 According to the method of controlling the operating mechanism: .....	25
4.3 According to the provision for maintenance:.....	25
4.4 According to the method of installation:.....	25
4.5 According to the degree of protection provided by the enclosure (see 8.1.12 of IEC 60947-1:2007/2020).....	26
5 Characteristics of circuit-breakers.....	26
5.1 Summary of characteristics .....	26
5.2 Type of circuit-breaker .....	26
5.3 Rated and limiting values of the main circuit .....	26
5.3.1 General .....	26
5.3.2 Rated voltages .....	26
5.3.3 Currents .....	27
5.3.4 Rated frequency .....	27
5.3.5 Rated duty .....	27
5.3.6 Short-circuit characteristics .....	27
5.4 Selectivity categories .....	30
5.5 Control circuits.....	30
5.5.1 Electrical control circuits.....	30
5.5.2 Air-supply control circuits (pneumatic or electro-pneumatic) .....	30
5.6 Auxiliary circuits.....	30
5.7 Releases.....	31
5.7.1 Types .....	31
5.7.2 Characteristics.....	31
5.7.3 Current setting of overcurrent releases .....	31
5.7.4 Tripping time setting of overcurrent releases .....	32
5.8 Integral fuses (integrally fused circuit-breakers).....	32
6 Product information .....	33
6.1 Nature of the information .....	33
6.2 Marking.....	33
6.3 Instructions for installation, operation and maintenance .....	35
7 Normal service, mounting and transport conditions.....	35
8 Constructional and performance requirements.....	35
8.1 Constructional requirements .....	35
8.1.1 General .....	35
8.1.2 Withdrawable circuit-breakers.....	36
8.1.3 <del>Additional requirements for circuit-breakers suitable for</del> Isolation.....	36
8.1.4 Clearances and creepage distances .....	36
8.1.5 Requirements for the safety of the operator .....	36
8.1.6 List of construction breaks .....	36

8.1.7	Additional requirements for circuit-breakers provided with a neutral pole .....	37
8.1.8	Digital inputs and outputs for use with programmable logic controllers (PLCs) .....	37
8.2	Performance requirements .....	37
8.2.1	Operating conditions .....	37
8.2.2	Temperature-rise .....	40
8.2.3	Dielectric properties .....	41
8.2.4	Ability to make and break under no load, normal load and overload conditions .....	42
8.2.5	Ability to make and break under short-circuit conditions .....	43
8.2.6	<del>Additional requirements for circuit-breakers suitable</del> Requirements for isolation .....	43
8.2.7	Specific requirements for integrally fused circuit-breakers .....	43
8.2.8	Coordination between a circuit-breaker and another short-circuit protective device .....	44
8.3	Electromagnetic compatibility (EMC) .....	44
9	Tests .....	44
9.1	Kind of tests .....	44
9.1.1	General .....	44
9.1.2	Type tests .....	44
9.1.3	Routine tests .....	45
9.1.4	Special tests .....	45
9.2	Compliance with constructional requirements .....	45
9.3	Type tests .....	45
9.3.1	General .....	45
9.3.2	Test sequences .....	46
9.3.3	General test conditions .....	53
9.3.4	Test sequence I: General performance characteristics .....	61
9.3.5	Test sequence II: Rated service short-circuit breaking capacity .....	72
9.3.6	Test sequence III: Rated ultimate short-circuit breaking capacity .....	73
9.3.7	Test sequence IV: Rated short-time withstand current .....	75
9.3.8	Test sequence V: Performance of integrally fused circuit-breakers .....	76
9.3.9	Test sequence VI: Combined test sequence .....	79
9.3.10	Test sequence VII: Critical DC load current <del>test</del> .....	80
9.3.11	Test sequence VIII: Rated individual pole ultimate short-circuit breaking capacity at phase-to-neutral AC voltage .....	81
9.4	Routine tests .....	82
9.4.1	General .....	82
9.4.2	Mechanical operation tests .....	83
9.4.3	Verification of the calibration of overcurrent releases .....	83
9.4.4	Verification of the operation of undervoltage and shunt releases .....	84
9.4.5	Additional tests for CBRs .....	84
9.4.6	Dielectric tests .....	84
9.4.7	Test for the verification of clearances less than those corresponding to case A of Table 13 of IEC 60947-1:2020 .....	85
9.5	Special tests – Damp heat, salt mist, vibration and shock .....	86
Annex A (normative)	Coordination between a circuit-breaker and another short-circuit protective device associated in the same circuit .....	89
A.1	General .....	100
A.2	Object .....	100

A.3	General requirements for the co-ordination of a circuit-breaker with another SCPD .....	100
A.4	Type and characteristics of the associated SCPD .....	100
A.5	Verification of selectivity .....	100
A.6	Verification of back-up protection .....	100
Annex B (normative) Circuit-breakers incorporating residual current protection (CBRs) .....		102
B.1	General.....	102
B.1.1	Preamble .....	102
B.1.2	<del>Scope and</del> Object .....	102
B.2	Terms and definitions.....	103
B.2.1	Terms and definitions relating to currents flowing from live parts to earth.....	103
B.2.2	Terms and definitions relating to the energization of a CBR .....	103
B.2.3	Terms and definitions relating to the operation and the functions of a CBR .....	104
B.2.4	Terms and definitions relating to values and ranges of energizing quantities.....	105
B.3	Classification .....	106
B.3.1	Classification according to the method of operation of the residual current function .....	106
B.3.2	Classification according to the possibility of adjusting the residual operating current .....	106
B.3.3	Classification according to time delay of the residual current function .....	106
B.3.4	Classification according to behaviour in presence of a DC component.....	106
B.4	Characteristics of CBRs concerning their residual current function.....	106
B.4.1	Rated values .....	106
B.4.2	Preferred and limiting values .....	107
B.4.3	Value of the rated residual short-circuit making and breaking capacity ( $I_{\Delta m}$ ).....	108
B.4.4	Operating characteristics in the case of an earth fault current in the presence or absence of a DC component .....	108
B.5	Marking.....	109
B.6	Normal service, mounting and transport conditions .....	111
B.7	Design and operating requirements.....	111
B.7.1	Design requirements.....	111
B.7.2	Operating requirements .....	111
B.7.3	Electromagnetic compatibility .....	115
B.8	Tests .....	115
B.8.1	Test sequences .....	115
B.8.2	Verification of the operating characteristics .....	118
B.8.3	Verification of dielectric properties.....	120
B.8.4	Verification of the operation of the test device at the limits of rated voltage .....	120
B.8.5	Verification of the limiting value of the non-operating current under overcurrent conditions .....	121
B.8.6	Verification of the resistance against unwanted tripping due to surge currents resulting from impulse voltages.....	121
B.8.7	Additional verifications for CBRs of types A and B .....	122
B.8.8	Additional verifications for CBRs of type B.....	124
B.8.9	Verification of the behaviour of CBRs functionally dependent on line voltage classified under B.3.1.2.1 .....	129

B.8.10	Verification of the behaviour of CBRs functionally dependent on line voltage classified under B.3.1.2.2 .....	129
B.8.11	Verification of the residual short-circuit making and breaking capacity .....	130
B.8.12	Verification of the effects of environmental conditions .....	131
B.8.13	Verification of electromagnetic compatibility .....	132
B.8.14	Test for variations or interruptions of voltage and for voltage dips .....	134
Annex C (normative)	Individual pole short-circuit test sequence .....	146
C.1	General .....	146
C.2	Test of individual pole short-circuit breaking capacity .....	146
C.3	Verification of dielectric withstand and leakage current .....	146
C.4	Verification of overload releases .....	146
Annex D (normative)	Additional requirements for circuit-breakers intended for connection of aluminium conductors .....	147
D.1	General .....	147
D.2	Terms and definitions .....	147
D.3	Classification .....	148
D.4	Characteristics .....	148
D.5	Product information .....	148
D.5.1	Nature of information .....	148
D.5.2	Marking .....	148
D.5.3	Instructions for installation, operation and maintenance .....	148
D.6	Normal service, mounting and transport conditions .....	149
D.7	Constructional and performance requirements .....	149
D.8	Tests .....	149
D.8.1	General .....	149
D.8.2	Current cycling test .....	150
D.8.3	Climatic test .....	154
D.8.4	Mechanical properties of terminals .....	155
D.8.5	Test for insertability of unprepared round aluminium conductors having the maximum cross-section .....	155
Annex E (informative)	Items subject to agreement between manufacturer and user .....	159
Annex F (normative)	Additional tests for circuit-breakers with electronic overcurrent protection .....	160
F.1	General .....	160
F.2	List of tests .....	160
F.2.1	General .....	160
F.2.2	Electromagnetic compatibility (EMC) tests .....	160
F.2.3	Suitability for multiple frequencies .....	161
F.2.4	Dry heat test .....	161
F.2.5	Damp heat test .....	161
F.2.6	Temperature variation cycles at a specified rate of change .....	161
F.3	General test conditions .....	161
F.3.1	General .....	161
F.3.2	Electromagnetic compatibility tests .....	161
F.4	Immunity tests .....	162
F.4.1	Harmonic currents .....	162
F.4.2	Electrostatic discharges .....	163
F.4.3	Radiated RF electromagnetic fields .....	164
F.4.4	Electrical fast transient/burst (EFT/B) .....	164