



Edition 4.1 2025-04 CONSOLIDATED VERSION

INTERNATIONAL STANDARD

Low-voltage switchgear and controlgear – dards

Part 3: Switches, disconnectors, switch-disconnectors and fuse combination units

**Transport of the combination of t

Document Preview

IEC 60947-3:2020

https://standards.iteh.ai/catalog/standards/iec/f54fbfd2-8635-4f0e-9ca3-1a82ab4538c1/iec-60947-3-2020





THIS PUBLICATION IS COPYRIGHT PROTECTED Copyright © 2025 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Secretariat 3, rue de Varembé CH-1211 Geneva 20 Switzerland Tel.: +41 22 919 02 11 info@iec.ch

www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Discover our powerful search engine and read freely all the publications previews, graphical symbols and the glossary. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 500 terminological entries in English and French, with equivalent terms in 25 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC 60947-3:2020

https://standards.iteh.ai/catalog/standards/iec/f54fbfd2-8635-4f0e-9ca3-1a82ab4538c1/iec-60947-3-2020





Edition 4.1 2025-04 CONSOLIDATED VERSION

INTERNATIONAL STANDARD

Low-voltage switchgear and controlgear – dards

Part 3: Switches, disconnectors, switch-disconnectors and fuse combination units

Document Preview

IEC 60947-3:2020

https://standards.iteh.ai/catalog/standards/iec/f54fbfd2-8635-4f0e-9ca3-1a82ab4538c1/iec-60947-3-2020

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ICS 29.120.40, 29.130.20 ISBN 978-2-8327-0405-9

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

F	DREWO	RD	8			
INTRODUCTION						
1	Scop	ıe	11			
2	Norn	native references	. 12			
3		is, definitions and index of terms				
	3.1	General				
	3.2	Alphabetical index of terms				
	3.3	General terms				
4		sification				
	4.1	According to the utilization category	17			
	4.2	According to the method of operation				
	4.2.1	•				
	4.2.2					
	4.3	According to suitability for isolation				
	4.4	According to the degree of protection provided	17			
	4.5	Summary of symbols for equipment types	17			
5	Char	acteristics				
	5.1	Summary of characteristics	18			
	5.2	Type of equipment	.18			
	5.3	Rated and limiting values for the main circuit	18			
	5.3.1					
	5.3.2		. 18			
	5.3.3					
	5.3.4		19			
	5.3.5 5.3.6	1 1 1 1 1 1 1 4 1 1 1 1 1 1 1 1 1 1 1 1	19 7-3-2			
	5.3.7					
	5.4	Utilization category				
	5.5	Control circuits				
	5.6	Auxiliary circuits				
	5.7	Relays and releases				
	5.8	Co-ordination with short-circuit protective devices (SCPD)				
	5.9	Remote operation	. 22			
6	Prod	uct information	22			
	6.1	Nature of information	. 22			
	6.2	Marking	22			
	6.3	Instructions for installation, operation and maintenance, decommissioning				
		and dismantling				
7		nal service, mounting and transport conditions				
8	Cons	structional and performance requirements	24			
	8.1	Constructional requirements				
	8.1.1					
8.1.7		- 4				
	8.1.9					
	8.1.1					
	8.2	Performance requirements	∠5			

© IEC 202	5	
8.2.1	Operating conditions	25
8.2.2	Temperature-rise	27
8.2.3	Dielectric properties	27
8.2.4	Ability to make and break under no-load, normal load and	
	overload conditions	
8.2.5	Ability to make, break or withstand short-circuit currents	
8.2.6	Void	30
8.2.7	Additional performance requirements for equipment suitable for isolation	20
8.2.8	Critical load current performance: DC equipment	
8.2.9	Overload requirements for equipment incorporating fuses	
8.3	Electromagnetic compatibility (EMC)	
8.3.1	General	
8.3.2	Immunity	
8.3.3	Emission	
	Lillission	
9.1 9.1.1	Kinds of test	
9.1.1	General	
9.1.2	Type testsRoutine tests	
9.1.3		
9.1.4	Sampling tests Special tests	3
9.2	Compliance with constructional requirements	22
	Performance	34
9.3.1	General	3/
9.3.2	Test sequences	
9.3.3	General test conditions IEC 60947-3:2020	35
tps://standard 9.3.4	Test sequence I: general performance characteristics	0947-3-20
9.3.5	Test sequence II: operational performance capability	
936	Test sequence III: short-circuit performance capability	
9.3.7	Test sequence IV: conditional short-circuit current	
9.3.8	Test sequence V: overload performance capability	
9.3.9	Test sequence VI: critical load current performance of equipment with a	02
	DC rating	53
9.4	Electromagnetic compatibility tests	55
9.4.1	General	55
9.4.2	Immunity	56
9.4.3	Emission	56
9.5	Special tests	56
9.5.1	Mechanical and electrical durability	56
9.5.2	Mechanical durability	56
9.5.3	Electrical durability	56
9.5.4	Damp heat, salt mist, vibration and shock	57
Annex A (normative) Equipment for direct switching of a single motor	58
A.1	General	58
A.2	Rated	58
A.2.1	Intermittent periodic duty or intermittent duty	58
A.2.2	Temporary duty	58

A.3	Making and breaking capacities	58
A.4	Utilization category	58
A.5	Operational performance	61
A.6	Mechanical durability	62
A.7	Electrical durability	62
A.8	Verification of making and breaking capacities	62
A.9	Operational performance test	62
A.10	Special tests	62
A.10).1 General	62
A.10	0.2 Mechanical durability test	63
A.10	0.3 Electrical durability test	63
A.11	Critical load current performance for DC equipment	
Annex B	(informative) Items subject to agreement between manufacturer and user	
	(normative) Single pole operated three-pole switches	
C.1	General	
C.1	Tests	
C.2	Test set-up and sequence	
C.3.	·	07
U.3.	(9.3.5.2)(9.3.5.2)	67
C.3.		
C.3.		
C.4		
C.5	Instructions for useSt.2	
	(normative) Switches, disconnectors, switch-disconnectors and fuse-tion units for use in photovoltaic (PV) DC applications	
D.1	General	
D.1.		
nc.//cta.D.11.	2 _{s. itel} Object	
ps.//standar D.2	Normative references	
D.3	Terms and definitions	
D.4	Classification	
D.4.		
D.5	Characteristics	
D.6	Product information	
D.7	Normal service, mounting and transport conditions	
D.8	Constructional and performance requirements	
D.9	Tests	
_	(normative) Additional requirements for LV switchgear intended for	
	on of aluminium conductors	80
E.1	Object	80
E.2	Normative references	
E.3	Terms, definitions and index of terms	80
E.4	Classification	
E.5	Characteristics	
E.6	Product information	
E.6.		
E.6.		
E.6.	3	
	decommissioning and dismantling	81

	· - ·	
E.7	Normal service, mounting and transport conditions	82
E.8	Constructional and performance requirements	82
E.9	Tests	82
E.9.		
E.9.	, 5	
E.9.		88
E.9.	.4 Test for insertability of unprepared round aluminium conductors having the maximum cross-section	89
Annex F	(informative) Power loss	92
F.1	General	92
F.2	Test methods	92
F.2.	1 General	92
F.2.	2 General case for AC switches and/or disconnectors	92
F.2.	3 General case for AC fused combination units and fuse disconnectors	93
F.2.	5	93
F.2.	5 Fused combination units and fuse disconnectors of rated current not exceeding 400 A	93
F.3	Test procedure	94
	(normative) DC disconnectors, switch-disconnectors and fuse-combination use with battery power supplies (BPS) DC applications	97
G.1	General C.A. C.A. C.A. C.A. C.A. C.A. C.A. C.A	97
G.2	VacantVacant	
G.3	Vacant	97
G.4	Classification	97
G.5	Characteristics	98
G.6	Product information	98
G.7	Normal service, mounting and transport conditions	
G.8	Constructional and performance requirements rd_tien_ai/catalog/standards/iec/f54fbfd2-8635-4f0e-9ca3-1a82ab4538c1/iec-60 Tests	99
G.9		
Bibliogra	aphy	109
Figure C	2.1 – Typical arrangements	66
Figure E	.1 – General test arrangement	84
Figure E	.2 – Mounting of terminals for the current cycling test	84
Figure F	.1 – Example of power loss measurement according to F.2.2	95
Figure F	.2 – Example of power loss measurement according to F.2.3	95
-	.3 – Example of power loss measurement according to F.2.4	
•	.4 – Example of power loss measurement according to F.2.5	
Table 1	Summary of equipment definitions	17
Table 2	– Utilization categories	21
Table 3	– Product information	22
	 Verification of rated making and breaking capacities (see 9.3.4.4) – ns for making and breaking corresponding to the various utilization categories 	28
	Verification of operational performance – Number of operating cycles onding to the rated operational current	29
Table 6	- Test circuit parameters for Table 5	29
	- Immunity tests ^a	
	,	