



Edition 2.1 2025-07

INTERNATIONAL STANDARD

CONSOLIDATED VERSION

BASIC EMC PUBLICATION

Electromagnetic compatibility (EMC) - and areas Part 4-23: Testing and measurement techniques - Test methods for protective devices for HEMP and other radiated disturbances (e.g., a)

Document Preview

IEC 61000-4-23:2016

https://standards.iteh.ai/catalog/standards/iec/f42081f2-ecaf-4e13-a372-ddb701c2d86e/iec-61000-4-23-2016



THIS PUBLICATION IS COPYRIGHT PROTECTED Copyright © 2025 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Secretariat Tel.: +41 22 919 02 11

3, rue de Varembé info@iec.ch CH-1211 Geneva 20 www.iec.ch Switzerland

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search -

webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublishedStay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc
If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Discover our powerful search engine and read freely all the publications previews, graphical symbols and the glossary. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 500 terminological entries in English and French, with equivalent terms in 25 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

Preview

IEC 61000-4-23:2016

imponituation and control of the con

CONTENTS

FC	OREWO	RD	6
IN	ITRODU	ICTION	8
1	Scop	e	9
2	•	native references	
3		s and definitions	
4			
4		P test concepts	
	4.1	General	
	4.2	Testing of shielding enclosures	
	4.2.1		
	4.2.2	3	
	4.2.3		
	4.2.4	- ,	
	4.3	Testing of shielded cables and connectors	
	4.3.1		
	4.3.2	5	
	4.3.3	ŭ	
	4.4	Testing of shielding materials	28
	4.4.1		
	4.4.2		
	4.4.3	5	
	4.4.4		33
	4.5	Summary of test concepts	34
5	Test facili	methods for measuring the shielding effectiveness of HEMP protection ties	35
	5.1	General	35
	5.2	Electromagnetic field testingC.61000-4-23:2016	
	-	iteh.aGeneralz/standards/iec/f42081f2-ecaf-4e13-a372-ddb701c2d86e/iec-610	000-4353-201
	5.2.2		
	5.2.3	3	
	5.3	Current injection test procedures	
	5.3.1	·	
	5.3.2		
	5.3.3	,	
	5.3.4	•	
Δr		(informative) HEMP test concepts for electrical systems	
/(1	A.1	Overview	
	A.2 A.2.1	Types of HEMP tests	
	A.2.2	,	
	A.2.3		
A.2		,	
	A.2.5	3	
	A.2.6	, ,	
	A.3	Definition of the testing interface	
	A.4	Use of test data	
	A.4.1	General	75

A.4.2	Acceptance of new systems	75
A.4.3	System assessments	75
A.4.4	Hardness surveillance monitoring	75
A.4.5	System design	75
A.5	Testing uncertainties	76
Annex B	(informative) Characterization of shielded cables	77
B.1	Fundamentals of cable shielding	77
B.2	Definitions of transfer impedance and transfer admittance	78
B.3	Relative significance of Z'_{t} and Y'_{t}	81
Annex C	(informative) Equipment for HEMP pulse measurements	
C.1	General	82
C.2	Sensors for HEMP measurements	82
C.2.1	B- and H-field sensors	82
C.2.2	D- and E-field sensors	84
C.2.3	B Current sensors	86
C.3	Signal transmission	87
C.3.1	General	87
C.3.2	Pibre optic links	87
C.3.3	Fibre optic transducers	88
C.4	Signal detection and processing	88
Annex D	(informative) Equipment for CW testing	90
D.1	General 11en Standards	90
D.2	Antenna system	90
D.3	Power amplifier	92
D.4	Receiver (network analyser)	93
D.5	Reference and response sensors	93
D.6	Fibre optic system	
D.7	Limitations of measurements 6.1000-4-23:2016	98
Annex E	(informative) Characterization of a planar shield for HEMP protection	000-4993-201
E.1	General	
E.2	Problem geometry	
E.3	Equivalent circuit representation	
E.3.1	General	101
E.3.2		
E.3.3	Circuit responses	103
Annex F (informative) Inside-to-out measurement method	107
F.1	Purpose	107
F.2	Comparison of existing SE test methods	
F.3	Inside-to-out SE test of shielded rooms	
F.3.1	Measurements of the inside-to-out SE	108
F.3.2	Summary	111
Annex G (informative) Validity of the stirring effect in measuring the space-averaged magnitude for a transfer function for frequencies above 1 GHz		
_		
G.1 G.2	Purpose	
G.2 G.3	Method validation by roal building measurements	
	Method validation by real building measurements	
pipilograf	bhy	119

Figure 1 – Example of measured magnitude and phase of the transfer function $T(\omega) = H_{\text{in}}/H_{\text{Out}}$ for a shielded enclosure	17
Figure 2 – Electric field and magnetic field shielding effectiveness of a 0,5 mm thick aluminium enclosure [29]	
Figure 3 – Measured magnetic field shielding effectiveness SE_H for a building	20
Figure 4 – Conceptual illustration of the HEMP test of a building	20
Figure 5 – Illustration of a shielded room or enclosure excited by HEMP fields	22
Figure 6 – Illustration of equipment racks, cabinets and box excited by internal HEMP disturbance	22
Figure 7 – A general shield excited by current injection	23
Figure 8 – Basic configuration for transfer impedance measurement	25
Figure 9 – Measured transfer impedance magnitude and phase of transfer impedance per unit length for four braided shield cables with good shielding properties	26
Figure 10 – Basic configuration for transfer admittance measurement	27
Figure 11 – Test configuration for transfer impedance measurement of a cable connector	27
Figure 12 – Examples of conducting gaskets used as HEMP protection devices	29
Figure 13 – Circuit model representing the behaviour of a conducting gasket for HEMP protection	29
Figure 14 – Measurement configuration for the resistivity of a sample	30
Figure 15 – Test concept for measuring the resistivity with surface probes	31
Figure 16 – Concepts for shielding effectiveness measurement of conducting sheets and screens	33
Figure 17 – Example of the calculated plane-wave shielding effectiveness of a 0,01 mm thick plate of different material as a function of frequency	33
Figure 18 – Cut-off waveguides and honeycomb used as protective elements	34
Figure 19 – Examples of full-scale, pulse-radiating HEMP simulators	38
Figure 20 – Test procedure for the pulse test	40
Figure 21 – Typical configuration of a CW test facility	41
Figure 22 – Example CW measurement set-up	42
Figure 23 – Test and analysis procedures for conducting a CW test	43
Figure 24 – Analysis flow diagram for extrapolating a measured CW spectrum to the HEMP response	44
Figure 35 – Multi-point measurement set-up	45
Figure 36 – Procedure for the multi-point measurement	47
Figure 37 – Single-point measurement set-up with the stirring effect	49
Figure 38 – Procedure of the single-point measurement with the stirring effect	49
Figure 25 – Example scan from 9 kHz to 3 GHz for the ambient electromagnetic field from communication signals	51
Figure 26 – Test procedure for the ambient EM excitation test	54
Figure 27 – Double-ended TEM cell for field illumination testing of small enclosures	55
Figure 28 – Example test set-up for field illumination in the TEM cell	55
Figure 29 – Illustration of the single-ended TEM cell and associated equipment	57
Figure 30 – Test set-up for the plane wave near field CW shielding effectiveness measurements for continuous metal shields	60
Figure 31 – Test set-up for the <i>H</i> -field shielding effectiveness measurements	

Figure 32 – Example of antenna locations for the localized antenna tests for a hypothetical shielded enclosure or facility	62
Figure 33 – Test concept and equipment configuration for current injection testing of a shielded enclosure or box	а
Figure 34 – Surface probe for volume resistivity measurement	
Figure A.1 – Sample HEMP interaction diagram illustrating penetration mechanisms, system responses and generic test interface locations	74
Figure B.1 – Geometry of a shielded coaxial line with an internal circuit	77
Figure B.2 – Coaxial cable located over a conducting ground plane	
Figure B.3 – Two per-unit-length circuits formed by the sheath and its ground return, and the sheath and the internal conductor	79
Figure C.1 – Magnetic field sensors [23]	83
Figure C.2 – Single-slot, cylindrical coil sensor [23]	
Figure C.3 – Two- and four-slot cylindrical coil sensors [23]	
Figure C.4 – Electrical configuration of an <i>E</i> -field sensor [23]	
Figure C.5 – Biconical <i>E</i> -field sensor	
Figure C.6 – E -field sensor mounted on a conducting ground plane [23]	
Figure C.7 – Equipotential shapes for an optimally designed E -field sensor [23]	
Figure C.8 – Rogowski coil used for current measurements [23]	
Figure C.9 – Toroidal current sensor made of magnetic material [23]	
Figure C.10 – Voltage pick-up points on the edges of the toroidal sensor [23]	
Figure C.11 – Example of a single-channel fibre optic transmission system [23]	
Figure C.12 – Attenuation of coaxial lines and fibre optic cables as a function of frequency	
Figure D.1 – Various antennas for CW testing	91
Figure D.2 – Relationship between the CW antenna and the incident HEMP field	92
Figure D.3 – Incident and ground-reflected field contributions to the reference sensor excitations	000-4-23-
Figure D.4 – Measured reference <i>H</i> -field spectrum and its inverse Fourier transform	
Figure D.5 – Measured sensor responses and calibration function	97
Figure D.6 – Measured transfer function, corrected by calibration file	97
Figure E.1 – Example of a general shielding problem	99
Figure E.2 – Behaviour of the impedance ratio <i>EH</i> as a function of distance from a source [29]	100
Figure E.3 – Conducting slab of thickness, <i>d</i> , and infinite extent serving as an electromagnetic barrier	101
Figure E.4 – Equivalent circuit representation of the shielding problem	102
Figure E.5 – Two-port representation of a circuit	103
Figure F.1 – Test set-up for the outside-to-in and inside-to-out SE measurement	110
Figure G.1 – Test facility inside an EMC chamber	113
Figure G.2 – Multi- and single-point measurement set-up	113
Figure G.3 – Signal measurement using the test facility	115
Figure G.4 – Attenuation measurement results	117
Table 1 – Recommended test procedure for different test objects	35

Figure 30	60
Table 3 – Dimensions and composition of distances d_1 to d_3 , with reference to Figure 31	61
Table 4 – Measurement frequencies and antennas in plane-wave	62
Table 5 – Measurement frequencies and antennas in magnetic field	64
Table E.1 – Surface resistance and electrical parameters for selected materials	105
Table F.1 – Comparison with other standards	108
Table F.2 – Test shielded rooms	109
Table F.3 – Comparison of the SE measurement results	111
Table G.1 – Single-point measurement results	116
Table G.2 – Comparison of the attenuation measurement results	118

iTeh Standards (https://standards.iteh.ai) Document Preview

IEC 61000-4-23:2016

https://standards.iteh.ai/catalog/standards/iec/f42081f2-ecaf-4e13-a372-ddb701c2d86e/iec-61000-4-23-2016