

IEC 61076-2-111

Edition 2.0 2025-12

INTERNATIONAL STANDARD

Connectors for electrical and electronic equipment - Product requirements - Part 2-111: Circular connectors - Detail specification for power connectors with M12 screw-locking

Document Preview

IEC 61076-2-111:2025

https://standards.iteh.ai/catalog/standards/iec/fc9ef5ca-2a77-4d6e-b60b-76c6d9a6de41/iec-61076-2-111-202

ICS 31.220.10 ISBN 978-2-8327-0766-1



THIS PUBLICATION IS COPYRIGHT PROTECTED Copyright © 2025 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Secretariat Tel.: +41 22 919 02 11

3, rue de Varembé info@iec.ch CH-1211 Geneva 20 www.iec.ch

Switzerland

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search -

webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublishedStay up to date on all new IEC publications. Just Published

details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@jec.ch.

IEC Products & Services Portal - products.iec.ch

Discover our powerful search engine and read freely all the publications previews, graphical symbols and the glossary. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 500 terminological entries in English and French, with equivalent terms in 25 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

Preview

<u> IEC 61076-2-111:2025</u>

https://standards.iteh.ai/catalog/standards/iec/fc9ef5ca-2a77-4d6e-b60b-76c6d9a6de41/iec-61076-2-111-202

CONTENTS

FC	OREWO	PRD	5	
1	Scop	oe	8	
2	Normative references		8	
3 Terms and definitions		ns and definitions	11	
4	Tech	nical information	11	
	4.1	Methods of termination		
	4.2	Connector coding, number of contacts, ratings and characteristics		
	4.3	Systems of levels		
	4.3.1	Performance level	12	
	4.3.2	Compatibility levels, according to IEC 61076-1	12	
	4.4	Classification into climatic categories	13	
	4.5	Creepage and clearance distances	13	
	4.6	Current-carrying capacity	13	
	4.7	Marking		
	4.8	Safety aspects		
5	Dime	ensional information		
	5.1	General		
	5.2	Fixed connectors		
	5.2.1			
	5.2.2	,		
	5.2.3		15	
	5.2.4 5.2.5			
	5.2.6		1 <i>1</i> 10	
	5.2.7			
	5.3	Free connectors <u>IEC 61076-2-111:2025</u>	20	
		iteh.a General/standards/iec/fc9ef5ca-2a77-4d6e-b60b-76c6d9a6de41/iec-610	76-22011	
	5.3.2			
	5.3.3	•		
	5.3.4	Style LM	22	
	5.3.5	Style MM	22	
	5.3.6	S Style JF	24	
	5.3.7	7 Style KF	24	
	5.3.8	Style LF	25	
	5.3.9			
	5.4	Interface dimensions		
	5.4.1	3		
	5.4.2	š		
	5.4.3	3		
	5.4.4	3		
	5.4.5 5.4.6	3		
	5.4.0	T-coding Engagement (mating) information		
	5.6	Sizing gauges and retention force gauges		
6		racteristics		
J	6.1	General		
	U. I	CONTOLOR	4 3	

0.2 P	in assignment and other definitions	49
6.3 C	Classification into climatic categories	49
6.4 E	lectrical characteristics	50
6.4.1	Rated insulation voltage – Rated impulse withstand voltage – Pollution degree	50
6.4.2	Voltage proof	50
6.4.3	Current-carrying capacity	51
6.4.4	Contact resistance	52
6.4.5	Insulation resistance	52
6.5 M	Nechanical characteristics	52
6.5.1	Mechanical operation	52
6.5.2	Insertion and withdrawal forces	53
6.5.3	Contact retention in insert	53
6.5.4	Polarizing and coding method	53
6.6 C	Other characteristics	53
6.6.1	Vibration (sinusoidal)	53
6.6.2	Shock	54
6.6.3	Degree of protection provided by enclosures (IP code)	54
6.6.4	Shielding properties	54
6.7 N	Marking of insulation material (plastics)	54
	chedule	
7.1 G	General Tah Standards	54
7.1.1	General	
7.1.2	Climatic categoryStandards it A	54
7.1.3	Creepage and clearance distances	
7.1.4	Arrangement for contact resistance measurement	
7.1.5	Arrangement for dynamic stress tests	
7.1.6	Wiring of specimens	
/star7.2 ds itT	est schedules and and steer 109et50a-2a77-4d0e-b60b-76c6d9a6de41/1ec-6107	
7.2.1	Basic (minimum) test schedule	
7.2.2	Full test schedule	
Annex A (in	formative) Recommended outer diameter of the female connector body	65
Annex B (in	formative) Orientation of cable outlet in relation to coding	66
•	y	
	Fixed connector, male contacts, mounting with thread M12 × 1, with wire	07
	e hole mounting thread M16 × 1,5	15
	Fixed connector, male contacts, mounting with thread M12 × 1, with wire ende mounting thread M20 × 1,5	16
	Fixed connector, female contacts, mounting with thread M12 × 1, with wire bole mounting thread M16 × 1,5	17
	Fixed connector, female contacts, mounting with thread M12 × 1, with wire bolle mounting thread M20 × 1,5	18
	Fixed connector, male contacts, mounting with thread M12 × 1, with wire bolle mounting thread M16 × 1,5, rear mounting	19
	Fixed connector, female contacts, mounting with thread M12 × 1, with wire bolle mounting thread M16 × 1,5, rear mounting	20
Figure 7 – F	Rewirable connector, male contacts, straight version, with locking nut	21
Figure 8 – F	Rewirable connector, male contacts, right angled version, with locking nut	21

Figure 9 – Non-rewirable connector, male contacts, straight version, with locking nut	22
Figure 10 – Non-rewirable connector, male contacts, right angled version, with locking nut	23
Figure 11 – Rewirable connector, female contacts, straight version, with locking nut	
Figure 12 – Rewirable connector, female contacts, right angled version with locking nut.	
Figure 13 – Non-rewirable connector, female contacts, straight version with locking nut.	
Figure 14 – Non-rewirable connector, female contacts, right angled version, with	
locking nut	26
Figure 15 – F-coding male side	27
Figure 16 – F-coding female side	28
Figure 17 – Contact position for F-coding front view	29
Figure 18 – K-coding male side	30
Figure 19 – K-coding female side	31
Figure 20 – Contact position K-coding front view	32
Figure 21 – L-coding male side with one female contact	33
Figure 22 – L-coding female side with one male contact	34
Figure 23 – Contact position L-coding front view	36
Figure 24 – M-coding male side	37
Figure 25 – M-coding female side	
Figure 26 – Contact position M-coding front view	39
Figure 27 – S-coding male side	40
Figure 28 – S-coding female side	41
Figure 29 – Contact position S-coding front view	42
Figure 30 – T-coding male side	43
Figure 31 – Contact position T-coding front view	
Figure 32 – Engagement (mating) information	46
Figure 33 – Gauge requirements	49
Figure 34 – Contact resistance arrangement	55
Figure 35 – Dynamic stress test arrangement	56
Figure A.1 – Diameter of the female connector body	65
Figure B.1 – Orientation of cable outlet for angled connectors in relation to the coding	66
Table 1 – Ratings of connectors	12
Table 2 – Styles of fixed connectors	
Table 3 – Dimensions of style EM, Figure 1	
Table 4 – Dimensions of style FM, Figure 2	16
Table 5 – Dimensions of style EF, Figure 3	
Table 6 – Dimensions of style FF, Figure 4	
Table 7 – Dimensions of style IM, Figure 5	
Table 8 – Dimensions of style IF, Figure 6	
Table 9 – Styles of free connectors	20
Table 10 – Dimensions of style JM, Figure 7	21
Table 11 – Dimensions of style KM, Figure 8	
Table 12 – Dimensions of style LM. Figure 9	22

Table 13 – Dime	ensions of style MM, Figure 10	23
Table 14 – Dime	ensions of style JF, Figure 11	24
Table 15 – Dime	ensions of style KF, Figure 12	25
Table 16 – Dime	ensions of style LF, Figure 13	26
Table 17 – Dime	ensions of style MF, Figure 14	26
Table 18 – Dime	ensions for Figure 15	28
Table 19 – Dime	ensions for Figure 16	29
Table 20 – Dime	ensions for Figure 18	31
Table 21 – Dime	ensions for Figure 19	32
Table 22 – Dime	ensions for Figure 21	34
Table 23 – Dime	ensions for Figure 22	35
Table 24 – Dime	ensions for Figure 24	38
Table 25 – Dime	ensions for Figure 25	39
Table 26 – Dime	ensions for Figure 27	41
Table 27 – Dime	ensions for Figure 28	42
Table 28 – Dime	ensions for Figure 30	44
Table 29 – Coni	nectors dimensions in mated and locked position	46
Table 30 – Gau	ges	49
Table 31 – Clim	atic category	49
	ed insulation voltage – Rated impulse withstand voltage – Pollution	50
degree	age proof	50
Table 34 – Curr	ent-carrying capacity	52
	ber of mechanical operations	
	rtion and withdrawal forces	
	rizing Insertion forces (2025) 2277.4462.5605.76264046444.762.61076	
	group AD	
	group AP	
	group BP	
	group CP	
	group DPgroup EP	
	group NP	
	meter of the female connector body, dimension x, coding F, K, L, M, S,	04
		65

INTERNATIONAL ELECTROTECHNICAL COMMISSION

Connectors for electrical and electronic equipment Product requirements Part 2-111: Circular connectors Detail specification for power connectors with M12 screw-locking

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at https://patents.iec.ch. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 61076-2-111 has been prepared by subcommittee 48B: Electrical connectors, of IEC technical committee 48: Electrical connectors and mechanical structures for electrical and electronic equipment. It is an International Standard.

This second edition cancels and replaces the first edition published in 2017. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) The structure of this document has been adapted to the new IEC template for standards. New subclauses have been added. In Clause 5 and Clause 6, technical specifications have been updated.
- b) This document no longer includes the mating faces for M12 E-coded connectors.