



Edition 2.0 2025-04 REDLINE VERSION

INTERNATIONAL STANDARD

Multicore and symmetrical pair/quad cables for digital communications –
Part 12: Symmetrical single pair cables with transmission characteristics up to
600 MHz 1,25 GHz – Work area wiring – Sectional specification

Document Preview

IEC 61156-12-2025

https://standards.iteh.ai/catalog/standards/iec/d1fa66a1-6d42-4512-9461-34e0c5d46c90/iec-61156-12-2025





THIS PUBLICATION IS COPYRIGHT PROTECTED Copyright © 2025 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Secretariat

3, rue de Varembé

CH-1211 Geneva 20

Tel.: +41 22 919 02 11

info@iec.ch

www.iec.ch

CH-1211 Geneva 20 wv Switzerland

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Discover our powerful search engine and read freely all the publications previews, graphical symbols and the glossary. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

Preview

The world's leading online dictionary on electrotechnology, containing more than 22 500 terminological entries in English and French, with equivalent terms in 25 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC 61156-12:2025

https://standards.iteh.ai/catalog/standards/iec/d1fa66a1-6d42-4512-9461-34e0c5d46c90/iec-61156-12-2025



Edition 2.0 2025-04 REDLINE VERSION

INTERNATIONAL STANDARD

Multicore and symmetrical pair/quad cables for digital communications – Part 12: Symmetrical single pair cables with transmission characteristics up to 600 MHz 1,25 GHz – Work area wiring – Sectional specification

Document Preview

IEC 61156-12:2025

https://standards.iteh.ai/catalog/standards/iec/d1fa66a1-6d42-4512-9461-34e0c5d46c90/iec-61156-12-2025

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ICS 33.120.20 ISBN 978-2-8327-0407-3

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

| F | OREWO | PRD | 4 |
|---|----------------|-------------------------------------------------------------|----|
| 1 | Scop | re | 6 |
| 2 | Norm | native references | 6 |
| 3 | Term | s and definitions | 7 |
| 4 | Insta | llation considerations | 7 |
| | 4.1 | General remarks | 7 |
| | 4.2 | Bending radius of installed cable | 7 |
| | 4.3 | Climatic conditions | 7 |
| 5 | Mate | rials and cable construction | 7 |
| | 5.1 | General remarks | 7 |
| | 5.2 | Cable construction | 8 |
| | 5.3 | Conductor | 8 |
| | 5.4 | Insulation | 8 |
| | 5.5 | Cable element | 8 |
| | 5.6 | Screening of the cable element | 8 |
| | 5.7 | Cable make-up | |
| | 5.8 | Screening of the cable core | 8 |
| | 5.9 | Sheath | |
| | 5.10 | Identification | 9 |
| | 5.11 | Finished cable | |
| 6 | Char | acteristics and requirements | 9 |
| | 6.1 | General remarks | |
| | 6.2 | Electrical characteristics and tests | 10 |
| | 6.2.1 | Conductor resistance | 10 |
| | 6.2.2 | | 10 |
| | 6.2.3 | Dielectric strength | 10 |
| | 6.2.4 | | |
| | 6.2.5 | • | |
| | 6.2.6 | • | |
| | 6.2.7 | • | |
| | 6.2.8 | 1 3 | |
| | 6.2.9 | Current-carrying capacity Transmission characteristics | |
| | 6.3 | | |
| | 6.3.1 6.3.2 | <i>y</i> 1 1 0 (1 <i>y</i>) | |
| | 6.3.3 | | |
| | 6.3.4 | (-) | |
| | 6.3.5 | , | |
| | 6.3.6 | | |
| | 6.3.7 | , , , , , , , , , , , , , , , , , , , , | |
| | 6.3.8 | , | |
| | 6.3.9 | | |
| | 6.4 | Mechanical and dimensional characteristics and requirements | |
| | 6.4.1 | · | |
| | 6.4.2 | | |
| | 6.4.3 | - | |
| | | | |

| | Elongation at break of the insulation | |
|-----------------------------------|------------------------------------------------------------------------|----------|
| 6.4.5 | Adhesion of the insulation to the conductor | 17 |
| 6.4.6 | Elongation at break of the sheath | 18 |
| 6.4.7 | Tensile strength of the sheath | 18 |
| 6.4.8 | Crush test of the cable | 18 |
| 6.4.9 | Impact test of the cable | 18 |
| 6.4.10 | Bending under tension | 18 |
| 6.4.11 | Repeated bending of the cable | 18 |
| 6.4.12 | Tensile performance of the cable | 18 |
| 6.4.13 | Shock-test requirements of the cable | 18 |
| 6.4.14 | Bump-test requirements of the cable | |
| 6.4.15 | Vibration-test requirements of a cable | |
| 6.5 Env | /ironmental characteristics | |
| 6.5.1 | Shrinkage of the insulation | |
| 6.5.2 | Wrapping test of the insulation after thermal ageing | |
| 6.5.3 | Bending test of insulation at low temperature | |
| 6.5.4 | Elongation at break of the sheath after ageing | |
| 6.5.5 | Tensile strength of the sheath after ageing | |
| 6.5.6 | Sheath pressure test at high temperature | |
| 6.5.7 | Cold bend test of the cable | |
| 6.5.8 | Heat shock test | |
| 6.5.9 | Damp heat steady state | |
| 6.5.10 | Solar radiation (UV test) | |
| 6.5.11 | Solvents and contaminating fluids | 10 |
| 6.5.12 | Salt mist and sulphur dioxide | |
| 6.5.13 | Water immersion | 10 1C |
| 6.5.14 | Hygroscopicity | |
| 6.5.15 | Wicking | |
| | Flame propagation characteristics of a single cable and a single cable | |
| stan 6.5.16 _{tel} 6.5.17 | Flame propagation characteristics of bunched cables | |
| 6.5.18 | Halogen gas evolution | |
| 6.5.19 | Smoke generation | |
| 6.5.20 | Toxic gas emission | |
| 6.5.21 | Integrated fire test method for cables in environmental air handling | 20 |
| 0.5.21 | spaces | 20 |
| 7 Bundled | cable requirements | |
| | neral | |
| | gle pairs sharing one sheath | |
| 7.2 3111 | General | |
| 7.2.1 | | |
| | Near-end crosstalk (NEXT) | |
| 7.2.3 | Attenuation to crosstalk ratio far-end (PS ACR-F) | |
| • | rmative) Blank detail specification | 22 |
| | rmative) Background information for coupling attenuation and low | 0- |
| frequency cou | upling attenuation requirements | |
| | | |

| Table 3 – Low frequency coupling attenuation | 12 |
|----------------------------------------------|----|
| Table 4 – Attenuation equation constants | 13 |
| Table 5 – TCL requirements | 14 |
| Table 6 – EL TCTL requirements | 14 |
| Table 7 – PS ANEXT requirements | 15 |
| Table 8 – PS AACR-F requirements | 15 |
| Table 9 – RL requirements | 17 |
| Table 10 – NEXT and PS NEXT requirements | 21 |
| Table 11 – ACR-F and PS ACR-F requirements | 21 |
| Table A.1 – Blank detail specification | 23 |

iTeh Standards (https://standards.iteh.ai) Document Preview

IEC 61156-12:2025

https://standards.iteh.ai/catalog/standards/iec/d1fa66a1-6d42-4512-9461-34e0c5d46c90/iec-61156-12-2025

INTERNATIONAL ELECTROTECHNICAL COMMISSION

MULTICORE AND SYMMETRICAL PAIR/QUAD CABLES FOR DIGITAL COMMUNICATIONS –

Part 12: Symmetrical single pair cables with transmission characteristics up to 600 MHz 1,25 GHz – Work area wiring – Sectional specification

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at https://patents.iec.ch. IEC shall not be held responsible for identifying any or all such patent rights.

This redline version of the official IEC Standard allows the user to identify the changes made to the previous edition IEC 61156-12:2021. A vertical bar appears in the margin wherever a change has been made. Additions are in green text, deletions are in strikethrough red text.