



Edition 1.0 2025-05

INTERNATIONAL STANDARD

Multicore and symmetrical pair/quad cables for digital communications –
Part 14: Symmetrical single pair cables with transmission characteristics up to
20 MHz – Work area wiring – Sectional specification

Document Preview

IEC 61156-14:2025

https://standards.iteh.ai/catalog/standards/iec/efdeb23e-60f5-4390-bb39-9b125bc85c36/iec-61156-14-2025

ICS

ICS 33.120.20 ISBN 978-2-8327-0451-6



THIS PUBLICATION IS COPYRIGHT PROTECTED Copyright © 2025 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Secretariat Tel.: +41 22 919 02 11

3, rue de Varembé info@iec.ch CH-1211 Geneva 20 www.iec.ch

Switzerland

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search -

webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@jec.ch.

IEC Products & Services Portal - products.iec.ch

Discover our powerful search engine and read freely all the publications previews, graphical symbols and the glossary. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 500 terminological entries in English and French, with equivalent terms in 25 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

Preview

IEC 61156-14·2025

https://standards.iteh.ai/catalog/standards/iec/efdeh23e-60f5-4390-bb39-9b125bc85c36/iec-61156-14-2025

CONTENTS

	vord			
	ormative references			
	erms and definitions			
4 I	stallation considerations	_		
4.1	General remarks			
4.2	Bending radius of installed cable			
4.3	Climatic conditions			
5 N	aterials and cable construction	8		
5.1	General remarks	8		
5.2	Cable construction	8		
5.3	Conductor	8		
5.4	Insulation	9		
5.5	Cable element			
5.6	Screening of the cable element	9		
5.7	Cable make-up			
5.8	Screening of the cable core			
5.9	Sheath			
5.1				
5.1	Finished cable	10		
6 0	naracteristics and requirements			
6.1	General remarks	10		
6.2	Electrical characteristics and tests	10		
6	2.1 Conductor resistance	10		
6	2.2 Resistance unbalance within a pair	10		
//stand	2.3 Teh Dielectric strength Dielectric strength Dielectric strength Dielectric strength	10		
6	2.4 Insulation resistance	10		
6	2.5 Mutual capacitance	10		
6	2.6 Capacitance unbalance	10		
6	2.7 Transfer impedance	11		
6	2.8 Low frequency coupling attenuation	11		
6	2.9 Current-carrying capacity	11		
6.3	Transmission characteristics	11		
6	3.1 Velocity of propagation (phase velocity)	11		
6	3.2 Phase delay			
6	3.3 Attenuation (α)	12		
6	3.4 Unbalance attenuation (TCL and EL TCTL)	13		
6	3.5 Alien (exogenous) near-end crosstalk (PS ANEXT)	14		
6	3.6 Alien (exogenous) far-end crosstalk (PS AACR-F)	14		
6	3.7 Impedance	14		
6	3.8 Return loss (RL)	15		
6.4	Mechanical and dimensional characteristics and requirements	15		
6	4.1 Dimensional requirements	15		
6	4.2 Elongation at break of the conductors	15		
6	4.3 Tensile strength of the insulation	15		
6	4.4 Elongation at break of the insulation	15		

	6.4.5	Adhesion of the insulation to the conductor	15
	6.4.6	Elongation at break of the sheath	15
	6.4.7	Tensile strength of the sheath	16
	6.4.8	Crush test of the cable	16
	6.4.9	Impact test of the cable	16
	6.4.10	Bending under tension	16
	6.4.11	Repeated bending of the cable	
	6.4.12	Tensile performance of the cable	
	6.4.13	Shock test requirements of the cable	
	6.4.14	Bump test requirements of the cable	
	6.4.15	Vibration test requirements of a cable	
		ironmental characteristics	
	6.5.1	Shrinkage of insulation	
	6.5.2	Wrapping test of insulation after thermal ageing	
	6.5.3	Bending test of insulation at low temperature	
	6.5.4	Elongation at break of the sheath after ageing	
	6.5.5	Tensile strength of the sheath after ageing	
	6.5.6	Sheath pressure test at high temperature	
	6.5.7	Cold bend test of the cable	
	6.5.8	Heat shock test	
	6.5.9	Damp heat steady state	
	6.5.10		
	6.5.10	Solar radiation (UV test)	17
	6.5.12	Salt mist and sulphur dioxide	17
	6.5.13		
	6.5.14	Hygroscopicity	
	6.5.15	Wicking <u>IEC 61156-14:2025</u>	
	6.5.16 teh	Flame propagation characteristics of a single cable	
	6.5.17	Flame propagation characteristics of bunched cables	
	6.5.18	Halogen gas evolution	
	6.5.19	Smoke generation	
	6.5.20	Toxic gas emission	
	6.5.21	Integrated fire test	
7	Bundled of	cables requirements	18
8	Introducti	on to the blank detail specification (BDS)	18
Anı	nex A (infor	mative) Blank detail specification	19
Anı	nex B (infor	mative) Background information for coupling attenuation and low pling attenuation requirements	24
		r · · 3	
Tal	ble 1 – Trar	nsfer impedance	11
		frequency coupling attenuation	
		nuation equation constants	
Tab	ble 4 – Atte	nuation temperature coefficients	12