

INTERNATIONAL STANDARD

NORME INTERNATIONALE



**Industrial communication networks – Fieldbus specifications –
Part 4-2: Data-link layer protocol specification – Type 2 elements**

**Réseaux de communication industriels – Spécifications des bus de terrain –
Partie 4-2: Spécification du protocole de la couche liaison de données –
Éléments de type 2**



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2023 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Secretariat
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Discover our powerful search engine and read freely all the publications previews. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 300 terminological entries in English and French, with equivalent terms in 19 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Recherche de publications IEC -

webstore.iec.ch/advsearchform

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études, ...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Découvrez notre puissant moteur de recherche et consultez gratuitement tous les aperçus des publications. Avec un abonnement, vous aurez toujours accès à un contenu à jour adapté à vos besoins.

Electropedia - www.electropedia.org

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 300 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 19 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

INTERNATIONAL STANDARD

NORME INTERNATIONALE



**Industrial communication networks – Fieldbus specifications –
Part 4-2: Data-link layer protocol specification – Type 2 elements**

**Réseaux de communication industriels – Spécifications des bus de terrain –
Partie 4-2: Spécification du protocole de la couche liaison de données –
Éléments de type 2**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 25.040.40, 35.100.20, 35.110

ISBN 978-2-8322-7697-6

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

FOREWORD.....	16
INTRODUCTION.....	18
1 Scope.....	19
1.1 General.....	19
1.2 Specifications	19
1.3 Procedures	19
1.4 Applicability	20
1.5 Conformance	20
2 Normative references	20
3 Terms, definitions, symbols, abbreviated terms and conventions	22
3.1 Reference model terms and definitions	22
3.2 Service convention terms and definitions	24
3.3 Common terms and definitions	24
3.4 Additional Type 2 definitions	25
3.5 Type 2 symbols and abbreviated terms	33
3.6 Conventions for station management objects	34
4 Overview of the data-link protocol.....	35
4.1 General.....	35
4.1.1 DLL architecture	35
4.1.2 Access control machine (ACM) and scheduling support functions	37
4.1.3 Connection-mode, connectionless-mode data transfer and DL service.....	37
4.2 Services provided by the DL	37
4.2.1 Overview	37
4.2.2 QoS.....	38
4.3 Structure and definition of DL-addresses	38
4.3.1 General	38
4.3.2 MAC ID address	39
4.3.3 Generic tag address	40
4.3.4 Fixed tag address	40
4.4 Services assumed from the PhL.....	41
4.4.1 General requirements	41
4.4.2 Data encoding rules.....	41
4.4.3 DLL to PhL interface	42
4.5 Functional classes	44
5 General structure and encoding of PhIDUs and DLPDUs and related elements of procedure	44
5.1 Overview.....	44
5.2 Media access procedure	44
5.3 DLPDU structure and encoding	48
5.3.1 General	48
5.3.2 DLPDU components	48
5.3.3 Preamble	48
5.3.4 Start and end delimiters.....	48
5.3.5 DLPDU octets and ordering	48
5.3.6 Source MAC ID.....	49
5.3.7 Lpackets field	49
5.3.8 Frame check sequence (FCS).....	49

5.3.9	Null DLPDU	52
5.3.10	Abort DLPDU	52
5.4	Lpacket components	52
5.4.1	General Lpacket structure	52
5.4.2	Size	53
5.4.3	Control	53
5.4.4	Generic tag Lpackets	53
5.4.5	Fixed tag Lpackets	54
5.5	DLPDU procedures	54
5.5.1	General	54
5.5.2	Sending scheduled DLPDUs	55
5.5.3	Sending unscheduled DLPDUs	55
5.5.4	Receiving DLPDUs	55
5.6	Summary of DLL support services and objects	56
6	Specific DLPDU structure, encoding and procedures	57
6.1	Modeling language	57
6.1.1	State machine description	57
6.1.2	Use of DLL- prefix	58
6.1.3	Data types	58
6.2	DLS user services	59
6.2.1	General	59
6.2.2	Connected mode and connectionless mode transfer service	60
6.2.3	Queue maintenance service	61
6.2.4	Tag filter service	61
6.2.5	Link synchronization service	62
6.2.6	Synchronized parameter change service	62
6.2.7	Event reports service	63
6.2.8	Bad FCS service	64
6.2.9	Current moderator service	64
6.2.10	Power up and online services	64
6.2.11	Enable moderator service	65
6.2.12	Listen only service	65
6.3	Generic tag Lpacket	65
6.3.1	General	65
6.3.2	Structure of the generic-tag Lpacket	65
6.3.3	Sending and receiving the generic-tag Lpacket	66
6.4	Moderator Lpacket	66
6.4.1	General	66
6.4.2	Structure of the moderator Lpacket	66
6.4.3	Sending and receiving the moderator Lpacket	66
6.5	Time distribution Lpacket	67
6.5.1	General	67
6.5.2	Structure of the time distribution Lpacket	67
6.5.3	Sending and receiving the time distribution Lpacket	69
6.6	UCMM Lpacket	70
6.6.1	General	70
6.6.2	Structure of the UCMM Lpacket	70
6.6.3	Sending and receiving the UCMM Lpacket	70
6.7	Keeper UCMM Lpacket	70

6.7.1	General	70
6.7.2	Structure of the Keeper UCMM Lpacket	70
6.7.3	Sending and receiving the Keeper UCMM Lpacket.....	70
6.8	TUI Lpacket	71
6.8.1	General	71
6.8.2	Structure of the TUI Lpacket	71
6.8.3	Sending and receiving the TUI Lpacket.....	72
6.9	Link parameters Lpacket and tMinus Lpacket.....	72
6.9.1	General	72
6.9.2	Structure of link parameters and tMinus Lpackets	72
6.9.3	Sending and receiving the tMinus and Link parameters Lpackets.....	73
6.10	I'm-alive Lpacket.....	73
6.10.1	General	73
6.10.2	Structure or the I'm-alive Lpacket	73
6.10.3	Sending and receiving I'm Alive	74
6.10.4	I'm alive state processing	74
6.11	Ping Lpackets	75
6.11.1	General	75
6.11.2	Structure of the ping Lpackets	76
6.11.3	Sending and receiving the ping Lpackets	76
6.12	WAMI Lpacket.....	76
6.12.1	General	76
6.12.2	Structure of the WAMI Lpacket	77
6.12.3	Sending and receiving the WAMI Lpacket	77
6.13	Debug Lpacket.....	77
6.14	IP Lpacket	78
6.15	Ethernet Lpacket.....	78
7	Objects for station management	78
7.1	General.....	78
7.2	ControlNet™ object.....	80
7.2.1	Overview	80
7.2.2	Class attributes	80
7.2.3	Instance attributes	80
7.2.4	Common services	89
7.2.5	Class specific services	90
7.2.6	Behavior	91
7.2.7	Module status indicator.....	91
7.3	Keeper object	92
7.3.1	Overview	92
7.3.2	Revision history	92
7.3.3	Class attributes	92
7.3.4	Instance attributes	92
7.3.5	Common services	101
7.3.6	Class specific services	102
7.3.7	Service error codes	108
7.3.8	Behavior	108
7.3.9	Miscellaneous notes	109
7.3.10	Keeper power up sequence	110
7.4	Scheduling object	115

7.4.1	Overview	115
7.4.2	Class attributes	116
7.4.3	Instance attributes	116
7.4.4	Common services	117
7.4.5	Class specific services	119
7.4.6	Typical scheduling session	125
7.5	TCP/IP Interface object	126
7.5.1	Overview	126
7.5.2	Revision history	126
7.5.3	Class attributes	126
7.5.4	Instance attributes	127
7.5.5	Diagnostic connection points	142
7.5.6	Common services	142
7.5.7	Class specific services	145
7.5.8	Behavior	147
7.5.9	Address Conflict Detection (ACD)	148
7.6	Ethernet Link object	154
7.6.1	Overview	154
7.6.2	Revision history	154
7.6.3	Class attributes	154
7.6.4	Instance attributes	155
7.6.5	Diagnostic connection points	165
7.6.6	Common services	166
7.6.7	Class specific services	167
7.6.8	Behavior	168
7.7	DeviceNet™ object	169
7.7.1	Overview	169
7.7.2	Revision history	170
7.7.3	Class attributes	170
7.7.4	Instance attributes	170
7.7.5	Common services	177
7.7.6	Class specific services	178
7.8	Connection Configuration object (CCO)	179
7.8.1	Overview	179
7.8.2	Revision history	179
7.8.3	Class attributes	179
7.8.4	Instance attributes	181
7.8.5	Connection Configuration object change control	190
7.8.6	Common services	190
7.8.7	Class specific services	196
7.8.8	Behavior	200
7.9	DLR object	200
7.9.1	Overview	200
7.9.2	Revision history	201
7.9.3	Class attributes	201
7.9.4	Instance attributes	201
7.9.5	Diagnostic connection points	213
7.9.6	Common services	213
7.9.7	Class specific services	217

7.10	QoS object.....	218
7.10.1	Overview	218
7.10.2	Revision History	218
7.10.3	Class attributes	218
7.10.4	Instance Attributes.....	219
7.10.5	Common services	220
7.11	Port object	221
7.11.1	Overview	221
7.11.2	Revision History	221
7.11.3	Class attributes	222
7.11.4	Instance attributes	222
7.11.5	Common services	229
7.12	PRP/HSR Protocol object.....	231
7.12.1	Overview	231
7.12.2	Revision history	231
7.12.3	Class attributes	231
7.12.4	Instance attributes	231
7.12.5	Diagnostic connection points	239
7.12.6	Common Services.....	239
7.13	PRP/HSR Nodes Table object.....	241
7.13.1	Overview	241
7.13.2	Revision history	241
7.13.3	Class attributes	242
7.13.4	Instance attributes	242
7.13.5	Common services	244
7.14	LLDP Management object	245
7.14.1	Overview	245
7.14.2	Revision history	245
7.14.3	Class attributes	246
7.14.4	Instance attributes	246
7.14.5	Common services	247
7.15	LLDP Data Table object	248
7.15.1	Overview	248
7.15.2	Revision history	249
7.15.3	Class attributes	249
7.15.4	Instance attributes	249
7.15.5	Common services	253
8	Other DLE elements of procedure.....	254
8.1	Network attachment monitor (NAM).....	254
8.1.1	General	254
8.1.2	Default parameters	256
8.1.3	Auto-addressing	256
8.1.4	Valid MAC IDs	257
8.1.5	State machine description.....	257
8.2	Calculating link parameters.....	263
8.2.1	Link parameters.....	263
8.2.2	Conditions affecting link parameters	263
8.2.3	Moderator change.....	263
8.2.4	NUT timing	264

8.2.5	Slot timing	265
8.2.6	Blanking	266
8.2.7	Example implementation	266
9	Detailed specification of DL components	271
9.1	General	271
9.2	Access control machine (ACM)	271
9.3	TxLLC	290
9.4	RxLLC	295
9.5	Transmit machine (TxM)	298
9.6	Receive machine (RxM)	302
9.7	Serializer	308
9.8	Deserializer	310
9.8.1	Octet construction	310
9.8.2	FCS checking	311
9.8.3	End of DLPDU processing	311
9.9	DLL management	311
10	Device Level Ring (DLR) protocol	313
10.1	General	313
10.2	Support for Multiple DLR Ring Pairs	314
10.3	Supported topologies	315
10.4	Overview of DLR operation	316
10.4.1	Normal operation	316
10.4.2	Link failures	317
10.5	Classes of DLR implementation	318
10.6	DLR behavior	319
10.6.1	DLR variables	319
10.6.2	Ring supervisor	319
10.6.3	Ring node	322
10.6.4	Sign on process	323
10.6.5	Neighbor check process	324
10.7	Implementation requirements	324
10.7.1	Embedded switch requirements and recommendations	324
10.7.2	DLR implementation requirements	325
10.7.3	IEC 61588 and Type 2 Ethernet considerations	326
10.7.4	IEEE Std 802.1Q-2018 STP/RSTP/MSTP considerations	326
10.8	Using non-DLR nodes in the ring network	326
10.8.1	General considerations	326
10.8.2	Non-DLR end devices	327
10.8.3	Non-DLR switches	327
10.9	Redundant gateway devices on DLR network	329
10.9.1	General	329
10.9.2	Supported topologies	330
10.9.3	Redundant gateway capable device	330
10.9.4	Redundant gateway device behavior	331
10.10	DLR messages	334
10.10.1	General	334
10.10.2	Common frame header	335
10.10.3	Beacon frame	336
10.10.4	Neighbor_Check request	336

10.10.5	Neighbor_Check_response	337
10.10.6	Link_Status/Neighbor_Status	337
10.10.7	Locate_Fault	338
10.10.8	Announce	338
10.10.9	Sign_On	338
10.10.10	Advertise	339
10.10.11	Flush_Tables	339
10.10.12	Learning_Update	340
10.11	State diagrams and state-event-action matrices	340
10.11.1	Beacon-based ring node	340
10.11.2	Announce-based ring node	347
10.11.3	Ring supervisor	351
10.11.4	Redundant gateway	366
10.12	Performance analysis	369
10.12.1	General	369
10.12.2	Redundant gateway switchover performance	373
11	PRP and HSR redundancy protocols	375
11.1	General	375
11.2	PRP overview	375
11.2.1	General	375
11.2.2	Address Conflict Detection (ACD)	376
11.3	HSR overview	377
12	LLDP protocol	378
12.1	General	378
12.2	LLDP overview	379
12.3	Type 2 LLDP Transmission Requirements	379
12.3.1	General	379
12.3.2	Chassis ID TLV (TLV Type = 1)	380
12.3.3	Port ID TLV (TLV Type = 2)	380
12.3.4	System Capabilities TLV (TLV Type = 7)	381
12.3.5	Management Address (TLV Type = 8)	381
12.3.6	Type 2 Identification TLV (TLV Type = 127)	381
12.3.7	Type 2 MAC Address TLV (TLV Type = 127)	381
12.3.8	Type 2 Interface Label TLV (TLV Type = 127)	381
12.3.9	Additional Ethernet Capabilities TLV (TLV Type = 127)	382
12.4	Type 2 LLDP Reception Requirements	382
12.5	Type 2 LLDP Reporting Requirements	382
12.6	EtherNet/IP LLDP Link State Transition Requirements	382
Annex A (normative)	Indicators and switches	383
A.1	Purpose	383
A.2	Indicators	383
A.2.1	General indicator requirements	383
A.2.2	Common indicator requirements	383
A.2.3	Fieldbus specific indicator requirements – option 1	385
A.2.4	Fieldbus specific indicator requirements – option 2	389
A.2.5	Fieldbus specific indicator requirements – option 3	393
A.3	Switches	398
A.3.1	Common switch requirements	398
A.3.2	Fieldbus specific switch requirements – option 1	398

A.3.3	Fieldbus specific switch requirements – option 2	398
A.3.4	Fieldbus specific switch requirements – option 3	399
Bibliography		400
Figure 1 – Data-link layer internal architecture		36
Figure 2 – Relationships of DLSAPs, DLSAP-addresses, and group DL-addresses		39
Figure 3 – Basic structure of a MAC ID address		39
Figure 4 – Basic structure of a generic tag address		40
Figure 5 – Basic structure of a fixed tag address		40
Figure 6 – M_symbols and Manchester encoding at 5 MHz		42
Figure 7 – NUT structure		45
Figure 8 – Media access during scheduled time		46
Figure 9 – Media access during unscheduled time		47
Figure 10 – DLPDU format		48
Figure 11 – Aborting a DLPDU during transmission		52
Figure 12 – Lpacket format		53
Figure 13 – Generic tag Lpacket format		54
Figure 14 – Fixed tag Lpacket format		54
Figure 15 – Goodness parameter of TimeDist_Lpacket		68
Figure 16 – Example I'm alive processing algorithm		75
Figure 17 – Keeper CRC algorithm		99
Figure 18 – Keeper object power-up state diagram		111
Figure 19 – Keeper object operating state diagram		112
Figure 20 – Synchronized network change processing		115
Figure 21 – State transition diagram for TCP/IP Interface object		147
Figure 22 – State transition diagram for TCP/IP Interface object		148
Figure 23 – ACD Behavior		150
Figure 24 – State transition diagram for Ethernet Link object		169
Figure 25 – Connection Configuration object edit flowchart		200
Figure 26 – Communication objects diagram for example device		229
Figure 27 – NAM state machine		256
Figure 28 – Devices with Multiple DLR Ring Pairs		314
Figure 29 – DLR rings connected to switches		315
Figure 30 – Normal operation of a DLR network		316
Figure 31 – Beacon and Announce frames		316
Figure 32 – Link failure		317
Figure 33 – Network reconfiguration after link failure		318
Figure 34 – Neighbor Check process		324
Figure 35 – Unsupported topology – example 1		328
Figure 36 – Unsupported topology – example 2		328
Figure 37 – DLR ring connected to switches through redundant gateways		330
Figure 38 – DLR redundant gateway capable device		331
Figure 39 – Advertise frame		333

Figure 40 – State transition diagram for Beacon frame based non-supervisor ring node.....	341
Figure 41 – State transition diagram for Announce frame based non-supervisor ring node	347
Figure 42 – State transition diagram for ring supervisor	351
Figure 43 – State transition diagram for redundant gateway.....	366
Figure 44 – PRP network	376
Figure 45 – Directly Attached SANs	377
Figure 46 – Virtual DANs	377
Figure 47 – HSR network	378
Figure 48 – IEEE LLDP PDU Format (source IEEE Std 802.1AB-2016).....	379
Figure 49 – Type 2 LLDP PDU Format	380
Figure 50 – Type 2 Identification TLV Format.....	381
Figure 51 – Type 2 MAC Address TLV Format	381
Figure 52 – Type 2 Interface Label TLV Format	382
Figure A.1 – Non redundant network status indicator labeling	389
Figure A.2 – Redundant network status indicator labeling	389
Figure A.3 – Network status indicator state diagram	392
Figure A.4 – Examples of multiple network status indicators	392
Table 1 – Format of attribute tables	34
Table 2 – Data-link layer components	36
Table 3 – MAC ID addresses allocation	40
Table 4 – Fixed tag service definitions	40
Table 5 – Data encoding rules	42
Table 6 – M Data symbols.....	43
Table 7 – Truth table for ph_status_indication.....	43
Table 8 – FCS length, polynomials and constants	49
Table 9 – DLL support services and objects.....	56
Table 10 – Elementary data types.....	59
Table 11 – DLL events	63
Table 12 – Time distribution priority	69
Table 13 – Format of the TUI Lpacket	71
Table 14 – ControlNet object class attributes	80
Table 15 – ControlNet object instance attributes	81
Table 16 – TUI status flag bits	86
Table 17 – Mac_ver bits.....	87
Table 18 – Channel state bits	87
Table 19 – ControlNet object common services.....	89
Table 20 – ControlNet object class specific services	90
Table 21 – Keeper object revision history	92
Table 22 – Keeper object class attributes	92
Table 23 – Keeper object instance attributes	93
Table 24 – Keeper operating state definitions	97

Table 25 – Port status flag bit definitions	97
Table 26 – TUI status flag bits	98
Table 27 – Keeper attributes	101
Table 28 – Memory requirements (in octets) for the Keeper attributes.....	101
Table 29 – Keeper object common services	102
Table 30 – Keeper object class specific services	102
Table 31 – Service error codes	103
Table 32 – Wire order format of the TUI Lpacket.....	107
Table 33 – Service error codes	108
Table 34 – Keeper object operating states	109
Table 35 – Keeper object state event matrix	113
Table 36 – Scheduling object class attributes	116
Table 37 – Scheduling object instance attributes	117
Table 38 – Scheduling object common services	117
Table 39 – Status error descriptions for Create	118
Table 40 – Status error descriptions for Delete and Kick_Timer	119
Table 41 – Scheduling object class specific services	119
Table 42 – Status error descriptions for Read	121
Table 43 – Status error descriptions for Conditional_Write.....	122
Table 44 – Status error descriptions for Forced_Write.....	122
Table 45 – Status error descriptions for Change_Start.....	123
Table 46 – Status error descriptions for Break_Connections	124
Table 47 – Status error descriptions for Change_Complete.....	124
Table 48 – Status error descriptions for Restart_Connections	125
Table 49 – Revision history	126
Table 50 – TCP/IP Interface object class attributes	127
Table 51 – TCP/IP Interface object instance attributes	127
Table 52 – Status bits	132
Table 53 – Configuration capability bits	133
Table 54 – Configuration control bits.....	134
Table 55 – Example path	135
Table 56 – Interface configuration components	136
Table 57 – Alloc control values	138
Table 58 – AcdActivity values	139
Table 59 – ArpPdu – ARP Response PDU in binary format	139
Table 60 – Admin Capability member bit definitions	140
Table 61 – Admin Capability member bit definitions	141
Table 62 – TCP/IP Interface connection point 1, Standard Network Diagnostics.....	142
Table 63 – TCP/IP Interface object common services	143
Table 64 – Get_Attributes_All response format	144
Table 65 – Set_Attributes_All request format	145
Table 66 – TCP/IP Interface object class specific services.....	145
Table 67 – Set_Port_Admin_State service request parameters	146

Table 68 – Set_Protocol_Admin_State service request parameters.....	146
Table 69 – Class specific error codes	147
Table 70 – Ethernet link object revision history	154
Table 71 – Ethernet link object class attributes	155
Table 72 – Ethernet link object instance attributes	155
Table 73 – Interface flags bits	160
Table 74 – Control bits	162
Table 75 – Interface type	163
Table 76 – Interface state	163
Table 77 – Admin state	163
Table 78 – Capability Bits	164
Table 79 – Ethernet Link connection point 1, Standard Network Diagnostics.....	165
Table 80 – Ethernet Link object common services.....	166
Table 81 – Get_Attributes_All response format	167
Table 82 – Ethernet Link object class specific services	168
Table 83 – DeviceNet object revision history.....	170
Table 84 – DeviceNet object class attributes.....	170
Table 85 – DeviceNet object instance attributes.....	170
Table 86 – Bit rate attribute values	173
Table 87 – BOI attribute values.....	173
Table 88 – Diagnostic counters bit description	176
Table 89 – DeviceNet object common services	177
Table 90 – Reset service parameter.....	177
Table 91 – Reset service parameter values	177
Table 92 – DeviceNet object class specific services.....	178
Table 93 – Connection Configuration object revision history	179
Table 94 – Connection Configuration object class attributes	179
Table 95 – Format number values	181
Table 96 – Connection Configuration object instance attributes	181
Table 97 – Originator connection status values.....	185
Table 98 – Target connection status values	185
Table 99 – Connection flags	186
Table 100 – I/O mapping formats	188
Table 101 – Services valid during a change operation	190
Table 102 – Connection Configuration object common services	190
Table 103 – Get_Attributes_All Response – class level.....	191
Table 104 – Get_Attributes_All response – instance level.....	191
Table 105 – Set_Attributes_All error codes	193
Table 106 – Set_Attributes_All request	193
Table 107 – Create request parameters	195
Table 108 – Create error codes	195
Table 109 – Delete error codes.....	195
Table 110 – Restore error codes.....	196

Table 111 – Connection Configuration object class specific services	196
Table 112 – Change_Start error codes.....	197
Table 113 – Get_Status service parameter	198
Table 114 – Get_Status service response	198
Table 115 – Get_Status service error codes	198
Table 116 – Change_Complete service parameter	199
Table 117 – Change_Complete service error codes	199
Table 118 – Audit_Changes service parameter	199
Table 119 – Audit_Changes service error codes	199
Table 120 – Revision history	201
Table 121 – DLR object class attributes	201
Table 122 – DLR object instance attributes	202
Table 123 – Network Status values	206
Table 124 – Ring Supervisor Status values	206
Table 125 – Capability flags	210
Table 126 – Redundant Gateway Status values	212
Table 127 – DLR connection point 1, Standard Network Diagnostics.....	213
Table 128 – DLR connection point 2, Standard Network Diagnostics.....	213
Table 129 – DLR object common services	214
Table 130 – Get_Attributes_All Response – Object Revision 1, non supervisor device.....	214
Table 131 – Get_Attributes_All Response – Object Revision 1, supervisor-capable device	215
Table 132 – Get_Attributes_All Response – Object Revision 2, non supervisor device.....	215
Table 133 – Get_Attributes_All Response – All other cases	216
Table 134 – DLR object class specific services	217
Table 135 – QoS object revision history	218
Table 136 – QoS object class attributes	219
Table 137 – QoS object instance attributes	219
Table 138 – Default DCSP values and usages	220
Table 139 – QoS object common services	221
Table 140 – Port object revision history	222
Table 141 – Port object class attributes	222
Table 142 – Port object instance attributes	223
Table 143 – Port Type and associated Logical Link Object classes and Port Type Name values.....	225
Table 144 – Port Routing Capabilities attribute bit definitions.....	228
Table 145 – Contents of Associated Communication objects attribute 11 for the two Port object instances of the example device	229
Table 146 – Port object common services	230
Table 147 – Get_Attributes_All response– class level	230
Table 148 – Get_Attributes_All response– instance level	230
Table 149 – Revision history	231
Table 150 – Class attributes	231
Table 151 – Instance attributes	232