

IEC ®

Edition 2.1 2025-12

INTERNATIONAL STANDARD

CONSOLIDATED VERSION

Adjustable speed electrical power drive systems (PDS) Part 9-2: Ecodesign for motor systems - Energy efficiency determination and classification

Document Preview

IEC 61800-9-2:2023

https://standards.iteh.ai/catalog/standards/iec/1141eech-251d-4ffb-b38b-198790db9875/iec-61800-9-2-2023



THIS PUBLICATION IS COPYRIGHT PROTECTED Copyright © 2025 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Secretariat Tel.: +41 22 919 02 11

3, rue de Varembé info@iec.ch CH-1211 Geneva 20 www.iec.ch Switzerland

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search -

webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublishedStay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc
If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Discover our powerful search engine and read freely all the publications previews, graphical symbols and the glossary. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 500 terminological entries in English and French, with equivalent terms in 25 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

Preview

IEC 61800-9-2:2023

maps...sumaaras.temas eduatog sumaaras.tee.11,11eeee 2014 inte e000 170,7504650,0,11ee 01000 7 2 2020

CONTENTS

F	OREWO)RD	8
IN	ITRODU	JCTION	10
1	Scop	pe	11
2	Norn	native references	12
3	Term	ns, definitions and symbols	13
	3.1	Terms and definitions	13
	3.2	Symbols	17
4	PDS	efficiency, reference CDM (RCDM) and reference motor (RM)	26
	4.1	General	26
	4.2	Reference operating points of the PDS, RCDM, RM and associated losses	26
	4.3	Combining PDS losses with the driven equipment – Workflow for the semi-analytical model (SAM)	28
	4.4	IE Classes of line-fed motors	30
	4.5	IE Classes of converter-fed motors	30
	4.6	IE Classes of frequency converters (complete drive modules, CDM)	30
	4.7	IES Classes of a PDS	
	4.8	Consistency of IE and IES Classes	31
	4.9	Determination of the IES class of a PDS by application of "reference" and "test" devices and guidance for the providers	32
5	Dete	rmination of CDM, motor and PDS loss by calculation	33
	5.1	General	33
	5.2	CDM losses	34
	5.2.1	I I O O II M O M T I J WO Y J O Y Y	
	5.2.2	Overall CDM losses	36
	5.2.3	, ,	
	5.2.4		
		Motor lossesg/standards/iec/1.141eecb-251d-4ffh-h38h-198790db9875/iec-618	
	5.3.1		39
	5.3.2	Additional harmonic losses of three-phase asynchronous motors fed by a CDM	40
	5.3.3	B Motor loss data	40
	5.4	Power drive system (PDS) losses	40
	5.4.1		
	5.4.2		
	5.5	PDS losses for regenerative operation	
_	5.6	Losses of motor starters	
6		ts of IE and IES Classes	
	6.1	General	
	6.2	CDM	
	6.3	Correction factors for CDMs with modified functionality	
	6.3.1		
	6.3.2 6.3.3		48
	0.3.3	Reference losses and loss determination concept for CDMs and SDOMs with multiple AC outputs	49
	6.4	Motor	
	6.5	PDS	
7		determination	

7.1	General	51
7.2	Type testing of CDM or SDM for IE classification	52
7.3	Type testing of PDS for IES classification	53
7.4	Determination of losses by calculation	53
7.4.	1 CDM or SDM losses by calculation	53
7.4.	PDS losses by calculation	54
7.5	Determination of losses by measurement, Input-output method	54
7.5.	1 Instrumentation	54
7.5.	2 Test conditions	55
7.5.	Input-output measurement of CDM losses	56
7.5.	Input-output measurement of SDIM losses	58
7.5.	Input-output measurement of SDOM losses	60
7.5.	Input-output measurement of PDS losses	61
7.6	Calorimetric measurement of CDM losses	62
7.7	Flowcharts for test procedures	63
8 Req	uirements for the user's documentation	67
8.1	General	67
8.2	Information for selection	68
8.3	Information for determination of energy efficiency classification	
8.4	Information on the determination of additional energy losses and part load	
	conditions	68
8.4.	1 General iTeh Standards	68
8.4.	2 Losses in part load conditions	68
8.4.	3 Losses of accessories and options	69
8.4.		69
8.4.		
8.4.	6 Characteristics and correction factors	69
Annex A	(informative) Losses of RCDM and example of IES class limit determination	70
//staAd1ard	Relative loss tables and discollidations. 251d. 4ffb. h28h. 108700dh0875/ion. 618	702_
A.2	Calculation of relative losses for IES classes	71
A.2.	1 General	71
A.2.	2 Determination of CDM relative losses	71
A.2.	3 Determination of motor relative losses	72
A.2.	4 Summation of PDS relative losses	72
Annex B	(informative) Description of the elements of an extended product using PDS	
with rega	rd to their impact on losses	73
B.1	General	73
B.2	Losses in the mains cabling and feeding section	73
B.3	Input filter	75
B.3.	1 High frequency EMI filter	75
B.3.		
B.4	Input converter	76
B.4.	1 General	76
B.4.	2 Diode rectifier	76
B.4.	3 Active infeed converter	77
B.4.		
B.4.	·	
B.5	DC link	
-		-

B.6	Output inverter	81
B.6.	1 General	81
B.6.	Sub drive output model (SDOM)	81
B.7	Output filter and motor cables	81
B.7.	1 General	81
B.7.	2 Sine wave filters	82
B.7.	d V /d t filters and motor chokes	83
B.7.	4 High frequency EMI motor filters	84
B.7.	5 Motor cables	84
B.8	Motor	84
B.9	Mechanical load	84
B.10	Control and standby losses	84
B.11	Cooling losses	84
B.11	.1 Primary cooling losses	84
B.11	.2 Secondary cooling losses	85
Annex C	(informative) Mathematical model for CDM losses	86
C.1	General	86
C.2	Output inverter losses	86
C.2.	1 General	86
C.2.	2 Transistor on state losses	86
C.2.		
C.2.		
C.2.	5 Freewheeling diode switching losses	88
C.2.		89
C.3	Input converter losses	
C.3.		
C.3.	2 Diode rectifier	89
C.4	Input choke lossesIEC.61800.0.2:2022	90
nttps://sta C d 5 rd	DC link losses standards/icc/1.141.ccch.251d.4ffh.h38h.198790dh9875	/iec-61.800- 91 2-2023
C.6	Current conductor losses	91
C.7	Control and standby losses	92
C.8	Cooling loss factor	92
C.9	Other CDM losses	92
Annex D	(informative) Converter topology	93
D.1	General	
D.2	Voltage source output inverter topologies different from those mathematically described in Clause C.2	
D.3	Voltage source input converter topologies different from those mathematically described in Clause C.3	
D.4	CDM topologies different from voltage source type	
	(informative) Interpolation of motor losses and motor current	
E.1	General	
E.2	Relative and reference values	
E.3	Motor connections and operating ranges	
E.4	Interpolation of motor losses	
E.5	Interpolation of motor current	
E.6	Determination of the interpolation coefficients	
E.6.	1 General	

E.6.2	2 Analytical determination	102			
E.6.3	Numerical determination	104			
E.7	Achievable accuracies	105			
E.8	Typical induction motor efficiency	105			
Annex F (informative) Application example for loss calculations of a CDM and a PDS 1					
F.1	General	111			
F.2	CDM loss determination	111			
F.2.1	l General	111			
F.2.2	Loss determination by two-dimensional interpolation of losses of neighbouring loss points	112			
F.2.3					
F.3	Loss determination of the motor				
F.4	Loss determination of the PDS				
F.5	Determination of part load factors for SDIMs				
F.6	Application examples of reference losses and efficiency classes for modified functionality				
F.6.1	•				
F.6.2					
F.6.3	•				
F.6.4	·				
Anney G	(informative) Uncertainty of loss determination method				
G.1	General	123			
G.1 G.2	Calculation of uncertainty at randomly occurring errors				
G.2 G.3	Comparison of uncertainties for different loss determination methods				
	(informative) Calorimetric measurement for CDM losses				
H.1	General				
H.2	Calorimeter with two chambers with air as a cooling medium				
//standards H.4	Calorimeter with one chamber with air as a cooling medium Calorimeter with liquid as a cooling medium	00-9-2-2023			
	informative) PDS loss calculation above rated speed and torque				
`	,				
1.1	General				
1.2	Operating points above rated torque				
1.3	Operating points above rated speed				
I.3.1 I.3.2	General Dependency of motor losses on the CDM performance				
1.3.2	·				
1.3.4	PDS loss calculation in the field weakening range up to 200 % of rated				
	speedinformative) Explanation for correction factors for the reference losses in				
J.1	General				
J.2	CDM				
J.2.1	9 ,				
J.2.2	ě , ,				
J.2.3	U				
J.2.4	, , ,				
J.2.5					
J.3	SDIM and SDOM	132			

J.3.1	General	132
J.3.2	SDIM without regenerative capability	132
J.3.3	SDIM with regenerative capability	132
J.3.4	SDOM	133
J.4	CDM, SDIM and SDOM with external cooling	
J.5	CDM and SDOM with multiple AC outputs	133
Bibliograp	hy	134
Figure 1 -	Example of complete drive module (CDM) built by sub drive modules (SDM)	14
Figure 2 -	Illustration of the extended product with included motor system	15
Figure 3 -	Torque-speed-characteristic of servo PDS	16
	Illustration of the operating points (shaft speed, torque) for the tion of relative losses of the power drive system (PDS)	27
	Illustration of the operating points (shaft speed, torque) for the tion of relative losses of the reference motor (RM)	27
torque cur	Illustration of the operating points (relative motor stator frequency, relative rent) for the determination of losses of the reference complete drive module	28
Figure 7 –	Illustration of the workflow to determine the energy efficiency index (EEI) of ed product	
Figure 8 –	Illustration how to combine different data sources to determine the energy index (EEI) of an extended product	
=	Metrical relation	
	Guidance for CDM and motor providers for the usage of "test" and	02
"reference	- Guidance for CDM and motor providers for the usage of test, and " devices to determine the IE/IES classes	33
	– Illustration of a typical CDM and test load	
_	– Example of relative losses $p_{L,CDM}$ of the 9,95 kVA RCDM	
	– Example of the relative power losses of PDS as function of speed and	
		422-2023
	 Example representation of the relative power losses versus switching of a 7,5 kW to 11 kW PDS 	42
Figure 15	 Example of a CDM with resistor for dissipating generated power 	43
Figure 16	- Illustration of IE Classes for a CDM	46
Figure 17	- Topology of a CDM with multiple AC outputs	49
	Losses of CDM or SDM are provided as the sum of the determined losses ncertainty of the determination method	52
Figure 19	- Input-output measurement setup for determination of CDM losses	57
Figure 20	- Order of CDM measurements from [1] to [8]	57
Figure 21	 Input-output measurement setup for determination of SDIM losses 	59
•	- Input-output measurement setup for determination of SDOM losses	
•	- Input-output measurement setup for PDS losses	
_	- Order of PDS measurements from [1] to [8]	
•	Calorimetric measurement setup for determining CDM losses	
Figure 26	Determination of IE classification for CDM and loss determination for part ating points	
•	• •	
•	 Determination of IES classification for PDS and loss determination for part ating points 	66