

INTERNATIONAL STANDARD

**Communication networks and systems for power utility automation -
Part 7-410: Basic communication structure - Hydroelectric power plants, steam
and gas turbines - Logical node classes**

get full document from standards.iteh.ai



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2026 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Secretariat
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search -

webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Discover our powerful search engine and read freely all the publications previews, graphical symbols and the glossary. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 500 terminological entries in English and French, with equivalent terms in 25 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD	24
INTRODUCTION	27
1 Scope	28
1.1 General	28
1.2 Published versions of the standard and related namespace names	28
1.3 Identification of the Code Component(s)	28
1.3.1 Identification of the namespace description	28
1.4 Code Component distribution	29
1.5 Application of the logical node classes	30
2 Normative references	30
3 Terms and definitions	31
4 Abbreviated terms	31
4.1 General	31
4.2 Deprecated abbreviations	44
5 Concepts and constructs for modelling large power generation domains	46
5.1 Modelling concepts for large power generation facilities	46
5.1.1 Overview	46
5.1.2 Stakeholders	48
5.1.3 Large power generation information capabilities	49
5.1.4 Domain specificities, profile enabling	49
5.1.5 Concept of class categories for large power generation	50
5.1.6 Concept of a layered model for large power generation	59
5.2 Top layer model and its components	64
5.2.1 Generic large power generation model breakdown	64
5.2.2 Interaction mechanisms between top layer components	67
5.3 Bottom layer model and its components	74
5.3.1 General	74
5.3.2 Field layer	74
5.3.3 Edge-control layer	74
5.4 Intermediate layer	76
6 Domain specific asset models	78
6.1 Large power generation composition model	78
6.1.1 General	78
6.1.2 Mechanical rotating machine models	79
6.1.3 Electrical rotating machine	81
6.2 Unit state diagram	82
7 Operational functions	87
7.1 General	87
7.2 Operational functions for analogue control	87
7.2.1 Information processing patterns in analogue control	87
7.2.2 Setpoint handler and associated data objects	92
7.2.3 Setpoint deviation alarm	92
7.2.4 Utilization of a data object for control setpoint, upper limit, and lower limit	93
7.2.5 Specifications for individual operational functions	94
7.3 Operational functions for state change	96

7.3.1	General.....	96
7.3.2	Issuing state transition commands regardless of asset state.....	97
7.3.3	Time target for operational state transition.....	97
8	Management functions	98
8.1	General	98
8.2	Joint control level management.....	99
8.3	Unit level management and machine level management	100
8.3.1	General.....	100
8.3.2	Selection and processing of requests according to priorities.....	101
8.3.3	Analogue control management	103
8.3.4	State change management	107
8.4	Hydro device management	109
9	Logical node classes (LogicalNodes_7_410)	112
9.1	General	112
9.2	Logical nodes for assets (Assets_7_410)	113
9.2.1	General.....	113
9.2.2	<<abstract>> LN: Electrical rotating machine Name: ElectricalRotatingMachineLN.....	117
9.2.3	<<abstract>> LN: Synchronous machine excitation Name: ExcitationSystemLN	119
9.2.4	<<abstract>> LN: Hydropower control Name: HydroControlLN	120
9.2.5	<<abstract>> LN: Hydropower non control Name: HydroNonControlLN	122
9.2.6	<<abstract>> LN: Rotating machine bearing Name: MachineBearingLN	123
9.2.7	<<abstract>> LN: Prime mover - generator transmission system Name: MechTransmissionLN	124
9.2.8	<<abstract>> LN: On-off controllable asset Name: OnOffControlAssetLN	125
9.2.9	<<abstract>> LN: Open-closed-related controllable assets Name: OpenClosedControlAssetLN.....	127
9.2.10	<<abstract>> LN: Basic asset operating mode LN Name: BasicAssetOpModeLN	128
9.2.11	<<abstract>> LN: Clutch system Name: ClutchLN.....	129
9.2.12	<<abstract>> LN: Machine deceleration Name: DecelerationLN	131
9.2.13	LN: Synchronous machine field Name: HSMF	132
9.2.14	LN: Shaft seal system Name: HSSL	133
9.2.15	LN: Surge shaft/tank Name: HSST	135
9.2.16	LN: Guide vanes (wicket gate) Name: HTGV	136
9.2.17	LN: Runner blades Name: HTRB	138
9.2.18	LN: Trash rack Name: HTRK	140
9.2.19	LN: Hydro prime mover - generator transmission system Name: HTRM.....	141
9.2.20	LN: Turbine Name: HTUR	142
9.2.21	<<abstract>> LN: Unit asset LN Name: PowerGenerationUnitLN.....	146
9.2.22	<<abstract>> LN: Rotating machine LN Name: RotatingMachineLN.....	148
9.2.23	<<abstract>> LN: Shaft seal LN Name: ShaftSealLN.....	150
9.2.24	<<abstract>> LN: Synchronous machine field Name: SynchMachineFieldLN	151
9.2.25	<<abstract>> LN: Thermal turbine Name: ThermalTurbineLN.....	152
9.2.26	<<abstract>> LN: Hydro operating device LN Name: HydroOperatingDeviceLN	154
9.2.27	LN: Turbine generator shaft bearing Name: EBRG.....	156

9.2.28	LN: Clutch system for thermal power units Name: ECTH	157
9.2.29	LN: Synchronous machine excitation for thermal power unit Name: EEXT	158
9.2.30	LN: Fuel control valve Name: EFCV	159
9.2.31	LN: Electrical rotating machine (synchronous/asynchronous generator) for thermal power units Name: EGEN	161
9.2.32	LN: Thermal governor Name: EGOV	163
9.2.33	LN: Gas turbine unit Name: EGTU	164
9.2.34	LN: Steam control valve Name: ESCV	166
9.2.35	LN: Synchronous machine field Name: ESMF	167
9.2.36	LN: Shaft seal system Name: ESSL	169
9.2.37	LN: Steam turbine unit Name: ESTU	170
9.2.38	LN: Turning-gear system Name: ETGR	172
9.2.39	LN: Thermal prime mover - generator transmission system Name: ETRM	173
9.2.40	LN: Thermal power unit Name: EUNT	174
9.2.41	LN: Turbine - generator shaft bearing Name: HBRG	177
9.2.42	LN: Waterway canal Name: HCNL	178
9.2.43	LN: Crest spillway Name: HCSW	179
9.2.44	LN: Clutch system for hydro power units Name: HCTH	180
9.2.45	LN: Braking (counter) nozzle Name: HCTN	181
9.2.46	LN: Hydropower dam Name: HDAM	183
9.2.47	LN: Deflector Name: HDFL	184
9.2.48	LN: Synchronous machine excitation for hydro power unit Name: HEXT	186
9.2.49	LN: Electrical rotating machine (synchronous/asynchronous generator, motor or motorgenerator) for hydro power units Name: HGEN	187
9.2.50	LN: Hydro governor Name: HGOV	188
9.2.51	LN: Hydropower gate Name: HGTE	190
9.2.52	LN: Mechanical brake Name: HMBR	192
9.2.53	LN: Needle Name: HNDL	193
9.2.54	LN: Penstock Name: HPSK	196
9.2.55	LN: Pony motor starter Name: HPYM	197
9.2.56	LN: Hydropower water reservoir Name: HRES	198
9.2.57	LN: Hydro power unit LN Name: HUNT	199
9.2.58	LN: Hydropower valve Name: HVLV	203
9.3	Logical nodes for management functions (ManagementFunctions_7_410)	205
9.3.1	General	205
9.3.2	<<abstract>> LN: Electrical aspects management function Name: ElectricityMgmtFunLN	207
9.3.3	<<abstract>> LN: Generating unit management function LN Name: GeneratingUnitMgmtFunLN	212
9.3.4	<<abstract>> LN: Mechanical machine management function LN Name: MechanicalMachineMgmtFunLN	215
9.3.5	<<abstract>> LN: Joint control for power management Name: JointControlMgmtFunLN	216
9.3.6	<<abstract>> LN: Bulk generation management function LN Name: BulkGenerationMgmtFunLN	220
9.3.7	<<abstract>> LN: Thermal machine management function Name: ThermalMachineMgmtFunLN	221
9.3.8	LN: Electrical rotating machine management Name: AEMC	226

9.3.9	LN: Gas turbine management Name: EGTM.....	229
9.3.10	LN: Joint control for thermal power plant management Name: EJCM	232
9.3.11	LN: Steam turbine management Name: ESTM.....	235
9.3.12	LN: Thermal unit management Name: EUMC	239
9.3.13	LN: Hydro machine management Name: HMMC	243
9.3.14	LN: Management function for hydro device (gates, valves) Name: HHDM.....	247
9.3.15	LN: Joint control for hydro power plant management Name: HJCM.....	251
9.3.16	LN: Hydro unit management Name: HUMC	256
9.4	Logical nodes for operational functions (OperationalFunctions_7_410).....	260
9.4.1	General.....	260
9.4.2	<<abstract>> LN: Active power operational function LN Name: ActivePowerOpFunLN	266
9.4.3	<<abstract>> LN: Analogue control operational function LN Name: AnalogueControlOpFunLN	269
9.4.4	<<abstract>> LN: Operational function for bulk generation LN Name: BulkGenerationOpFunLN	273
9.4.5	<<abstract>> LN: Electrical operation function LN Name: ElectricalOpFunLN	274
9.4.6	<<abstract>> LN: Energy operational function LN Name: EnergyOpFunLN	276
9.4.7	<<abstract>> LN: Excitation operational function LN Name: ExcitationOpFunLN	278
9.4.8	<<abstract>> LN: Flow for thermal power operational function LN Name: FlowForThermalPowerOpFunLN.....	279
9.4.9	<<abstract>> LN: Hydro operational function LN Name: HydroOpFunLN.....	282
9.4.10	<<abstract>> LN: Level operational function LN Name: LevelOpFunLN.....	284
9.4.11	<<abstract>> LN: Mechanical operational function LN Name: MechanicalOpFunLN	286
9.4.12	<<abstract>> LN: Opening operational function LN Name: OpeningOpFunLN	288
9.4.13	<<abstract>> LN: Operational transition operational function Name: OperationalTransitionOpFunLN	290
9.4.14	<<abstract>> LN: Power factor operational function LN Name: PowerFactorOpFunLN	292
9.4.15	<<abstract>> LN: Power system stabilisation operational function LN Name: PowerSystemStabilisationOpFunLN.....	294
9.4.16	<<abstract>> LN: Pressure operational function LN Name: PressureOpFunLN	297
9.4.17	<<abstract>> LN: Reactive power operational function LN Name: ReactivePowerOpFunLN.....	299
9.4.18	<<abstract>> LN: Speed operational function LN Name: SpeedOpFunLN	301
9.4.19	<<abstract>> LN: State change operational function LN Name: StateChangeOpFunLN.....	303
9.4.20	<<abstract>> LN: Temperature operational function LN Name: TemperatureOpFunLN	305
9.4.21	<<abstract>> LN: Thermal operational function LN Name: ThermalOpFunLN	307
9.4.22	<<abstract>> LN: Voltage operational function LN Name: VoltageOpFunLN	309
9.4.23	<<abstract>> LN: Water flow operational function LN Name: WaterFlowOpFunLN.....	311

9.4.24	LN: Switching control for electrical braking	Name: AEBR.....	313
9.4.25	LN: Energy control operational function	Name: AENC.....	314
9.4.26	LN: Minimum energy limitation operational function	Name: AENN.....	316
9.4.27	LN: Maximum energy limitation operational function	Name: AENX.....	318
9.4.28	LN: State/mode control for electric rotating machine	Name: AESC.....	320
9.4.29	LN: Field current regulation operational function	Name: AFCR.....	322
9.4.30	LN: Switching control for field flashing	Name: AFFL.....	324
9.4.31	LN: Field voltage regulation operational function	Name: AFVR.....	325
9.4.32	LN: Overexcitation limitation operational function	Name: AOEL.....	327
9.4.33	LN: Minimum opening limitation operational function	Name: AOMN.....	329
9.4.34	LN: Maximum opening limitation operational function	Name: AOMX.....	331
9.4.35	LN: Opening control operational function	Name: AOPC.....	333
9.4.36	LN: Power factor control operational function	Name: APFC.....	335
9.4.37	LN: Power factor limitation operational function	Name: APFL.....	337
9.4.38	LN: PSS 4 filter function	Name: APSF.....	339
9.4.39	LN: PSS 2 filter function	Name: APST.....	347
9.4.40	LN: Reactive power control operational function	Name: AQCL.....	352
9.4.41	LN: Minimum reactive power limitation operational function	Name: AQMN.....	354
9.4.42	LN: Maximum reactive power limitation operational function	Name: AQMX.....	356
9.4.43	LN: Balancing reserve operation	Name: AROP.....	358
9.4.44	LN: Stator current limitation operational function	Name: ASCL.....	360
9.4.45	LN: Minimum speed limitation operational function	Name: ASMN.....	362
9.4.46	LN: Maximum speed limitation operational function	Name: ASMX.....	364
9.4.47	LN: Speed control operational function	Name: ASPC.....	366
9.4.48	LN: Under excitation limitation operational function	Name: AUEL.....	368
9.4.49	LN: Flux limitation operational function	Name: AVFL.....	370
9.4.50	LN: Minimum voltage limitation operational function	Name: AVMN.....	371
9.4.51	LN: Maximum voltage limitation operational function	Name: AVMX.....	373
9.4.52	LN: Voltage control operational function	Name: AVOC.....	375
9.4.53	LN: Active power control operational function	Name: AWGC.....	377
9.4.54	LN: Minimum active power limitation operational function	Name: AWMN.....	380
9.4.55	LN: Maximum active power limitation operational function	Name: AWMX.....	382
9.4.56	LN: Flow control operational function for thermal power	Name: EFLC.....	384
9.4.57	LN: Minimum flow limitation operational function for thermal power	Name: EFMN.....	385
9.4.58	LN: Maximum flow limitation operational function for thermal power	Name: EFMX.....	387
9.4.59	LN: Load range transition of thermal unit operational function	Name: ELRC.....	389
9.4.60	LN: Minimum pressure limitation operational function	Name: EPMN.....	391
9.4.61	LN: Maximum pressure limitation operational function	Name: EPMX.....	392
9.4.62	LN: Pressure control operational function	Name: EPRC.....	394
9.4.63	LN: Minimum temperature limitation operational function	Name: ETMN.....	396
9.4.64	LN: Maximum temperature limitation operational function	Name: ETMX.....	398
9.4.65	LN: State/mode control for thermal turbine and governor	Name: ETSC.....	400
9.4.66	LN: Temperature control operational function	Name: ETPC.....	402

9.4.67	LN: State/mode control for thermal unit Name: EUSC	404
9.4.68	LN: Flow control operational function (hydropower) Name: HFLC	405
9.4.69	LN: Minimum flow limitation operational function (hydropower) Name: HFMN	407
9.4.70	LN: Maximum flow limitation operational function (hydropower) Name: HFMX	409
9.4.71	LN: Minimum level limitation operational function Name: HLMN	411
9.4.72	LN: Maximum level limitation operational function Name: HLMX	413
9.4.73	LN: Level control operational function Name: HLVC	415
9.4.74	LN: State/mode control for hydro turbine and governor Name: HTSC	418
9.4.75	LN: State/mode control for hydro unit Name: HUSC	419
9.5	Logical nodes for supporting functions (SupportingFunctions_7_410)	421
9.5.1	General	421
9.5.2	LN: Control mode selection Name: ACTM	421
9.5.3	LN: Combinator Name: HCOM	422
9.5.4	LN: Needle management Name: HNDM	424
9.5.5	LN: Hydropower sequencer Name: HSEQ	425
9.6	Logical nodes for monitoring functions (MonitoringFunctions_7_410)	426
9.6.1	General	426
9.6.2	<<abstract>> LN: Machine speed monitoring Name: MachineSpeedMonitoringLN	427
9.6.3	LN: Thermal turbine speed monitoring Name: ESPD	429
9.6.4	LN: Extension to the MFLW LN Name: MFLWExt	431
9.6.5	LN: Leakage supervision Name: HLKG	433
9.6.6	LN: Water level indicator Name: HLVL	434
9.6.7	LN: Water net head data Name: HNHD	435
9.6.8	LN: Hydro turbine speed monitoring Name: HSPD	436
9.7	Logical nodes for control and supervision (ControlSupervision_7_410)	438
9.7.1	General	438
9.7.2	<<abstract>> LN: Controller function Name: ControllerLN	439
9.7.3	<<abstract>> LN: On-Off controller function Name: OnOffControllerLN	440
9.7.4	<<abstract>> LN: Open close controller function Name: OpenCloseControllerLN	441
9.7.5	LN: Fan controller Name: CFAN	443
9.7.6	LN: Fluidic valve controller Name: CFVL	444
9.7.7	LN: Directly actuated hydraulic cylinder controller Name: CHCY	446
9.7.8	LN: Heater controller Name: CHTR	447
9.7.9	LN: Pump controller Name: CPMP	448
9.7.10	LN: Turning gear controller Name: CTGR	450
9.7.11	LN: Directly actuated valve controller Name: CVLV	451
9.8	Logical nodes for primary equipment (PrimaryEquipment_7_410)	452
9.8.1	General	452
9.8.2	<<abstract>> LN: Controllable equipment Name: ControlEqLN	453
9.8.3	<<abstract>> LN: Non-controllable equipment Name: NonControlEqLN	454
9.8.4	<<abstract>> LN: On-off controllable equipment Name: OnOffControlEqLN	455
9.8.5	<<abstract>> LN: On-off non-controllable equipment Name: OnOffNonControlEqLN	456
9.8.6	<<abstract>> LN: Position-related controllable equipment Name: OpenClosedControlEqLN	457

9.8.7	<<abstract>> LN: Position-related non-controllable equipment Name: OpenClosedNonControlEqLN	459
9.8.8	LN: Brake pad Name: KBRP	460
9.8.9	LN: Clutch Name: KCTH	461
9.8.10	LN: Deflector Name: KDFL	462
9.8.11	LN: Extension to the KFAN LN Name: KFANExt	463
9.8.12	LN: Extension to the KFIL LN Name: KFILEExt	464
9.8.13	LN: Fluid sealing device (seal) Name: KFSL	466
9.8.14	LN: Fluid valve Name: KFVL	467
9.8.15	LN: Gate Name: KGTE	468
9.8.16	LN: Penstock burst protection Name: KPBP	469
9.8.17	LN: Extension to the KPMP LN Name: KPMPEExt	471
9.8.18	LN: Mechanical rotational speed protection Name: KSPP	472
9.8.19	LN: Hydraulic cylinder Name: KHCY	473
9.8.20	LN: Heater Name: KHTR	474
9.8.21	LN: Turning-gear Name: KTGR	476
9.8.22	LN: Guide vane (wicket gate) Name: KTGv	477
9.8.23	LN: Extension to the KTNK LN Name: KTNKExt	478
9.8.24	LN: Runner blade Name: KTRB	479
9.8.25	LN: Extension to the KVLV LN Name: KVLVExt	480
9.8.26	LN: Valve seal Name: KVSL	482
9.8.27	LN: Synchronous machine armature (stator) Name: ZSMA	483
9.8.28	LN: Synchronous machine field (rotor) Name: ZSMF	484
9.8.29	LN: Semi-conductor uncontrolled rectifier Name: ZSUR	485
9.9	Logical nodes for functional blocks (FunctionalBlocks_7_410)	486
9.9.1	General	486
9.9.2	LN: Deadband filter Name: FDBF	487
9.9.3	LN: Functional heart beat Name: FHBT	488
9.9.4	LN: Trip matrix Name: FMTX	489
9.9.5	LN: Functional priority status Name: FXPS	491
9.10	Logical nodes for generic function references (GenericFunctionRefs_7_410)	492
9.10.1	General	492
9.10.2	LN: Generic restriction tag Name: GRST	493
9.10.3	LN: Generic lockout/tagout for maintenance and/or operation Name: GTMO	494
9.10.4	LN: Task manager Name: GTSK	496
9.11	Logical nodes for interfacing and archiving (NonProcessInterfaces_7_410)	497
9.11.1	General	497
9.11.2	LN: Fire detection and alarm Name: IFIR	497
9.11.3	LN: Hand interface Name: IHND	498
9.11.4	<<abstract>> LN: Alarm trip control Name: AlarmTripControlLN	500
9.12	Logical nodes for protections of power plants (Protections_7_410)	501
9.12.1	General	501
9.12.2	LN: Detection of under impedance Name: PTUI	502
9.13	Logical nodes for supervision and monitoring (SupervisionFunctions_7_410)	503
9.13.1	General	503
9.13.2	<<abstract>> LN: Media supervision Name: MediaSupervisionLN	505
9.13.3	LN: Brake pad supervision Name: SBRP	507
9.13.4	LN: Electrical conductivity in water supervision Name: SECW	508

9.13.5	LN: Media flow supervision Name: SFLW	509
9.13.6	LN: Fluid sealing device supervision Name: SFSL	512
9.13.7	LN: Media level supervision Name: SLVL	513
9.13.8	LN: Position of a device supervision Name: SPOS.....	515
9.14	Logical nodes for transducers and instrument transformers (Transducers_7_410)	518
9.14.1	General.....	518
9.14.2	LN: Measurement of electrical conductivity in water Name: TECW	518
10	Deprecated logical node classes (DeprecatedLogicalNodes_7_410)	520
10.1	General	520
10.2	Deprecated logical nodes for automatic control (LNGroupA_7_410)	520
10.2.1	General.....	520
10.2.2	<<deprecated>> LN: Joint control Name: AJCL	520
10.2.3	<<deprecated>> LN: PSS control, common information Name: APSS	522
10.3	Deprecated logical nodes for thermal power (LNGroupE_7_410)	523
10.3.1	General.....	523
10.3.2	<<deprecated>> LN: Block coordination function Name: EBCF	524
10.4	Deprecated logical nodes for functional blocks (LNGroupF_7_410).....	525
10.4.1	General.....	525
10.4.2	<<deprecated>> LN: Task manager Name: FSCH	526
10.5	Deprecated logical nodes for generic references (LNGroupF_7_410).....	527
10.5.1	General.....	527
10.5.2	<<deprecated>> LN: Generic production unit Name: GUNT	528
10.6	Deprecated logical nodes for hydro power plants (LNGroupH_7_410)	529
10.6.1	General.....	529
10.6.2	<<deprecated>> LN: Dam leakage supervision Name: HDLS	530
10.6.3	<<deprecated>> LN: Electrical brake Name: HEBR	531
10.6.4	<<deprecated>> LN: Gate position indicator Name: HGPI	532
10.6.5	<<deprecated>> LN: Joint Control for Water Management Name: HJCL	533
10.6.6	<<deprecated>> LN: Dam over-topping protection Name: HOTP	535
10.6.7	<<deprecated>> LN: Intake gate Name: HITG	536
10.6.8	<<deprecated>> LN: Water control Name: HWCL	538
10.7	Deprecated logical nodes for protection related functions (LNGroupR_7_410).....	540
10.7.1	General.....	540
10.7.2	<<deprecated>> LN: Field breaker configuration Name: RFBC	541
10.8	Deprecated logical nodes for switchgear (LNGroupX_7_410)	541
10.8.1	General.....	541
10.8.2	<<deprecated>> LN: Switching control for field flashing Name: XFFL	542
11	Data object name semantics and enumerations	543
11.1	Data semantics.....	543
11.2	Enumerated data attribute types.....	602
11.2.1	General.....	602
11.2.2	Balancing reserve command (BalancingReserveCommandKind enumeration)	604
11.2.3	Balancing reserve (BalancingReserveKind enumeration).....	605
11.2.4	Basic asset operating mode (BasicAssetOperatingModeKind enumeration)	605
11.2.5	Bearing use (BearingUseKind enumeration).....	606

11.2.6	Brake status (BrakeStatusKind enumeration)	606
11.2.7	Clutch (ClutchKind enumeration)	607
11.2.8	Control priority (ControlPriorityKind enumeration).....	607
11.2.9	Dam construction (DamConstructionKind enumeration).....	607
11.2.10	Deceleration method (DecelerationMethodKind enumeration)	608
11.2.11	Electrical machine construction (ElcMachineConstructionKind enumeration)	608
11.2.12	Electrical machine control mode (ElcMachineControlModeKind enumeration)	608
11.2.13	Electrical machine operating mode (ElcMachineOperatingModeKind enumeration)	609
11.2.14	Electrical machine operational state (ElcMachineOperationalStateKind enumeration)	609
11.2.15	Electrical machine operational transition (ElcMachineOperationalTransitionKind enumeration)	610
11.2.16	Electrical machine generating service control value (ElcMachineGeneratingServiceCtlValueKind enumeration)	610
11.2.17	Electrical machine generating service (ElcMachineGeneratingServiceKind enumeration)	611
11.2.18	Electrical machine use (ElcMachineUseKind enumeration)	611
11.2.19	Flowing substance (FlowingSubstanceKind enumeration).....	611
11.2.20	Fluid valve operational state (FluidValveOperationalStateKind enumeration)	612
11.2.21	Gate construction (GateConstructionKind enumeration)	612
11.2.22	Gate use (GateUseKind enumeration).....	612
11.2.23	Hydro device control mode (HydDeviceControlModeKind enumeration)	613
11.2.24	Hydro machine construction (HydMachineConstructionKind enumeration)	613
11.2.25	Hydraulic machine control mode (HydMachineControlModeKind enumeration)	614
11.2.26	Hydraulic machine generating mode control value (HydMachineGeneratingModeCtlValueKind enumeration).....	614
11.2.27	Hydraulic machine generating mode (HydMachineGeneratingModeKind enumeration)	615
11.2.28	Hydraulic machine generating service control value (HydMachineGeneratingServiceCtlValueKind enumeration).....	615
11.2.29	Hydraulic machine generating service (HydMachineGeneratingServiceKind enumeration)	616
11.2.30	Hydro machine operating mode (HydMachineOperatingModeKind enumeration)	616
11.2.31	Hydro machine operational state (HydMachineOperationalStateKind enumeration)	616
11.2.32	Hydro machine operational transition (HydMachineOperationalTransitionKind enumeration).....	617
11.2.33	Hydro machine use (HydMachineUseKind enumeration).....	617
11.2.34	Hydro unit generating mode control value (HydUnitGeneratingModeCtlValueKind enumeration)	618
11.2.35	Hydro unit generating mode (HydUnitGeneratingModeKind enumeration)	618
11.2.36	Hydro unit generating service control value (HydUnitGeneratingServiceCtlValueKind enumeration)	619
11.2.37	Hydro unit generating service (HydUnitGeneratingServiceKind enumeration)	619

11.2.38	Hydro unit operating mode (HydUnitOperatingModeKind enumeration)	619
11.2.39	Hydro unit operational state (HydUnitOperationalStateKind enumeration)	620
11.2.40	Hydro unit operational state commands (HydUnitOperationalTransitionKind enumeration)	620
11.2.41	Hydro unit startup mode (HydUnitStartupModeKind enumeration)	621
11.2.42	Level reference point (LevelReferencePointKind enumeration)	621
11.2.43	Matrix operation (MatrixOperationKind enumeration)	621
11.2.44	Media (MediaKind enumeration)	622
11.2.45	Permanent droop (PermanentDroopKind enumeration)	622
11.2.46	Starting queue status (StartingQueueStatusKind enumeration)	623
11.2.47	Start priority (StartPriorityKind enumeration)	623
11.2.48	Surge tank construction (SurgeTankConstructionKind enumeration)	623
11.2.49	Surge tank sort (SurgeTankSortKind enumeration)	624
11.2.50	Tag sort (TagSortKind enumeration)	624
11.2.51	Thermal machine control mode (ThmMachineControlModeKind enumeration)	624
11.2.52	Thermal machine generating mode control value (ThmMachineGeneratingModeCtlValueKind enumeration)	625
11.2.53	Thermal machine generating mode (ThmMachineGeneratingModeKind enumeration)	625
11.2.54	Thermal machine operating mode (ThmMachineOperatingModeKind enumeration)	626
11.2.55	Thermal machine operational state (ThmMachineOperationalStateKind enumeration)	626
11.2.56	Thermal machine operational transition (ThmMachineOperationalTransitionKind enumeration)	627
11.2.57	Thermal unit generating mode control value (ThmUnitGeneratingModeCtlValueKind enumeration)	627
11.2.58	Thermal unit generating mode (ThmUnitGeneratingModeKind enumeration)	628
11.2.59	Thermal unit generating service control value (ThmUnitGeneratingServiceCtlValueKind enumeration)	628
11.2.60	Thermal unit generating service (ThmUnitGeneratingServiceKind enumeration)	629
11.2.61	Thermal unit operating mode (ThmUnitOperatingModeKind enumeration)	629
11.2.62	Thermal unit operational state (ThmUnitOperationalStateKind enumeration)	629
11.2.63	Thermal unit operational transition (ThmUnitOperationalTransitionKind enumeration)	630
11.2.64	Thermal unit states for connecting (ThmUnitStateForConnectingKind enumeration)	630
11.2.65	Thermal unit startup mode (ThmUnitStartupModeKind enumeration)	631
11.2.66	Turbine construction (TurbineConstructionKind enumeration)	631
11.2.67	Valve construction (ValveConstructionKind enumeration)	632
11.2.68	Valve use (ValveUseKind enumeration)	633
11.3	Deprecated enumerated data attribute types	633
11.3.1	General	633
11.3.2	<<deprecated>> Block status (BlockStatusKind enumeration)	634
11.3.3	<<deprecated>> Field breaker configuration (FieldBreakerConfigurationKind enumeration)	634

11.3.4	<<deprecated>> Grid mode (GridModeKind enumeration)	635
11.3.5	<<deprecated>> Grid operation status (GridOperationStatusKind enumeration)	635
11.3.6	<<deprecated>> Hydro control mode (HydroControlModeKind enumeration)	635
11.3.7	<<deprecated>> Position change (PositionChangeKind enumeration)	636
11.3.8	<<deprecated>> Requested state (RequestedStateKind enumeration).....	636
11.3.9	<<deprecated>> Unit operation mode (UnitOperationModeKind enumeration)	637
11.3.10	<<deprecated>> Unit operation status (UnitOperationStatusKind enumeration)	637
11.3.11	<<deprecated>> Valve position change (ValvePositionChangeKind enumeration)	638
12	Common Data Classes	638
12.1	General	638
12.2	Analogue settings	639
12.2.1	General.....	639
12.2.2	<<deprecated>> Operational restriction (RST)	639
12.3	Controls.....	640
12.3.1	General.....	640
12.3.2	<<deprecated>> Operational and maintenance tag (TAG)	640
12.4	DAEnums	642
12.4.1	General.....	642
12.4.2	<<deprecated>> Tag state (TagStateKind enumeration).....	643
Annex A	(normative) Backward compatibility with IEC 61850-7-410 Edition 2.....	644
Annex B	(informative) Typical concepts of control technology applied to large power generation	649
Annex C	(informative) Comparison of generic modelling concepts with IEC 61850-7-420 and -7-500.....	653
C.1	General	653
C.2	The design concepts identical to IEC 61850-7-420 and to -7-500.....	653
C.2.1	Operational functions	653
C.2.2	Edge-control and field images	653
C.3	The design concepts tailored based on IEC 61850-7-420 / -7-500.....	654
C.3.1	Management function	654
C.4	The design concepts specific to the large power generation	654
C.4.1	Asset.....	654
C.4.2	Layered architecture	654
C.4.3	Supporting functions	654
Annex D	(informative) Intermediate and bottom layer modelling example.....	656
D.1	Supervision of a control task in the bottom layer	656
D.2	Model breakdown of a complex system	657
Annex E	(normative) Model principles and requirements for operational and maintenance tagouts and restrictions.....	660
E.1	Rationale and purpose of tagouts and restrictions models.....	660
E.2	Principles for modelling tagouts.....	660
E.3	Principles for modelling restrictions	662
Annex F	(informative) Plant modelling	664
F.1	General	664
F.2	Use cases for a plant configuration.....	664

F.2.1	General.....	664
F.2.2	Multiple generating units within one site	664
F.2.3	Arrangement of reservoirs in series within a single plant	665
F.2.4	Pumped storage plant	666
F.3	Potential design concepts of plant LN classes	667
F.3.1	General.....	667
F.3.2	Monolithic and integrated plant LN.....	667
F.3.3	Monolithic and separate plant LN.....	669
F.3.4	Recursive and integrated plant LN	670
F.3.5	Recursive and separate plant LN	671
F.4	Additional considerations about the design of other LNs for water management	673
Annex G (informative)	Migration of this document to the future edition of IEC 61850	674
Bibliography		681
Figure 1	– SGAM Component layer for large power generation.....	47
Figure 2	– Overview of LN categories for large power generation	51
Figure 3	– Graphical UML representation convention	52
Figure 4	– Possible interaction within management and supporting functions.....	55
Figure 5	– Possible interaction between the asset and supporting functions	55
Figure 6	– Possible interaction among assets.....	56
Figure 7	– Possible interaction with edge control activities.....	56
Figure 8	– Possible interaction with subordinated supporting functions	57
Figure 9	– Possible interaction with operational functions	57
Figure 10	– Monitoring function.....	58
Figure 11	– Leakage monitoring example.....	59
Figure 12	– Principal layered architecture	61
Figure 13	– Dataflow in the layered architecture of a principle generating unit	63
Figure 14	– Generic top layer model: Comprised of four types of components.....	65
Figure 15	– Generation generic model: Component main interactions (single level)	65
Figure 16	– Generation generic model: Component main interactions (multiple levels).....	66
Figure 17	– Generation generic model: Component main interactions (no management).....	66
Figure 18	– Basic interactions between generic top layer components	67
Figure 19	– Basic interactions in case of multiple control levels.....	69
Figure 20	– Top layer generic model: main interactions within subsystems	70
Figure 21	– Allocation of some LN classes for components in a principal hydroelectric power unit (example)	71
Figure 22	– An example of data attribute values in synchronous control	73
Figure 23	– An example of data attribute values in asynchronous control	73
Figure 24	– Process measurement supervision.....	76
Figure 25	– Example of usage of an asset in the intermediate layer	77
Figure 26	– Generic large power generation plant composition structure	78
Figure 27	– Generic mechanical rotating machine model	80
Figure 28	– Generic electrical synchronous machine model	82
Figure 29	– Generating unit generic state machine	83

Figure 30 – Timeline of a state machine transition between steady states	84
Figure 31 – Setpoint-based calculation pattern	88
Figure 32 – Setpoint-based calculation pattern with physical quantity converter	88
Figure 33 – Closed-loop sub-pattern (a kind of setpoint-based calculation pattern).....	89
Figure 34 – Closed-loop sub-pattern with physical quantity converter.....	89
Figure 35 – Setpoint pass-through pattern	90
Figure 36 – Setpoint pass-through pattern with physical quantity converter	90
Figure 37 – Autonomous pattern (no setpoint)	91
Figure 38 – Autonomous pattern (no setpoint) with physical quantity converter	91
Figure 39 – Transition example of control setpoint and corresponding actual value	92
Figure 40 – Transition example of setpoint deviation alarm and associated data objects	93
Figure 41 – Inheritance and data objects of the operational function logical nodes for voltage control	93
Figure 42 – Active power output transition based on dispatch using WSpt and TmTgt.....	94
Figure 43 – Producer and Consumer Reference Frame conventions	95
Figure 44 – Power factor sign conventions in the Producer Reference Frame (PRF).....	95
Figure 45 – Operational state transition of HUNT from standstill to generating state according to OpStCtl and OpStTmTgt within HUSC.....	98
Figure 46 – An example of HJCM behaviour for unit dispatch.....	99
Figure 47 – An example behaviour of HJCM for water operation (flow limit setting)	100
Figure 48 – Management situation 1: Handling multiple competing active power requests	102
Figure 49 – Management situation 2: Handling multiple differential active power requests, compatible with the operational capacity of the resource	102
Figure 50 – Management situation 3: Handling multiple differential active power requests, exceeding the operational limit	103
Figure 51 – Management situation 4: Multiple competing active power limiting requests	103
Figure 52 – Governing system with speed control and power output control functions in parallel (cited from IEC 61362 Figure 12).....	104
Figure 53 – Governing system with power output and speed control functions in series (cited from IEC 61362:2024, Figure 14)	104
Figure 54 – Application of logical nodes to the governing system with speed control and power control functions	104
Figure 55 – An excitation system	105
Figure 56 – Application of logical nodes to the excitation system in Figure 55.....	106
Figure 57 – An example behaviour of HUMC to connect a hydro unit to the grid.....	107
Figure 58 – An example behaviour of EUMC to manage the load range of thermal unit	108
Figure 59 – A hydro management system	110
Figure 60 – Application of logical nodes to the hydro management system in Figure 59	111
Figure 61 – Package diagram LogicalNodes_7_410::LogicalNodes_7_410	112
Figure 62 – Class diagram Assets_7_410::MachineryAssets_7_410	113
Figure 63 – Class diagram Assets_7_410::MachineryControlAssets_7_410.....	114
Figure 64 – Class diagram Assets_7_410::NonControllableAssets_7_410	114
Figure 65 – Class diagram Assets_7_410::OnOffControllableAssets_7_410	115
Figure 66 – Class diagram Assets_7_410::OpenClosedControllableAssets_7_410	116
Figure 67 – Class diagram Assets_7_410::PowerGenerationUnitAssets_7_410.....	117