

INTERNATIONAL STANDARD

NORME INTERNATIONALE

**Fuel cell technologies -
Part 3-200: Stationary fuel cell power systems - Performance test methods**

**Technologies des piles à combustible -
Partie 3-200: Systèmes à piles à combustible stationnaires - Méthodes d'essai
des performances**



THIS PUBLICATION IS COPYRIGHT PROTECTED
Copyright © 2025 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Secretariat
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search -

webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Discover our powerful search engine and read freely all the publications previews, graphical symbols and the glossary. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 500 terminological entries in English and French, with equivalent terms in 25 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Recherche de publications IEC -

webstore.iec.ch/advsearchform

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études, ...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Découvrez notre puissant moteur de recherche et consultez gratuitement tous les aperçus des publications, symboles graphiques et le glossaire. Avec un abonnement, vous aurez toujours accès à un contenu à jour adapté à vos besoins.

Electropedia - www.electropedia.org

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 500 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 25 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

Warning! Make sure that you obtained this publication from an authorized distributor.

Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.

CONTENTS

FOREWORD	4
INTRODUCTION	6
1 Scope	7
2 Normative references	8
3 Terms, definitions and symbols	10
3.1 Terms and definitions	10
3.2 Symbols	16
4 Reference conditions	19
4.1 General	19
4.2 Temperature and pressure	19
4.3 Heating value base	19
5 Items of performance test	19
6 Operating process	20
7 Test preparation	22
7.1 General	22
7.2 Uncertainty analysis	22
7.2.1 Uncertainty analysis items	22
7.2.2 Data acquisition plan	22
8 Measurement instruments and measurement methods	22
8.1 General	22
8.2 Measurement instruments	23
8.3 Measurement methods	23
8.3.1 General	23
8.3.2 Electric power measurements	23
8.3.3 Fuel input measurement	24
8.3.4 Recovered heat measurement	27
8.3.5 Purge gas flow measurement	27
8.3.6 Oxidant (air) input measurement	28
8.3.7 Other fluid flow measurement	29
8.3.8 Exhaust gas flow measurement	29
8.3.9 Discharge water measurement	30
8.3.10 Noise level measurement	30
8.3.11 Vibration level measurement	31
8.3.12 Total harmonic distortion measurement	31
8.3.13 Ambient condition measurement	31
9 Test plan	32
9.1 General	32
9.2 Ambient conditions	32
9.3 Maximum permissible variation in steady state operating conditions	33
9.4 Test operating procedure	34
9.5 Duration of test and frequency of readings	34
10 Test methods and computation of test results	34
10.1 General	34
10.2 Efficiency test	34
10.2.1 General	34
10.2.2 Test method	34

10.2.3	Computation of inputs	35
10.2.4	Computation of output	46
10.2.5	Computation of waste heat rate	48
10.2.6	Computation of efficiencies	48
10.3	Electric power and thermal power response characteristics test	49
10.3.1	General	49
10.3.2	Criteria for the determination of attaining the steady state set value	50
10.3.3	Electric power output response time test	51
10.3.4	90 % power response time towards rated net electric power output (optional)	52
10.3.5	Thermal power output response time test	53
10.4	Start-up and shutdown characteristics test	54
10.4.1	General	54
10.4.2	Test method for start-up characteristics test	54
10.4.3	Test method for shutdown characteristics test	55
10.4.4	Calculation of the start-up time	55
10.4.5	Calculation of the shutdown time	56
10.4.6	Calculation of the different forms of start-up energy	56
10.4.7	Calculation of the start-up energy	57
10.5	Purge gas consumption test	58
10.5.1	General	58
10.5.2	Test method	58
10.6	Water consumption test (optional)	58
10.6.1	General	58
10.6.2	Test method	58
10.7	Exhaust gas emission test	59
10.7.1	General	59
10.7.2	Test method	59
10.7.3	Data processing of emission concentration	59
10.7.4	Calculation of mean mass discharge rate	60
10.7.5	Calculation of mass concentration	60
10.8	Noise level test	60
10.8.1	General	60
10.8.2	Test method	60
10.8.3	Data processing	61
10.9	Vibration level test	61
10.10	Discharge water quality test	62
10.10.1	General	62
10.10.2	Test method	62
11	Test reports	62
11.1	General	62
11.2	Title page	63
11.3	Table of contents	63
11.4	Summary report	63
11.5	Detailed report	63
11.6	Full report	64
Annex A (informative)	Uncertainty analysis	65
A.1	General	65
A.2	Preparations	65

A.3	Basic assumptions	66
A.4	General approach	67
Annex B (informative)	Calculation of fuel heating value.....	69
Annex C (normative)	Reference gas	74
Annex D (informative)	Maximum acceptable instantaneous electric power output transient	77
Bibliography	78
Figure 1	– Fuel cell power system diagram	8
Figure 2	– Symbol diagram for power inputs and outputs	19
Figure 3	– Operating process chart of fuel cell power system.....	21
Figure 4	– Electric and thermal power response time	50
Figure 5	– Criteria for attaining steady state	51
Figure 6	– Example of electric power chart at start-up.....	54
Figure 7	– Electric power chart at shutdown.....	55
Table 1	– Symbols	16
Table 2	– Test classification and test item	20
Table 3	– Test item and system status	32
Table 4	– Maximum permissible variations in test operating conditions	33
Table 5	– Vibration correction factors.....	62
Table B.1	– Heating value for component of gaseous fuel.....	69
Table B.2	– Worksheet 1 – Calculation worksheet for energy of fuel gases	71
Table B.3	– Worksheet 2 – Calculation worksheet for energy of air	73
Table C.1	– Examples of compositions of natural gas	75
Table C.2	– Examples of compositions of liquified petroleum gas (LPG)	76

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**Fuel cell technologies -
Part 3-200: Stationary fuel cell power systems -
Performance test methods**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at <https://patents.iec.ch>. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 62282-3-200 has been prepared by IEC technical committee 105: Fuel cell technologies. It is an International Standard.

This third edition cancels and replaces the second edition published in 2015. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) revision of the Introduction, Scope and Clause 3;
- b) revision of the symbols in Table 1;
- c) revision of Figure 2 (symbol diagram);
- d) revision of measurement methods (8.3);
- e) revision of the efficiency test (10.2);

- f) revision of the electric power and thermal power response characteristics test (10.3);
- g) revision of the start-up and shutdown characteristics test (10.4);
- h) revision of Annex C.

The text of this International Standard is based on the following documents:

Draft	Report on voting
105/1124/FDIS	105/1134/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

A list of all parts in the IEC 62282 series, published under the general title *Fuel cell technologies*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn, or
- revised.

INTRODUCTION

This part of IEC 62282 describes how to measure the performance of stationary fuel cell power systems for residential, commercial, agricultural and industrial applications.

This document describes type tests and their test methods only. In this document, no routine tests are required or identified, and no performance targets are set.

A related but independent standard IEC 62282-3-201 on the performance test methods of small stationary fuel cell power systems has been aligned with this document.

Sample Document

get full document from standards.iteh.ai

1 Scope

This part of IEC 62282 covers operational and environmental aspects of the stationary fuel cell power systems performance. The test methods apply as follows:

- power output under specified operating and transient conditions;
- electrical and heat recovery efficiency under specified operating conditions;
- environmental characteristics, for example, exhaust gas emissions, noise, under specified operating and transient conditions.

This document applies to all kinds of stationary fuel cell technologies, such as:

- alkaline fuel cells (AFC);
- phosphoric acid fuel cells (PAFC);
- polymer electrolyte fuel cells (PEFC);
- molten carbonate fuel cells (MCFC);
- solid oxide fuel cells (SOFC).

This document does not provide coverage for electromagnetic compatibility (EMC).


This document does not apply to small stationary fuel cell power systems with rated electric power output of less than 10 kW which are dealt with in IEC 62282-3-201.

Fuel cell power systems can have different subsystems depending upon types of fuel cell and applications, and they have different streams of material and energy into and out of them. However, a common system diagram and boundary has been defined for evaluation of the fuel cell power system (see Figure 1).

The following conditions are considered in order to determine the system boundary of the fuel cell power system:

- all energy recovery systems are included within the system boundary;
- all kinds of electric energy storage devices are considered outside the system boundary;
- calculation of the heating value of the input fuel (such as natural gas, propane gas and pure hydrogen gas) is based on the conditions of the fuel at the boundary of the fuel cell power system.

The document does not provide safety requirements for the testing of stationary fuel cell power systems. Details on safe operation of the tested system can be obtained from the manufacturers instructions.



Key



Fuel cell power system including subsystems. The interface is defined as a conceptual or functional one instead of hardware such as a power package.



Subsystems: fuel cell module, fuel processor, etc. These subsystem configurations depend on the kind of fuel, type of fuel cell or system.



The interface points in the boundary to be measured for calculation data.

^a EMD electromagnetic disturbance

^b EMI electromagnetic interference

Figure 1 – Fuel cell power system diagram

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60051 (all parts), *Direct acting indicating analogue electrical measuring instruments and their accessories*

IEC 60359, *Electrical and electronic measurement equipment - Expression of performance*

IEC 60688, *Electrical measuring transducers for converting AC and DC electrical quantities to analogue or digital signals*

IEC 61000-4-7, *Electromagnetic compatibility (EMC) - Part 4-7: Testing and measurement techniques - General guide on harmonics and interharmonics measurements and instrumentation, for power supply systems and equipment connected thereto*

IEC 61028, *Electrical measuring instruments - X-Y recorders*

IEC 61143 (all parts), *Electrical measuring instruments - X-t recorders*

IEC 61672-1, *Electroacoustics - Sound level meters - Part 1: Specifications*

IEC 61672-2, *Electroacoustics - Sound level meters - Part 2: Pattern evaluation tests*

IEC 62052-11, *Electricity metering equipment - General requirements, tests and test conditions - Part 11: Metering equipment*

IEC 62053-22, *Electricity metering equipment - Particular requirements - Part 22: Static meters for AC active energy (classes 0,1S, 0,2S and 0,5S)*

IEC 62282-3-201, *Fuel cell technologies - Part 3-201: Stationary fuel cell power systems - Performance test methods for small fuel cell power systems*

ISO 3648, *Aviation fuels - Estimation of net specific energy*

ISO 3744, *Acoustics - Determination of sound power levels and sound energy levels of noise sources using sound pressure - Engineering methods for an essentially free field over a reflecting plane*

ISO 4677-1, *Atmospheres for conditioning and testing - Determination of relative humidity – Part 1: Aspirated psychrometer method*

ISO 4677-2, *Atmospheres for conditioning and testing - Determination of relative humidity – Part 2: Whirling psychrometer method¹*

ISO 5167 (all parts), *Measurement of fluid flow by means of pressure differential devices inserted in circular cross-section conduits running full*

ISO 5348, *Mechanical vibration and shock - Mechanical mounting of accelerometers*

ISO 5815-2, *Water quality - Determination of biochemical oxygen demand after n days (BOD_n) - Part 2: Method for undiluted samples*

ISO 6060, *Water quality - Determination of the chemical oxygen demand*

ISO 6974 (all parts), *Natural gas - Determination of composition and associated uncertainty by gas chromatography*

ISO 6975, *Natural gas - Extended analysis - Gas chromatographic method*

ISO 7934, *Stationary source emissions - Determination of the mass concentration of sulfur dioxide - Hydrogen peroxide/barium perchlorate/Thorin method*

ISO 7935, *Stationary source emissions - Determination of the mass concentration of sulfur dioxide in flue gases - Performance characteristics of automated measuring systems*

ISO 8217:2024, *Products from petroleum, synthetic and renewable sources - Fuels (class F) - Specifications of marine fuels*

ISO 10101 (all parts), *Natural gas - Determination of water by the Karl Fisher method*

¹ This publication was withdrawn.

ISO 10396, *Stationary source emissions - Sampling for the automated determination of gas emission concentrations for permanently-installed monitoring systems*

ISO 10523, *Water quality - Determination of pH*

ISO 11626, *Natural gas - Determination of sulfur compounds - Determination of hydrogen sulfide content by UV absorption method*

ISO 10849, *Stationary source emissions - Determination of the mass concentration of nitrogen oxides in flue gas - Performance characteristics of automated measuring systems*

ISO 11042-1, *Gas turbines - Exhaust gas emission - Part 1: Measurement and evaluation*

ISO 11042-2, *Gas turbines - Exhaust gas emission - Part 2: Automated emission monitoring*

ISO 11541, *Natural gas - Determination of water content at high pressure*

ISO 11564, *Stationary source emissions - Determination of the mass concentration of nitrogen oxides - Naphthylethylenediamine photometric method*

ISO 11632, *Stationary source emissions - Determination of mass concentration of sulfur dioxide - Ion chromatography method*

ISO 14687, *Hydrogen fuel - Product specification*

ISO/TR 15916, *Basic considerations for the safety of hydrogen systems*

ISO 16622, *Meteorology - Sonic anemometers/thermometers - Acceptance test methods for mean wind measurements*

ISO 16960, *Natural gas - Determination of sulfur compounds - Determination of total sulfur by oxidative microcoulometry method*

ISO 19739, *Natural gas - Determination of sulfur compounds using gas chromatography*

ISO 20729, *Natural gas - Determination of sulfur compounds - Determination of total sulfur content by ultraviolet fluorescence method*

ASTM D4809, *Standard Test Method for Heat of Combustion of Liquid Hydrocarbon Fuels by Bomb Calorimeter (Precision Method)*

3 Terms, definitions and symbols

3.1 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

- IEC Electropedia: available at <https://www.electropedia.org/>
- ISO Online browsing platform: available at <https://www.iso.org/obp>

3.1.1

auxiliary electric power input

electric power for auxiliary machines and equipment supplied from outside the system boundary

3.1.2

background noise level

sound pressure level of ambient noise at the measurement point

Note 1 to entry: This measurement is taken as described in this document with the fuel cell power system in the cold state.

3.1.3

background vibration level

mechanical oscillations level caused by the environment that affect vibration level readings

Note 1 to entry: In this document, background vibration is measured with the fuel cell power system in the cold state.

3.1.4

cold state

state of a fuel cell power system, which is entirely at ambient temperature with no power input or output, ready for start-up

Note 1 to entry: Power input to a control device for monitoring the fuel cell power system during cold state is not taken into consideration.

[SOURCE: IEC 60050-485:2020, 485-21-01, modified – "which is entirely" and "ready for start-up" added; Note 1 to entry added.]

3.1.5

discharge water

water discharged from the fuel cell power system including waste water and condensate

3.1.6

electrical efficiency

ratio of the average net electric power output produced by a fuel cell power system to the average total power input supplied to the fuel cell power system

Note 1 to entry: Lower heating value (LHV) is assumed unless otherwise stated.

Note 2 to entry: Any electric power that is supplied to auxiliary machines and equipment of a fuel cell power system from an external source is deducted from the electric power output of the fuel cell power system.

[SOURCE: IEC 60050-485:2020, 485-10-02, modified – "electrical" instead of "electric" in the preferred term; "average net electric power output" instead of "net electric power"; "average total power input" instead of "total enthalpy flow"; "Note 2 to entry added.]

3.1.7

external thermal energy

additional thermal energy input from outside the system boundary

Note 1 to entry: External thermal energy can be supplied e.g. by make-up water or process condensate return.

3.1.8**fuel cell module**

assembly incorporating one or more fuel cell stacks and, if applicable, additional components, that is intended to be integrated into a power system

Note 1 to entry: A fuel cell module comprises the following main components: one or more fuel cell stack(s), a piping system for conveying fuels, oxidants and exhausts, electric connections for the power delivered by the stack(s), and means for monitoring, control or both. Additionally, a fuel cell module can comprise: means for conveying additional fluids (e.g. cooling media, inert gas, CO₂ (MCFC)), means for detecting normal and abnormal operating conditions, enclosures or pressure vessels and module ventilation systems, and the required electronic components for module operation and power conditioning.

[SOURCE: IEC 60050-485:2020, 485-09-03, modified – In the definition "or a vehicle" deleted and in the Note to entry, "CO₂ (MCFC)" added.]

3.1.9**fuel cell power system**

generator system that uses one or more fuel cell modules to generate electric power and heat

Note 1 to entry: A fuel cell power system is composed of all or some of the systems shown in Figure 1.

[SOURCE: IEC 60050-485:2020, 485-09-01, modified – Note 1 to entry added.]

3.1.10**fuel input**

amount of natural gas, hydrogen, methanol, liquid petroleum gas, propane, butane, or other substance containing chemical energy introduced to the fuel cell power system during specified operating conditions

3.1.11**heat recovery efficiency**

ratio of the average recovered thermal power output of a fuel cell power system to the average total power input supplied to the fuel cell power system

[SOURCE: IEC 60050-485:2020, 485-10-04, modified – "average recovered thermal power output" instead of "recovered heat flow"; "average total power input" instead of "total enthalpy flow"; Note 1 to entry deleted.]

3.1.12**interface point**

measurement point at the boundary of a fuel cell power system at which material or energy, or both, either enters or leaves

Note 1 to entry: This boundary is intentionally selected to accurately measure the performance of the system including all normal operation, both steady state and transient. If necessary, the boundary or the interface points of the fuel cell power system (Figure 1) to be assessed should be determined by agreement between the parties.

[SOURCE: IEC 60050-485:2020, 485-09-12, modified – In Note 1 to entry, reference to Figure 1 added and Note 2 to entry deleted.]

3.1.13**minimum power**

lowest net electric power output at which a fuel cell power system is able to operate continuously in a stable manner

[SOURCE: IEC 60050-485:2020, 485-14-02, modified – "output" added, Note 1 to entry deleted.]

3.1.14**noise level**

sound pressure level produced by a fuel cell power system

Note 1 to entry: Noise level is expressed in decibels (dB) and measured at a specified distance and in all operation modes as described in this document.

3.1.15**operating temperature**

temperature at which the fuel cell power system operates and with its determination specified by the manufacturer

Note 1 to entry: The temperature can be either measured at a specific measuring point or determined from the measurement at several specific points.

3.1.16**overall energy efficiency**

ratio of total useable power output (net electrical power and recovered thermal power) to the average total power input supplied to the fuel cell power system

Note 1 to entry: The supplied total power input of the fuel should be related to the lower heating value (LHV) for a better comparison with other types of energy conversion systems.

Note 2 to entry: Refer to 4.3 regarding reporting based on LHV or HHV.

[SOURCE: IEC 60050-485:2020, 485-10-05, modified – Second preferred term "total thermal efficiency" deleted; in the definition, "power output" instead of "energy flow"; "thermal power" instead of "heat flow"; "average total power input" instead of "total enthalpy flow"; in Note 1 to entry, "total power input" instead of "total (including reaction enthalpy) enthalpy flow" and Note 2 to entry added.]

3.1.17**oxidant input**

amount of oxidant (air) input into the inside of the fuel cell module during specified operating conditions

Note 1 to entry: The oxidant is usually air, but other oxidants (e.g. oxygen) can be used.

3.1.18**power response time**

duration between the instant of initiating a change of electric or thermal power output and when the electric or thermal power output attains the set value within tolerance

3.1.19**90 % power response time**

duration between the instant of initiating a change of electric or thermal power output and when the electric or thermal power output attains 90 % of the desired value within tolerance

3.1.20**pre-generation state**

state of a fuel cell power system at a sufficient operating temperature and in such an operational mode, with zero electric power output, that the fuel cell power system is capable of being promptly switched to an operational state with a substantial net electric power output

[SOURCE: IEC 60050-485:2020, 485-21-04, modified – second preferred term "pre-generation operation" deleted and in the definition, "net" added before "electric"]

3.1.21**purge gas consumption**

amount of inert gas or dilution gas supplied to the fuel cell power system during specific conditions to make it ready for operation or shutdown