



IEC 62427

Edition 2.0 2024-12

INTERNATIONAL STANDARD

NORME INTERNATIONALE

Railway applications - Compatibility between rolling stock and train detection systems

Applications ferroviaires - Compatibilité entre le matériel roulant et les systèmes de détection des trains



THIS PUBLICATION IS COPYRIGHT PROTECTED
Copyright © 2024 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Secretariat
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search -

webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Discover our powerful search engine and read freely all the publications previews, graphical symbols and the glossary. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 500 terminological entries in English and French, with equivalent terms in 25 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Recherche de publications IEC -

webstore.iec.ch/advsearchform

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études, ...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Découvrez notre puissant moteur de recherche et consultez gratuitement tous les aperçus des publications, symboles graphiques et le glossaire. Avec un abonnement, vous aurez toujours accès à un contenu à jour adapté à vos besoins.

Electropedia - www.electropedia.org

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 500 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 25 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

Warning! Make sure that you obtained this publication from an authorized distributor.

Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.

CONTENTS

FOREWORD.....	5
INTRODUCTION.....	7
1 Scope.....	9
2 Normative references.....	9
3 Terms, definitions and abbreviated terms.....	9
3.1 Terms and definitions.....	9
3.2 Abbreviated terms.....	10
4 Compatibility process.....	10
4.1 Overview.....	10
4.2 Detailed compatibility process.....	10
4.3 Building the compatibility argument.....	11
4.4 Quality management.....	12
4.5 Route identification for introduction of RST (new or changed).....	12
4.6 Introduction of infrastructure elements (new or changed).....	12
4.7 Characterization.....	13
4.8 Compatibility analyses.....	13
4.8.1 General terms.....	13
4.8.2 Transfer function.....	14
5 Characterization of train detection systems.....	15
5.1 Objective of procedure.....	15
5.2 Track circuit systems – Standards, regulations and technical specifications.....	16
5.3 Axle counter systems – Standards, regulations and technical specifications.....	16
5.4 Wheel detectors (treadle applications).....	16
5.4.1 General.....	16
5.4.2 Wheel detectors based on inductive technology.....	16
5.5 Loops.....	17
5.5.1 General aspects.....	17
5.5.2 Interfering mechanisms.....	17
5.5.3 Characterization.....	18
6 Characterization of rolling stock.....	18
6.1 Objective.....	18
6.2 General procedure.....	18
7 Characterization of traction power supply systems.....	19
7.1 Objective.....	19
7.2 DC traction power supplies.....	19
7.3 AC traction power supplies.....	19
7.4 Test procedures.....	20
8 Test report.....	20
8.1 General.....	20
8.2 Introduction to the report.....	20
8.3 Test organization.....	20
8.4 Configuration.....	20
8.5 Reference documents.....	20
8.6 Application of the test plan.....	21
8.7 Test results.....	21
8.8 Comments.....	21

8.9	Archive of test results	21
Annex A (informative) Guidelines for the determination of susceptibility of train detection systems		22
A.1	Examples of system configurations	22
A.2	"Normal" configuration	22
A.3	Interference mechanism with broken signal rail	22
A.4	Interference mechanism with broken return rail	23
A.5	Double rail track circuits	24
A.6	Voltage between axles of rolling stock	25
A.7	Effect of resistance between coupled vehicles	26
A.8	Radiated interference	28
A.9	Sensitive zone of wheel detector	28
A.10	Factor of safety	29
A.11	Multiple interference sources	29
Annex B (informative) General characterization of rolling stock		30
B.1	Objective of procedure	30
B.2	Description of rolling stock and factors affecting its characteristics	30
B.3	Configuration (design status)	30
B.4	Test plan	30
B.4.1	General	30
B.4.2	Test site	31
B.4.3	Instrumentation	31
B.4.4	Test procedure	31
Annex C (informative) Factors affecting rolling stock characteristics and compatibility		33
Annex D (informative) DC traction power supplies		36
D.1	General	36
D.2	Interference currents generated by the rolling stock	36
D.3	Interference currents generated by the traction power supply system	36
Annex E (informative) Compatibility parameters for loops (European example)		38
E.1	General	38
E.2	Principles of operation – Electrical background	38
E.3	Vehicle metal construction	38
Bibliography		41
Figure 1 – Sources of electromagnetic interference		7
Figure 2 – The compatibility process		11
Figure 3 – Relationship between compatibility limits and permissible interference		15
Figure A.1 – Interference mechanism with rails intact		22
Figure A.2 – Interference mechanism with self-revealing broken rail		23
Figure A.3 – Interference mechanism with unrevealed broken rail		23
Figure A.4 – Double rail track circuit		24
Figure A.5 – Double rail track circuit with broken rail		24
Figure A.6 – Interference mechanism due to voltage between axles – Case 1		25
Figure A.7 – Interference mechanism due to voltage between axles – Case 2		25
Figure A.8 – Effect of inter-vehicle current		26
Figure A.9 – Equivalent circuit for Figure A.8		26
Figure A.10 – Example of radiated interference		28

Figure C.1 – Electrical bonding 34

Figure D.1 – Rolling stock with DC supply 37

Figure D.2 – Circulation of interference current generated by rolling stock 37

Figure D.3 – Circulation of interference current generated by the substation 37

Figure E.1 – Example of loop installation 38

Figure E.2 – Vehicle layouts 39

Figure E.3 – Example longitudinal beams with cross connection in section (a) 39

Figure E.4 – Example short circuit rings in section (a) 39

Sample Document

get full document from standards.iteh.ai

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**RAILWAY APPLICATIONS –
COMPATIBILITY BETWEEN ROLLING STOCK
AND TRAIN DETECTION SYSTEMS****FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at <https://patents.iec.ch>. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 62427 has been prepared by IEC technical committee 9: Electrical equipment and systems for railways. It is an International Standard.

This document is based on EN 50238-1:2019.

This second edition cancels and replaces the first edition published in 2007. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) generic compatibility process, which is broken into a two-stage process depending on whether there are established compatibility limits or not;
- b) rules for characterization of train detection systems;

- c) rules for characterization of rolling stock;
- d) rules for characterization of the power system;
- e) informative references are provided in notes to established CENELEC standards for compatibility;
- f) terminology is updated.

The text of this International Standard is based on the following documents:

Draft	Report on voting
9/3115/FDIS	9/3142A/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn, or
- revised.

IMPORTANT – The "colour inside" logo on the cover page of this document indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

This document defines a process to demonstrate compatibility between rolling stock operating on an area of use or network and train detection systems installed in this area of use or network.

Currently, general rules for the maximum levels of interference allowed, and maximum susceptibility levels (or minimum required immunity levels) are not established in every country. This is due to the great diversity of rolling stock, power supply and return current systems, and train detection systems installed in each country. This diversity leads to consideration of compatibility of rolling stock and train detection systems on a "route by route" or "network by network" basis, to avoid unnecessarily restrictive specifications.

The compatibility process described in this document is generic. The process refers to all types of train detection systems (TDS), which may be influenced by electromagnetic emissions of rolling stock or traction power supply systems, (e.g. axle counters, track circuits, wheel detectors, loops).

Compatibility is determined by both physical and electromagnetic considerations. With regard to the electromagnetic compatibility, the need is not for general values for maximum levels of interference permitted, and maximum susceptibility levels (or minimum required immunity levels) but for convenient methods by which to specify the level of interference allowed for operation on routes or a network.

Main interference sources are considered to be:

- rail currents and voltage sources;
- electromagnetic fields;
- differential voltage between adjacent axles of the train;

as shown in Figure 1.




Figure 1 – Sources of electromagnetic interference

In practice, the susceptibility of the system is determined by:

- the sensitivity of individual components of the system and the type of interference it is susceptible to;
- the application of the components, i.e. the configuration of the system.

Therefore the problems concerning TDS are considered separately for each type.

- National rules or standards, including agreements among stakeholders, define compatibility limits for track circuits;
- National rules or standards, including agreements among stakeholders, define compatibility limits for axle counters and wheel detectors;
- National rules or standards, including agreements among stakeholders, define the testing method of rolling stock for electromagnetic compatibility with axle counters;
- Compatibility with other types of wheel detectors (mechanical or magnetic) is described in 5.4;
- Compatibility with loops can be established following the guidance in 5.5;
- Compatibility with any other type of TDS not explicitly covered by this document can also be established following the generic process in this document.

NOTE 1 In Europe, CLC/TS 50238-2, CLC/TS 50238-3 and EN 50592 provide compatibility limits for track circuits, compatibility limits for axle counters and wheel detectors, and the testing method of rolling stock for electromagnetic compatibility with axle counters, respectively.

For determining the susceptibility of signalling systems, laboratory/simulation testing methods and in situ tests on the "real railway" are proposed. Modelling enables worst-case conditions to be simulated. In addition, particular test sites are selected because, from experience, they are expected to provide the test evidence required.

Then, taking account of the experience of the railways, it is possible to establish a general method for determining the susceptibility of train detection systems, described in this document.

NOTE 2 In Europe, general requirements on how to establish immunity have been defined in EN 50617-1 and EN 50617-2.

Before assessing the electromagnetic emissions of rolling stock, sufficient knowledge of the electric circuit diagram of the power equipment is important, including switching frequencies of on-board power converters, type of regulation used for power converters, resonant frequency of each filter, operating limits under high and low supply voltages, degraded modes of operation.

RAILWAY APPLICATIONS – COMPATIBILITY BETWEEN ROLLING STOCK AND TRAIN DETECTION SYSTEMS

1 Scope

This document describes a process to demonstrate compatibility between rolling stock (RST) and train detection systems (TDS). It describes the characterization of train detection systems, rolling stock and traction power supply systems.

It is worth noting that the demonstration of technical compatibility between the rolling stock and infrastructure with respect to physical dimensions is not detailed in this document.

This document is not generally applicable to those combinations of rolling stock, traction power supply and train detection system which were accepted as compatible prior to the publication of this document. However, as far as is reasonably practicable, this document can be applied to modifications of rolling stock, traction power supply or train detection systems which can affect compatibility. The detailed process can be used where no rules and processes for compatibility are established.

2 Normative references

There are no normative references in this document.

3 Terms, definitions and abbreviated terms

3.1 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

- IEC Electropedia: available at <https://www.electropedia.org/>
- ISO Online browsing platform: available at <https://www.iso.org/obp>

3.1.1

competent body

body responsible for the independent evaluation of the compatibility case

Note 1 to entry: This can be an accredited conformity body or an independent safety assessor. This role is not limited to external parties, unless mandated under the applicable legislation.

3.1.2

compatibility case

set of documents which records the evidence demonstrating the degree of compatibility between rolling stock, traction power supplies and train detection systems for a specific route or specific railway network

[SOURCE: IEC 60050-821:2017, 821-03-47]

3.1.3

degraded modes, pl

modes of operation in the presence of faults which have been anticipated in the design of the signalling system or the rolling stock

[SOURCE: IEC 60050-821:2017, 821-01-52]

3.1.4

traction power supply system

part of the overall electricity energy supply system, not extending beyond the dedicated feeder stations on the rail network

Note 1 to entry: IEC 62313 applies at the interface to the national electricity supply network.

3.1.5

wheel detector

sensor which detects the passage of a wheel

Note 1 to entry: A wheel detector can be used as part of an axle counter or as a treadle.

[SOURCE: IEC 60050-821:2017, 821-03-53]

3.2 Abbreviated terms

For the purposes of this document, the following abbreviated terms apply.

AC	Alternating current
DC	Direct current
IM	Infrastructure manager
MVA	Megavoltampere
NTR	National technical rule
RINF	Register of infrastructure
RST	Rolling stock
TDS	Train detection system
WSF	Wrong side failure


4 Compatibility process

4.1 Overview

The party which introduces a new element or introduces a change of an existing element or system is responsible for demonstrating compatibility between rolling stock, train detection, traction power supply systems and neighbouring infrastructure, if applicable. The party is responsible for initiating the compatibility process. The relevant data shall be made available to the party responsible for constructing and/or amending the compatibility case. If data are not available or not sufficient, alternative arrangements can be made by both the responsible party and the affected party to demonstrate compatibility, for example by carrying out specific compatibility tests. It is recommended that a competent body evaluates the compatibility case if the stakeholders consider the modification to be a significant change. In 4.2 to 4.8, the specific tasks to demonstrate compatibility are listed and explained.

4.2 Detailed compatibility process

The compatibility process is summarized in Figure 2.



IEC

Figure 2 – The compatibility process

4.3 Building the compatibility argument

A compatibility case in compatibility analysis shall be prepared, following the process depicted in Figure 2, including but not limited to the:

- a) definition of the scope of the compatibility case, including:
 - new element to be introduced;
 - identification of the route or area of use (network) if applicable;
 - operational conditions;
- b) description of the overall rail system including:
 - infrastructure:
 - train detection system (frequency-wide immunity limits if available);
 - track parameters relevant for the train detection system (e.g. earthing and bonding);
 - traction power supply and line parameters;

- rolling stock in any configuration, including degraded modes:
 - relevant operational conditions e.g. power limitations;
 - factors affecting rolling stock characteristics and compatibility as listed in Annex C, identification of disturbance sources, their behaviour and/or applicable summation rules;
 - adjacent infrastructure and other rolling stock, if applicable;
- c) theoretical analysis (e.g. simulation) against requirements of the scope including assumptions:
- derive the permissible interference per on-board source using the analysis in 4.8;
- d) test plan taking account of the results of the theoretical analysis;
- e) test reports – see Clause 8;
- f) assessment of theoretical analysis and test reports against requirements:
- related compatibility cases;
 - check of validity of assumptions;
 - check if restrictions may be lifted or relaxed;
- g) quality management plan and evidence.

If a competent body is appointed, then it is recommended to involve them at each step of the compatibility case.

It is recognized that characterization of interference generated and propagated by rolling stock can be a time consuming process, which may require a significant amount of testing during service operations in order to refine the characteristics. Therefore, provided that the risks to all parties can be demonstrated to be acceptable, temporary operational conditions may be imposed prior to full compatibility being established.

Hereunder specific aspects of the compatibility case will be further outlined.

4.4 Quality management

Quality management systems shall be in place. The importance of configuration management should be noted.

The configuration state of the relevant infrastructure and rolling stock (including maintenance processes and schedules) shall be recorded and referenced within the compatibility case. Any subsequent changes to these configurations shall lead to an examination of the continued validity of the compatibility case.

4.5 Route identification for introduction of RST (new or changed)

In order to accept a particular rolling stock in respect of a particular route or network, the different types and applications of train detection systems and traction power supply systems, if applicable, on the network or on the route and on adjacent routes which can be affected shall be identified. In addition to the intended operational route(s), alternative route(s), which may be required in the event of disruption to traffic shall also be considered.

4.6 Introduction of infrastructure elements (new or changed)

In order to accept a particular infrastructure change (e.g. TDS or traction power supply) in respect of a particular route or network, the different types of RST, TDS and traction power supply systems on the network or on the route and on adjacent routes, which may be affected, shall be identified.

4.7 Characterization

The characteristics of the identified systems shall be obtained in accordance with the following clauses:

- For train detection systems: Clause 5;
- For rolling stock: Clause 6;
- For power supply systems: Clause 7.

4.8 Compatibility analyses

4.8.1 General terms

It shall be demonstrated that the rolling stock characteristics for generated and propagated interference comply with the train detection system limits, under defined operating conditions, including degraded modes.

NOTE 1 EN 50617-1, EN 50617-2, EN 50592 are available for operating conditions in Europe.

The relationship between rolling stock and infrastructure is shown in Figure 3. The information flow may be in either direction depending on which system is to be changed.

NOTE 2 Compatibility is now based on worst-case conditions. This results in very severe requirements for rolling stock interference limits, while in practice the tolerable interference level is much higher due to overall degradation of older systems and interference produced by the current collecting system. Despite this situation, the cases with hazards caused by interference are very rare. It is obvious that a perspective of risk calculation will ease the interference current requirement by probably a decade.

The safety margin is applicable for safety related tests, where train detection technology implies WSF. The availability margin is applicable for availability related tests.

NOTE 3 All applicable parameters for compatibility cases of track circuits and axle counters in Europe can be identified from EN 50617-1 and EN 50617-2 respectively.

The compatibility analysis is mandatory and shall explain the technical principles which ensure compatibility, including (or giving reference to) all supporting evidence, e.g., calculations, test plans and results.

The method of analysis of fault modes shall be agreed between the parties listed in 4.3.

The scenario for compatibility including the worst case shall be described with the following parameters:

- transfer function between interference sources (rolling stock and infrastructure) and sensitivity level of the used TDS in the specified frequency band;
- characteristics, operating modes and conditions of rolling stock (normal and degraded modes of RST and maximum torque, speed or other operating conditions);
- characteristics and operating conditions (normal and degraded modes) of traction power supply, including substation parameters and traction return path;
- safety and/or availability margin taking account of the above modes and conditions. Track circuit sequencing is considered when safety or availability margins are agreed.

NOTE 4 Testing during operation in service on one vehicle will establish a probability for generated interference, e.g. a level down to once per 1 000 h during several months of testing. This is only sufficient for the basic level of generated interference current.

Both on-board systems and/or infra-side systems can be used to monitor the probability of occurrence of high levels of interference currents, provided they remain compatible with the various immunity levels of the propagation and detection systems.

4.8.2 Transfer function

The "transfer function" expresses the relation between the received interference signal at the train detection system equipment and the total interference signal generated by rolling stock.

Let the transfer function be denoted by F .

Let the interference signal at the train detection system equipment caused by a single train and/or multiple trains at the electric section be denoted by I_{TDS} .

Let the interference signal generated by the rolling stock be denoted by I_{RS} .

The interference signal is then:

$$I_{TDS} = F \times I_{RS}$$

The maximum permissible interference signal at the train detection system equipment I_{TDSmax} is determined by the sensitivity of the train detection system equipment. Let the total permissible interference generated by rolling stock be denoted by I_{RStot} . Then:

$$I_{RStot} = I_{TDSmax} / F$$

Where multiple sources (rolling stock and substations) may contribute to the total interference signal, the permissible interference per source shall take this into account.

NOTE 1 Line resonances and phase sensitive receivers can be part of the evaluation of compatibility.

NOTE 2 In Europe, CLC/TS 50238-2 provides possible guidance on the application of the transfer function considering multiple sources.

Note that the permissible interference signal will have two values determined by the following criteria:

- the signal which may cause the train detection system to show clear when it is in fact occupied (a wrong side failure, i.e. a matter of safety);
- the signal which may cause the train detection system to show occupied when it is in fact clear (a right side failure, i.e. a matter of availability). The effect on interlocking logic shall however be considered.

The process of application of the summation rules can be applied in both directions as depicted in Figure 3.