



Edition 3.0 2025-08

INTERNATIONAL **STANDARD**

REDLINE VERSION

Field device tool (FDT) interface specification -

Part 1: Overview and guidance (https://standards.iteh.ai) **Document Preview**



THIS PUBLICATION IS COPYRIGHT PROTECTED Copyright © 2025 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Secretariat Tel.: +41 22 919 02 11

3, rue de Varembé info@iec.ch CH-1211 Geneva 20 www.iec.ch Switzerland

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search -

webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished
Stay up to date on all new IEC publications. Just Published
details all new publications released. Available online and
once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc
If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Discover our powerful search engine and read freely all the publications previews, graphical symbols and the glossary. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 500 terminological entries in English and French, with equivalent terms in 25 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

Preview

<u>IEC 62453-1:2025</u>

https://standards.iteh.ai/catalog/standards/iec/f60e76e6-6471-497h-97h1-9ca4h4f2dc63/iec-62453-1-2024

CONTENTS

FC	OREWO	RD	5		
IN	TRODU	CTION	7		
1	Scop	Scope			
2	•	native references			
3					
Ū	3.1	Terms and definitions			
	3.2	Abbreviated terms			
	3.3	Conventions			
4		overview			
•	4.1	State of the art			
	4.2	Objectives of FDT			
	4.2.1	•			
	4.2.2				
	4.2.3				
	4.2.4	,			
	4.3	FDT model			
	4.3.1				
	4.3.2				
	4.3.3	• •			
	4.3.4				
	4.3.5				
5		ture of the IEC 62453 series	24		
	5.1	Structure overview			
	5.2	Part 2 – Concepts and detailed description			
	5.3	Parts 3xy – Communication profile integration			
	531	General <u>IEC 62453-1:2025</u>	27		
	tandard 5.3.2	Communication profile integration – IEC 61784 CPF 1	53 <u>-1</u> -202		
	5.3.3				
	5.3.4	·			
	5.3.5				
	5.3.6	·			
	5.3.7	,			
	5.3.8	·			
	5.4	Parts 4z – Object model integration profiles			
	5.4.1	General	28		
	5.4.2	Object model integration profile – Common object model (COM)	29		
	5.4.3	Object model integration profile – Common language infrastructure (CLI)	29		
	5.4.4				
	5.5	Parts 51-xy/52-xy/53-xy – Communication profile implementation			
	5.5.1	General			
	5.5.2				
	5.5.3	·			
	5.5.4	·			
	5.5.5	·			
		CP 3/5 and 3/6			
	5.5.6	Communication profile implementation – IEC 61784 CPF 6	30		

	5.5.7	Communication profile implementation – IEC 61784 CPF 9	30
	5.5.8	8 Communication profile implementation – IEC 61784 CPF 15	30
5	.6	Parts 6z – DTM styleguides	30
	5.6.1	1 General	30
	5.6.2	Device Type Manager (DTM) styleguide for common object model	30
	5.6.3	Field Device Tool (FDT) styleguide for common language infrastructure	30
5	.7	Part 71 – OPC UA Information Model for FDT	30
6	Rela	ation of the IEC 62453 series to other standardization activities	31
7	Migra	ation to DTM	36
8	_	to read IEC 62453	
8	.1	Architecture	37
8	.2	Dynamic behaviour	37
8	.3	Structured data types	38
8	.4	Fieldbus communication	38
Ann	ex A	(informative) UML notation	39
А	۸.1	Common model elements	39
	A.1.1		
	A.1.2		
А	۸.2		
•	A.2.1	3	
	A.2.2		
	A.2.3		40
	A.2.4		
	A.2.5	UIIIIIIS.//SIAIIUALUS.IIEII.AII	40
	A.2.6		40
	A.2.7		
	A.2.8	•	
	Δ 2 0	9 Generalization <u>IEC 62453-1:2025</u>	41
	A	10 iteh n/cafalog/standards/iec/f60e76e6-6471-497b-97b1-9ca4b4f2dc63/iec-624	5342-2025
	A.2.1		
	A.2.1	• •	
Δ	۸.3	Component diagram	
,	A.3.1	·	
	A.3.2		
Δ	7.0.2 .4	Statechart diagram	
,	A.4.1	· · · · · · · · · · · · · · · · · · ·	
	A.4.2		
	A.4.3		
	A.4.4		
	A.4.5		
Δ	7 1 1.5	Use case diagram	
•	A.5.1	· ·	
	A.5.2		
	A.5.3		
	A.5.4		-
Δ	7.5.2 1.6	Sequence diagram	
	A.6.1		
	A.6.2		

A.6.6 Alternative, optional and repetitive execution sequence	1	A.6.3 O	bject with life line	47
A.6.6 Alternative, optional and repetitive execution sequence		A.6.4 M	ethod calls	47
A.6.7 Break notation A.6.8 Interaction references A.7 Object diagram Annex B (informative) Implementation policy Bibliography	_		tate and constraint	
A.6.8 Interaction references. A.7 Object diagram. Annex B (informative) Implementation policy				
Annex B (informative) Implementation policy. Bibliography Figure 1 – Different tools and fieldbuses result in limited integration				
Annex B (informative) Implementation policy. Bibliography				
Figure 1 - Different tools and fieldbuses result in limited integration		-	<u> </u>	
Figure 1 – Different tools and fieldbuses result in limited integration		•	, ,	
Figure 2 – Full integration of all devices and modules into a homogeneous syste Figure 3 – General architecture and components	DIDIIC	одгарпу		52
Figure 2 – Full integration of all devices and modules into a homogeneous syste Figure 3 – General architecture and components	Figur	e 1 - Differ	ent tools and fieldbuses result in limited integration	16
Figure 3 – General architecture and components. Figure 4 – FDT software architecture. Figure 5 – General FDT client/server relationship. Figure 6 – Typical FDT channel architecture. Figure 7 – Channel/parameter relationship. Figure 8 – Structure of the IEC 62453 series. Figure 9 – Standards related to IEC 62453 in an automation hierarchy. Figure 10 – Standards related to IEC 62453 – Grouped by purpose. Figure A.1 – DTM implementations. Figure A.2 – Class. Figure A.3 – Icons for class members. Figure A.4 – Association. Figure A.5 – Navigable Association. Figure A.6 – Composition. Figure A.7 – Aggregation. Figure A.9 – Association class. Figure A.10 – Abstract class, generalization and interface. Figure A.11 – Interface related notations. Figure A.12 – Multiplicity. Figure A.13 – Elements of UML statechart diagrams. Figure A.16 – Example of UML state chart diagram. Figure A.17 – UML use case syntax. Figure A.19 – Empty UML sequence diagram frame. Figure A.20 – Object with life line and activation. Figure A.21 – Method calls. Figure A.21 – Method calls. Figure A.22 – Modelling guarded call and multiple calls.	_		-	
Figure 4 – FDT software architecture Figure 5 – General FDT client/server relationship Figure 6 – Typical FDT channel architecture Figure 7 – Channel/parameter relationship Figure 8 – Structure of the IEC 62453 series Figure 9 – Standards related to IEC 62453 in an automation hierarchy Figure 10 – Standards related to IEC 62453 – Grouped by purpose Figure 11 – DTM implementations Figure A.1 – Note Figure A.2 – Class Figure A.3 – Icons for class members Figure A.4 – Association Figure A.5 – Navigable Association Figure A.7 – Aggregation Figure A.8 – Dependency Figure A.9 – Association class Figure A.10 – Abstract class, generalization and interface Figure A.11 – Interface related notations Figure A.12 – Multiplicity Figure A.13 – Enumeration datatype Figure A.14 – Component Figure A.15 – Elements of UML statechart diagrams Figure A.16 – Example of UML state chart diagram Figure A.17 – UML use case syntax Figure A.19 – Empty UML sequence diagram frame Figure A.20 – Object with life line and activation Figure A.21 – Method calls Figure A.21 – Method calls Figure A.22 – Modelling guarded call and multiple calls	_			
Figure 5 - General FDT client/server relationship Figure 6 - Typical FDT channel architecture Figure 7 - Channel/parameter relationship Figure 8 - Structure of the IEC 62453 series Figure 9 - Standards related to IEC 62453 in an automation hierarchy Figure 10 - Standards related to IEC 62453 - Grouped by purpose Figure 11 - DTM implementations Figure A.1 - Note Figure A.2 - Class Figure A.3 - Icons for class members Figure A.4 - Association Figure A.5 - Navigable Association Figure A.6 - Composition Figure A.7 - Aggregation Figure A.8 - Dependency Figure A.9 - Association class Figure A.10 - Abstract class, generalization and interface Figure A.11 - Interface related notations Figure A.12 - Multiplicity Figure A.13 - Enumeration datatype Figure A.14 - Component Figure A.15 - Elements of UML statechart diagrams Figure A.16 - Example of UML state chart diagram Figure A.17 - UML use case syntax Figure A.18 - UML sequence diagram Figure A.19 - Empty UML sequence diagram frame Figure A.20 - Object with life line and activation Figure A.21 - Method calls Figure A.22 - Modelling guarded call and multiple calls				
Figure 6 – Typical FDT channel architecture Figure 7 – Channel/parameter relationship Figure 8 – Structure of the IEC 62453 series Figure 9 – Standards related to IEC 62453 in an automation hierarchy Figure 10 – Standards related to IEC 62453 – Grouped by purpose Figure 11 – DTM implementations Figure A.1 – Note Figure A.2 – Class Figure A.3 – Icons for class members Figure A.4 – Association Figure A.5 – Navigable Association Figure A.6 – Composition Figure A.7 – Aggregation Figure A.8 – Dependency Figure A.9 – Association class Figure A.10 – Abstract class, generalization and interface Figure A.11 – Interface related notations Figure A.12 – Multiplicity Figure A.13 – Enumeration datatype Figure A.14 – Component Figure A.15 – Elements of UML statechart diagrams Figure A.16 – Example of UML state chart diagram Figure A.17 – UML use case syntax Figure A.18 – UML sequence diagram Figure A.19 – Empty UML sequence diagram frame Figure A.20 – Object with life line and activation Figure A.21 – Method calls Figure A.21 – Method calls Figure A.22 – Modelling guarded call and multiple calls	_			
Figure 7 - Channel/parameter relationship. Figure 8 - Structure of the IEC 62453 series. Figure 9 - Standards related to IEC 62453 in an automation hierarchy. Figure 10 - Standards related to IEC 62453 - Grouped by purpose. Figure 11 - DTM implementations. Figure A.1 - Note	-			
Figure 8 – Structure of the IEC 62453 series Figure 9 – Standards related to IEC 62453 in an automation hierarchy Figure 10 – Standards related to IEC 62453 – Grouped by purpose Figure 11 – DTM implementations Figure A.1 – Note	_			
Figure 9 – Standards related to IEC 62453 in an automation hierarchy Figure 10 – Standards related to IEC 62453 – Grouped by purpose Figure 11 – DTM implementations Figure A.1 – Note Figure A.2 – Class Figure A.3 – Icons for class members Figure A.4 – Association Figure A.5 – Navigable Association Figure A.6 – Composition Figure A.7 – Aggregation Figure A.9 – Association class Figure A.10 – Abstract class, generalization and interface Figure A.11 – Interface related notations Figure A.12 – Multiplicity Figure A.13 – Enumeration datatype Figure A.14 – Component Figure A.15 – Elements of UML state chart diagrams Figure A.17 – UML use case syntax Figure A.18 – UML sequence diagram Figure A.20 – Object with life line and activation Figure A.21 – Method calls Figure A.21 – Method calls Figure A.22 – Modelling guarded call and multiple calls	_			
Figure 10 – Standards related to IEC 62453 – Grouped by purpose Figure 11 – DTM implementations Figure A.1 – Note Figure A.2 – Class Figure A.3 – Icons for class members Figure A.5 – Navigable Association Figure A.6 – Composition Figure A.7 – Aggregation Figure A.8 – Dependency Figure A.9 – Association class Figure A.10 – Abstract class, generalization and interface Figure A.11 – Interface related notations Figure A.12 – Multiplicity Figure A.13 – Enumeration datatype Figure A.15 – Elements of UML statechart diagrams Figure A.17 – UML use case syntax Figure A.18 – UML sequence diagram Figure A.19 – Empty UML sequence diagram frame Figure A.20 – Object with life line and activation Figure A.21 – Method calls Figure A.22 – Modelling guarded call and multiple calls	_			
Figure A.1 – Note	Ū		•	
Figure A.1 – Note	_		TICH Standards	
Figure A.2 – Class Figure A.3 – Icons for class members Figure A.4 – Association Figure A.5 – Navigable Association Figure A.6 – Composition Figure A.7 – Aggregation Figure A.8 – Dependency Figure A.9 – Association class Figure A.10 – Abstract class, generalization and interface Figure A.11 – Interface related notations Figure A.12 – Multiplicity Figure A.13 – Enumeration datatype Figure A.15 – Elements of UML statechart diagrams Figure A.16 – Example of UML state chart diagram Figure A.17 – UML use case syntax Figure A.18 – UML sequence diagram Figure A.19 – Empty UML sequence diagram frame Figure A.20 – Object with life line and activation Figure A.21 – Method calls Figure A.22 – Modelling guarded call and multiple calls	-			
Figure A.3 – Icons for class members Figure A.4 – Association Figure A.5 – Navigable Association Figure A.6 – Composition Figure A.7 – Aggregation Figure A.9 – Association class Figure A.10 – Abstract class, generalization and interface Figure A.11 – Interface related notations Figure A.12 – Multiplicity Figure A.13 – Enumeration datatype Figure A.14 – Component Figure A.15 – Elements of UML statechart diagrams Figure A.16 – Example of UML state chart diagram Figure A.17 – UML use case syntax Figure A.18 – UML sequence diagram Figure A.19 – Empty UML sequence diagram frame Figure A.20 – Object with life line and activation Figure A.21 – Method calls Figure A.22 – Modelling guarded call and multiple calls	Figur	e A.2 – Cla	ss	39
Figure A.4 – Association Figure A.5 – Navigable Association	Figur	e A.3 – Icor	ns for class members ment Preview	39
Figure A.5 – Navigable Association. IEC.62453-1:2025 Figure A.6 – Composition. IEC.62453-1:2025 Figure A.7 – Aggregation. IEC.62453-1:2026 Figure A.8 – Dependency IEC.62453-1:2026 Figure A.9 – Association class Figure A.10 – Abstract class, generalization and interface IEC.62453-1:2026 Figure A.11 – Interface related notations Figure A.12 – Multiplicity. IEC.625 Figure A.13 – Enumeration datatype IEC.625 Figure A.14 – Component IEC.62453-1:2025 Figure A.15 – Elements of UML statechart diagrams IEC.62453-1:2025 Figure A.16 – Example of UML state chart diagram IEC.62453-1:2025 Figure A.17 – UML use case syntax IEC.62453-1:2025 Figure A.18 – UML sequence diagram IEC.62453-1:2025 Figure A.20 – Object with life line and activation IEC.62453-1:2025 Figure A.21 – Method calls IEC.62453-1:2025 Figure A.22 – Modelling guarded call and multiple calls	_			
Figure A.6 – Composition	Figur	e A.5 – Nav	rigable Association. IEC 62453-1:2025	40
Figure A.7 – Aggregation Figure A.8 – Dependency Figure A.9 – Association class Figure A.10 – Abstract class, generalization and interface Figure A.11 – Interface related notations Figure A.12 – Multiplicity Figure A.13 – Enumeration datatype Figure A.14 – Component Figure A.15 – Elements of UML statechart diagrams Figure A.16 – Example of UML state chart diagram Figure A.17 – UML use case syntax Figure A.18 – UML sequence diagram Figure A.20 – Object with life line and activation Figure A.21 – Method calls Figure A.22 – Modelling guarded call and multiple calls	s://stan	e A.6 – Cor	i/catalog/standards/iec/f60e76e6-6471-497b-97b1-9ca4b4f2dc63/iec	-62453 ₋ 1-
Figure A.8 – Dependency Figure A.9 – Association class Figure A.10 – Abstract class, generalization and interface Figure A.11 – Interface related notations Figure A.12 – Multiplicity Figure A.13 – Enumeration datatype Figure A.14 – Component Figure A.15 – Elements of UML statechart diagrams Figure A.16 – Example of UML state chart diagram Figure A.17 – UML use case syntax Figure A.18 – UML sequence diagram Figure A.19 – Empty UML sequence diagram frame Figure A.20 – Object with life line and activation Figure A.21 – Method calls Figure A.22 – Modelling guarded call and multiple calls				
Figure A.9 – Association class Figure A.10 – Abstract class, generalization and interface Figure A.11 – Interface related notations Figure A.12 – Multiplicity Figure A.13 – Enumeration datatype Figure A.14 – Component Figure A.15 – Elements of UML statechart diagrams Figure A.16 – Example of UML state chart diagram Figure A.17 – UML use case syntax Figure A.18 – UML sequence diagram Figure A.19 – Empty UML sequence diagram frame Figure A.20 – Object with life line and activation Figure A.21 – Method calls Figure A.22 – Modelling guarded call and multiple calls	_		-	
Figure A.10 – Abstract class, generalization and interface Figure A.11 – Interface related notations Figure A.12 – Multiplicity Figure A.13 – Enumeration datatype Figure A.14 – Component Figure A.15 – Elements of UML statechart diagrams Figure A.16 – Example of UML state chart diagram Figure A.17 – UML use case syntax Figure A.18 – UML sequence diagram Figure A.19 – Empty UML sequence diagram frame Figure A.20 – Object with life line and activation Figure A.21 – Method calls Figure A.22 – Modelling guarded call and multiple calls	Ū	•	•	
Figure A.11 – Interface related notations Figure A.12 – Multiplicity	_			
Figure A.12 – Multiplicity Figure A.13 – Enumeration datatype Figure A.14 – Component Figure A.15 – Elements of UML statechart diagrams Figure A.16 – Example of UML state chart diagram Figure A.17 – UML use case syntax Figure A.18 – UML sequence diagram Figure A.19 – Empty UML sequence diagram frame Figure A.20 – Object with life line and activation Figure A.21 – Method calls Figure A.22 – Modelling guarded call and multiple calls	_			
Figure A.13 – Enumeration datatype Figure A.14 – Component Figure A.15 – Elements of UML statechart diagrams Figure A.16 – Example of UML state chart diagram Figure A.17 – UML use case syntax Figure A.18 – UML sequence diagram Figure A.19 – Empty UML sequence diagram frame Figure A.20 – Object with life line and activation Figure A.21 – Method calls Figure A.22 – Modelling guarded call and multiple calls	_			
Figure A.14 – Component Figure A.15 – Elements of UML statechart diagrams Figure A.16 – Example of UML state chart diagram Figure A.17 – UML use case syntax Figure A.18 – UML sequence diagram Figure A.19 – Empty UML sequence diagram frame Figure A.20 – Object with life line and activation Figure A.21 – Method calls Figure A.22 – Modelling guarded call and multiple calls	_		·	
Figure A.15 – Elements of UML statechart diagrams Figure A.16 – Example of UML state chart diagram Figure A.17 – UML use case syntax Figure A.18 – UML sequence diagram Figure A.19 – Empty UML sequence diagram frame Figure A.20 – Object with life line and activation Figure A.21 – Method calls Figure A.22 – Modelling guarded call and multiple calls	•		· · · · · · · · · · · · · · · · · · ·	
Figure A.16 – Example of UML state chart diagram Figure A.17 – UML use case syntax Figure A.18 – UML sequence diagram Figure A.19 – Empty UML sequence diagram frame Figure A.20 – Object with life line and activation Figure A.21 – Method calls Figure A.22 – Modelling guarded call and multiple calls	_			
Figure A.17 – UML use case syntax Figure A.18 – UML sequence diagram Figure A.19 – Empty UML sequence diagram frame Figure A.20 – Object with life line and activation Figure A.21 – Method calls Figure A.22 – Modelling guarded call and multiple calls	•		-	
Figure A.18 – UML sequence diagram Figure A.19 – Empty UML sequence diagram frame Figure A.20 – Object with life line and activation Figure A.21 – Method calls Figure A.22 – Modelling guarded call and multiple calls	_		· ·	
Figure A.19 – Empty UML sequence diagram frame Figure A.20 – Object with life line and activation Figure A.21 – Method calls Figure A.22 – Modelling guarded call and multiple calls	_		-	
Figure A.20 – Object with life line and activation	•			
Figure A.21 – Method calls				
Figure A.22 – Modelling guarded call and multiple calls	_			
	_			
rigure A.25 – Call to itself	_		ıll to itself	

Figure A.24 – Continuation / StateInvariant	. 49
Figure A.25 – Alternative fragment	. 49
Figure A.26 – Option fragment	. 49
Figure A.27 – Loop combination fragment	. 49
Figure A.28 – Break notation	. 50
Figure A.29 – Sequence reference	. 50
Figure A.30 – Objects	. 50
Figure A.31 – Object link	. 50
Table 1 – Overview of IEC 62453 series	. 27
Table 2 – Overview of related standards	32

iTeh Standards (https://standards.iteh.ai) Document Preview

<u> IEC 62453-1:2025</u>

https://standards.iteh.ai/catalog/standards/iec/f60e76e6-6471-497b-97b1-9ca4b4f2dc63/iec-62453-1-2025

INTERNATIONAL ELECTROTECHNICAL COMMISSION

Field device tool (FDT) interface specification - Part 1: Overview and guidance

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
 - 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
 - 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at https://patents.iec.ch. IEC shall not be held responsible for identifying any or all such patent rights.

This redline version of the official IEC Standard allows the user to identify the changes made to the previous edition IEC 62453-1:2016. A vertical bar appears in the margin wherever a change has been made. Additions are in green text, deletions are in strikethrough red text.