

INTERNATIONAL STANDARD

NORME INTERNATIONALE

**Field device tool (FDT) interface specification -
Part 1: Overview and guidance**

**Spécification des interfaces des outils des dispositifs de terrain (FDT) -
Partie 1: Vue d'ensemble et guide**



THIS PUBLICATION IS COPYRIGHT PROTECTED
Copyright © 2025 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Secretariat
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search -

webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Discover our powerful search engine and read freely all the publications previews, graphical symbols and the glossary. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 500 terminological entries in English and French, with equivalent terms in 25 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Recherche de publications IEC -

webstore.iec.ch/advsearchform

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études, ...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Découvrez notre puissant moteur de recherche et consultez gratuitement tous les aperçus des publications, symboles graphiques et le glossaire. Avec un abonnement, vous aurez toujours accès à un contenu à jour adapté à vos besoins.

Electropedia - www.electropedia.org

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 500 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 25 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

Warning! Make sure that you obtained this publication from an authorized distributor.

Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.

CONTENTS

FOREWORD.....	5
INTRODUCTION.....	7
1 Scope.....	9
2 Normative references	9
3 Terms, definitions, symbols, abbreviated terms and conventions	9
3.1 Terms and definitions.....	9
3.2 Abbreviated terms.....	15
3.3 Conventions.....	15
4 FDT overview	15
4.1 State of the art.....	15
4.2 Objectives of FDT	16
4.2.1 General features.....	16
4.2.2 Device and module manufacturer benefits	17
4.2.3 System manufacturer and integrator benefits.....	18
4.2.4 Other applications	18
4.3 FDT model.....	18
4.3.1 General	18
4.3.2 Frame Applications	20
4.3.3 Device Type Manager.....	21
4.3.4 Communication Channel concept.....	22
4.3.5 Presentation object.....	24
5 Structure of the IEC 62453 series	24
5.1 Structure overview	24
5.2 Part 2 – Concepts and detailed description	26
5.3 Parts 3xy – Communication profile integration	26
5.3.1 General	26
5.3.2 Communication profile integration – IEC 61784 CPF 1.....	26
5.3.3 Communication profile integration – IEC 61784 CPF 2.....	27
5.3.4 Communication profile integration – IEC 61784 CP 3/1 and 3/2	27
5.3.5 Communication profile integration – IEC 61784 CP 3/4, CP 3/5 and 3/6.....	27
5.3.6 Communication profile integration – IEC 61784 CPF 6.....	27
5.3.7 Communication profile integration – IEC 61784 CPF 9.....	27
5.3.8 Communication profile integration – IEC 61784 CPF 15.....	27
5.4 Parts 4z – Object model integration profiles	27
5.4.1 General	27
5.4.2 Object model integration profile – Common object model (COM)	28
5.4.3 Object model integration profile – Common language infrastructure (CLI).....	28
5.4.4 Object model integration profile – CLI and HTML.....	28
5.5 Parts 51-xy/52-xy/53-xy – Communication profile implementation	28
5.5.1 General	28
5.5.2 Communication profile implementation – IEC 61784 CPF 1	28
5.5.3 Communication profile implementation – IEC 61784 CPF 2	28
5.5.4 Communication profile implementation – IEC 61784 CP 3/1 and 3/2	28
5.5.5 Communication profile implementation – IEC 61784 CP 3/4, CP 3/5 and 3/6	29
5.5.6 Communication profile implementation – IEC 61784 CPF 6	29

5.5.7	Communication profile implementation – IEC 61784 CPF 9	29
5.5.8	Communication profile implementation – IEC 61784 CPF 15.....	29
5.6	Parts 6z – DTM styleguides	29
5.6.1	General	29
5.6.2	Device Type Manager (DTM) styleguide for common object model	29
5.6.3	Field Device Tool (FDT) styleguide for common language infrastructure	29
5.7	Part 71 – OPC UA Information Model for FDT	29
6	Relation of the IEC 62453 series to other standardization activities	30
7	Migration to DTM.....	33
8	How to read IEC 62453.....	35
8.1	Architecture	35
8.2	Dynamic behaviour	35
8.3	Structured data types.....	35
8.4	Fieldbus communication	35
Annex A (normative)	UML notation.....	36
A.1	Common model elements.....	36
A.1.1	General	36
A.1.2	Note	36
A.2	Class diagram.....	36
A.2.1	General	36
A.2.2	Class	36
A.2.3	Abstract class	37
A.2.4	Association.....	37
A.2.5	Composition	37
A.2.6	Aggregation.....	37
A.2.7	Dependency	38
A.2.8	Association class.....	38
A.2.9	Generalization	38
A.2.10	Interface	39
A.2.11	Multiplicity	39
A.2.12	Enumeration class	39
A.3	Component diagram.....	40
A.3.1	General	40
A.3.2	Component.....	40
A.4	Statechart diagram	40
A.4.1	General	40
A.4.2	State	40
A.4.3	Initial state.....	41
A.4.4	Final state	41
A.4.5	Composite state.....	41
A.5	Use case diagram	41
A.5.1	General	41
A.5.2	Actor	42
A.5.3	Use case	42
A.5.4	Inheritance relation.....	42
A.6	Sequence diagram	42
A.6.1	General	42
A.6.2	Frame.....	43

A.6.3	Object with life line	43
A.6.4	Method calls	44
A.6.5	State and constraint.....	45
A.6.6	Alternative, optional and repetitive execution sequence	45
A.6.7	Break notation	46
A.6.8	Interaction references	47
A.7	Object diagram	47
Annex B (informative)	Implementation policy.....	48
Bibliography.....		49
Figure 1	– Different tools and fieldbuses result in limited integration.....	16
Figure 2	– Full integration of all devices and modules into a homogeneous system.....	17
Figure 3	– General architecture and components	19
Figure 4	– FDT software architecture	21
Figure 5	– General FDT client/server relationship	22
Figure 6	– Typical FDT channel architecture	23
Figure 7	– Channel/parameter relationship.....	24
Figure 8	– Structure of the IEC 62453 series	25
Figure 9	– Standards related to IEC 62453 in an automation hierarchy	30
Figure 10	– Standards related to IEC 62453 – Grouped by purpose	33
Figure 11	– DTM implementations.....	34
Figure A.1	– Note	36
Figure A.2	– Class	36
Figure A.3	– Icons for class members	36
Figure A.4	– Association	37
Figure A.5	– Navigable Association.....	37
Figure A.6	– Composition.....	37
Figure A.7	– Aggregation	37
Figure A.8	– Dependency	38
Figure A.9	– Association class	38
Figure A.10	– Abstract class, generalization and interface	38
Figure A.11	– Interface related notations	39
Figure A.12	– Multiplicity.....	39
Figure A.13	– Enumeration datatype	40
Figure A.14	– Component	40
Figure A.15	– Elements of UML statechart diagrams.....	40
Figure A.16	– Example of UML state chart diagram	41
Figure A.17	– UML use case syntax.....	42
Figure A.18	– UML sequence diagram	43
Figure A.19	– Empty UML sequence diagram frame.....	43
Figure A.20	– Object with life line and activation	44
Figure A.21	– Method calls	44
Figure A.22	– Modelling guarded call and multiple calls	44
Figure A.23	– Call to itself.....	45

Figure A.24 – Continuation / StateInvariant.....	45
Figure A.25 – Alternative fragment.....	46
Figure A.26 – Option fragment.....	46
Figure A.27 – Loop combination fragment.....	46
Figure A.28 – Break notation	46
Figure A.29 – Sequence reference.....	47
Figure A.30 – Objects	47
Figure A.31 – Object link	47
Table 1 – Overview of IEC 62453 series	26
Table 2 – Overview of related standards	31

Sample Document

get full document from standards.iteh.ai

INTERNATIONAL ELECTROTECHNICAL COMMISSION

Field device tool (FDT) interface specification - Part 1: Overview and guidance

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at <https://patents.iec.ch>. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 62453-1 has been prepared by subcommittee 65E: Devices and integration in enterprise systems, of IEC technical committee 65: Industrial-process measurement, control and automation. It is an International Standard.

This third edition cancels and replaces the first edition published in 2016. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) introduction of a new implementation technology (defined in IEC TS 62453-43);
- b) introduction of an OPC UA information model for FDT (defined in IEC 62453-71).

The text of this International Standard is based on the following documents:

Draft	Report on voting
65E/1173/FDIS	65E/1176/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

A list of all parts of the IEC 62453 series, under the general title *Field Device Tool (FDT) interface specification*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn, or
- revised.

Sample Document

get full document from standards.iteh.ai

INTRODUCTION

Enterprise automation employs two main data flows: a “vertical” data flow from enterprise level down to the field devices including signals and configuration data, and a “horizontal” communication between field devices operating on the same or different communication technologies.

With the integration of fieldbuses into control systems, there are a few additional tasks to be performed. They can result in a large number of fieldbus- and device-specific tools in addition to system and engineering tools. Integration of these tools into higher-level system-wide planning or engineering tools is an advantage. In particular, for use in extensive and heterogeneous control systems, typically in the area of the process industry, the unambiguous definition of engineering interfaces that are easy to use for all those involved is of great importance.

Several different manufacturer specific tools are used. The data in these tools are often invisible data islands from the viewpoint of system life-cycle management and plant-wide automation.

To ensure the consistent management of a plant-wide control and automation technology, it is important to fully integrate fieldbuses, devices and sub-systems as a seamless part of a wide range of automation tasks covering the whole automation life cycle.

IEC 62453 provides an interface specification for developers of FDT¹ (Field Device Tool) components to support function control and data access within a client/server architecture. The availability of this standard interface facilitates development of servers and clients by multiple manufacturers and supports open interoperation.

A device or module-specific software component, called a DTM (Device Type Manager) is supplied by a manufacturer with the related device type or software entity type. Each DTM can be integrated into engineering tools via defined FDT interfaces. This approach to integration is in general open for all fieldbuses and thus supports integration of different devices and software modules into heterogeneous control systems.

The IEC 62453 common application interface supports the interests of application developers, system integrators, and manufacturers of field devices and network components. It also simplifies procurement, reduces system costs and helps manage the lifecycle. Significant savings are available in operating, engineering and maintaining the control systems.

The objectives of the IEC 62453 series are to support:

- universal plant-wide tools for life-cycle management of heterogeneous fieldbus environments, multi-manufacturer devices, function blocks and modular sub-systems for all automation domains (e.g. process automation, factory automation and similar monitoring and control applications);
- integrated and consistent life-cycle data exchange within a control system including its fieldbuses, devices, function blocks and modular sub-systems;
- simple and powerful manufacturer-independent integration of different automation devices, function blocks and modular sub-systems into the life-cycle management tools of a control system.

¹ FDT® is a registered trade name of FDT Group AISBL. This information is given for the convenience of users of this document and does not constitute an endorsement by IEC of the trademark holder or any of its products. Compliance to this document does not require use of the trade name. Use of the trade name requires permission of the trade name holder.

The FDT concept supports planning and integration of monitoring and control applications, it does not provide a solution for other engineering tasks such as "electrical wiring planning", "mechanical planning". Plant management subjects such as "maintenance planning", "control optimization", "data archiving", are not part of this FDT standard. Some of these aspects can be included in future editions of FDT publications.

Sample Document

get full document from standards.iteh.ai

1 Scope

This part of IEC 62453 presents an overview and guidance for the IEC 62453 series. It

- explains the structure and content of the IEC 62453 series (see Clause 5);
- provides explanations of some aspects of the IEC 62453 series that are common to many of the parts of the series;
- describes the relationship to some other standards;
- provides definitions of terms used in other parts of the IEC 62453 series.

2 Normative references

There are no normative references in this document.

3 Terms, definitions, symbols, abbreviated terms and conventions

3.1 Terms and definitions

For the purposes of this document and of the IEC 62453 series, the following terms and definitions apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

3.1.1

actor

coherent set of roles that users of use cases play when interacting with these use cases

Note 1 to entry: An actor has one role for each use case with which it communicates.

[SOURCE: ISO/IEC 19501:2005, 4.11.2.1]

3.1.2

address

communication protocol specific access identifier

3.1.3

application

software functional unit that is specific to the solution of a problem in industrial-process measurement and control

Note 1 to entry: An application may be distributed among resources, and may communicate with other applications.

3.1.4

business object

object representing specific behaviour (e.g. DTM, BTM and channel)

Note 1 to entry: The term business object has been defined originally as part of the design pattern three-tier architecture, where the business object is part of the business layer.

3.1.5

Block Type Manager

BTM

specialized DTM to manage and handle a block

Note 1 to entry: This note applies to the French language only.

3.1.6

communication

fieldbus protocol specific data transfer

3.1.7

Communication Channel

access point for communication to field device

3.1.8

configuration

system created by configuring the plant components and the topology

3.1.9

configure

setting parameters at the instance data as well as the logical association of plant components to build up the plant topology (off-line)

Note 1 to entry: See also parameterize (3.1.38).

3.1.10

connection

established data path for communication with a selected device

3.1.11

data

set of parameter values

3.1.12

data type

defined set of data objects of a specified data structure and a set of permissible operations, such that these data objects act as operands in the execution of any one of these operations

[SOURCE: ISO/IEC 2382-15:1999, 15.04.01 (2382)]

3.1.13

DCS manufacturer

system manufacturer

manufacturer of the control system

3.1.14

device

independent physical entity of an automation system capable of performing specified functions in a particular context and delimited by its interfaces

[SOURCE: IEC 61499-1:2012, 3.29, modified – The words “of an automation system” have been added, the expression “one or more specified functions” has been replaced by “specified functions” and the note has been deleted.]

3.1.15

field device

networked independent physical entity of an automation system capable of performing specified functions in a particular context and delimited by its interfaces

[SOURCE: IEC 61375-3-3:2012, 3.1.3]

3.1.16

device manufacturer

manufacturer of fieldbus devices

3.1.17

device type

device characterization based on abstract properties such as manufacturer, fieldbus protocol, device type identifier, device classification, version information or other information

Note 1 to entry: The scope of such characterizations can vary depending on the properties that are used in the definition of such a set and is manufacturer specific for each DTM.

3.1.18

distributed system

FDT objects that jointly are executed on different PCs in a network

Note 1 to entry: The implementation of such a distributed system is vendor specific (for example: DTM and Presentation are executed on different PCs or DTMs are executed in a multi-user system on different PCs).

3.1.19

documentation

human readable information about a device instance

Note 1 to entry: This can be electronic information in a database.

3.1.20

Device Type Manager

DTM

software component containing device-specific application software

Note 1 to entry: The DTM is a generic class and means "Type Manager". The D is kept because the acronym is well-known in the market.

3.1.21

DTM device type

software module for a particular device type within the DTM

Note 1 to entry: A DTM can contain one or more DTM device types.

3.1.22

entity

particular thing, such as a person, place, process, object, concept, association, or event

[SOURCE: IEC 61499-1:2012, 3.31]

3.1.23

Frame Application

FDT runtime environment

3.1.24

FDT model

interface specification for objects and object behaviour in a monitoring and control system

3.1.25

function

specific purpose of an entity or its characteristic action

[SOURCE: IEC 61499-1:2012, 3.44]

3.1.26

Generic DTM

DTM which interprets device type or domain specific device descriptions and provides the FDT interfaces

3.1.27

hardware

physical equipment, as opposed to programs, procedures, rules and associated documentation

[SOURCE: IEC 61499-1:2012, 3.49]

3.1.28

implementation

development phase in which the hardware and software of a system become operational

[SOURCE: IEC 61499-1:2012, 3.51]

3.1.29

instantiation

creation of an instance of a specified type

[SOURCE: IEC 61499-1:2012, 3.57]

3.1.30

interface

boundary between two functional units, defined by functional characteristics, signal characteristics, or other characteristics as appropriate

[SOURCE: IEC 60050-351:2013, 351-42-25, modified – The notes have been deleted.]

3.1.31

Interpreter DTM

generic DTM which interprets device descriptions

3.1.32

mapping

set of features or attributes having defined correspondence with the members of another set

[SOURCE: IEC 61499-1:2012, 3.66]

3.1.33

multi-user environment

environment which allows operation by more than one user

3.1.34

network

all of the media, connectors, repeaters, routers, gateways and associated node communication elements by which a given set of communicating devices are interconnected

Note 1 to entry: In this document, network is used to express that one or more interconnected fieldbus systems with different protocols can be applied.

[SOURCE: IEC 61158-1:2014, 3.1.5, modified – Note 1 has been added.]

3.1.35

nested communication

communication using a hierarchy of communication systems

**3.1.36
operation**

well-defined action that, when applied to any permissible combination of known entities, produces a new entity

[SOURCE: IEC 61499-1:2012, 3.73]

**3.1.37
parameter**

variable that is given a constant value for a specified application and that may denote the application

[SOURCE: IEC 61499-1:2012, 3.75]

**3.1.38
parameterize**

setting parameters in a device or a block or an object

Note 1 to entry: See also configure (3.1.9).

**3.1.39
persistent data**

stored data that is preserved through shutdown/restart and maintenance activities

**3.1.40
Process Channel**

representation of process value and its properties

**3.1.41
service**

functional capability of a resource which can be modeled by a sequence of service primitives

[SOURCE: IEC 61499-1:2012, 3.87]

**3.1.42
session**

instance of user interactions within the FDT model

**3.1.43
synchronization**

synchronization of data depending on the context where used

Note 1 to entry: For example, synchronization can occur between the DTM and the device or between several DTM instances having a reference to the same instance data.

**3.1.44
system**

set of interrelated elements considered in a defined context as a whole and separated from their environment

Note 1 to entry: Elements of a system may be natural or man-made material objects, as well as modes of thinking and the results thereof (for example forms of organization, mathematical methods, and programming languages).

Note 2 to entry: The system is considered to be separated from the environment and other external systems by an imaginary surface, which can cut the links between them and the considered system.

[SOURCE: IEC 60050-351:2013, 351-42-08, modified – Note 1 has been deleted.]