

INTERNATIONAL STANDARD

REDLINE VERSION

OPC unified architecture -
Part 11: Historical Access

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[IEC 62541-11:2025](https://standards.iteh.ai/catalog/standards/iec/ea308918-48bd-43db-ac34-d388be3afb00/iec-62541-11-2025)

<https://standards.iteh.ai/catalog/standards/iec/ea308918-48bd-43db-ac34-d388be3afb00/iec-62541-11-2025>



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2025 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Secretariat
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search -

webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Discover our powerful search engine and read freely all the publications previews, graphical symbols and the glossary. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 500 terminological entries in English and French, with equivalent terms in 25 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

[IEC 62541-11:2025](https://standards.iteh.ai/catalog/standards/iec/ea308918-48bd-43db-ac34-d388be3afb00/iec-62541-11-2025)

<https://standards.iteh.ai/catalog/standards/iec/ea308918-48bd-43db-ac34-d388be3afb00/iec-62541-11-2025>

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD	5
1 Scope	8
2 Normative references	8
3 Terms, definitions and abbreviations	8
3.1 Terms and definitions	8
3.2 Abbreviated terms	10
4 Concepts	11
4.1 General	11
4.2 Data architecture	11
4.3 Historians and interruption of data collection	12
4.4 Modification of Historical Data/Events	12
4.5 Timestamps	13
4.6 Bounding Values and time domain	13
4.7 Changes in AddressSpace over time	15
5 Historical Information Model	16
5.1 HistoricalNodes	16
5.1.1 General	16
5.1.2 Annotations Property	16
5.2 HistoricalDataNodes	17
5.2.1 General	17
5.2.2 HistoricalDataConfigurationType	17
5.2.3 Attributes	19
5.2.4 Historical Data Configuration Object	19
5.3 References	20
5.3.1 Overview	20
5.3.2 HasHistoricalConfiguration ReferenceType	21
5.3.3 HasCurrentData ReferenceType	21
5.3.4 HasCurrentEvent ReferenceType	22
5.4 HistoricalEventNodes	22
5.4.1 General	22
5.4.2 HistoricalEventFilter Property	22
5.4.3 HistoricalEventConfigurationType	23
5.4.4 HistoricalEventNode Attributes	23
5.5 External History sources	24
5.5.1 General	24
5.5.2 External Historical Event Node	24
5.6 Example Object Models in Historian Servers (informative)	25
5.6.1 Overview	25
5.6.2 HistoricalDataNodes Address Space Model	25
5.6.3 Historical data	27
5.6.4 HistoricalEventNodes Address Space Model	27
5.6.5 Historical Events	30
5.7 Exposing supported functions and capabilities	30
5.7.1 General	30
5.7.2 HistoryServerCapabilitiesType	32
5.7.3 Default configuration	35
5.8 Historical Audit Events	36

5.8.1	General	36
5.8.2	AuditHistoryEventUpdateEventType	36
5.8.3	AuditHistoryValueUpdateEventType	37
5.8.4	AuditHistoryAnnotationUpdateEventType.....	37
5.8.5	AuditHistoryDeleteEventType	38
5.8.6	AuditHistoryRawModifyDeleteEventType	39
5.8.7	AuditHistoryAtTimeDeleteEventType	40
5.8.8	AuditHistoryEventDeleteEventType	40
5.8.9	AuditHistoryConfigurationChangeEvent.....	41
5.8.10	AuditHistoryBulkInsertEventType	41
6	Historical Access specific usage of Services.....	42
6.1	General.....	42
6.2	Historical Nodes StatusCodes.....	43
6.2.1	Overview	43
6.2.2	Operation level result codes	43
6.2.3	Semantics changed	45
6.3	Continuation Points.....	45
6.4	Arrays, index ranges and substrings	45
6.5	HistoryReadDetails parameters.....	47
6.5.1	Overview	47
6.5.2	ReadEventDetails structure	49
6.5.3	ReadRawModifiedDetails structure	52
6.5.4	ReadProcessedDetails structure	55
6.5.5	ReadAtTimeDetails structure	57
6.5.6	ReadAnnotationDataDetails structure	58
6.6	HistoryData parameters returned	59
6.6.1	Overview	59
6.6.2	HistoryData type.....	59
6.6.3	HistoryModifiedData type.....	59
6.6.4	HistoryEvent type DataType	60
6.5.5	HistoryAnnotationData type	60
6.6.5	HistoryModifiedEvent DataType	61
6.6.6	Annotation DataType	62
6.7	HistoryUpdateType Enumeration.....	62
6.8	PerformUpdateType Enumeration	63
6.9	HistoryUpdateDetails parameter	63
6.9.1	Overview	63
6.9.2	UpdateDataDetails structure	65
6.9.3	UpdateStructureDataDetails structure.....	67
6.9.4	UpdateEventDetails structure	69
6.9.5	DeleteRawModifiedDetails structure	71
6.9.6	DeleteAtTimeDetails structure	72
6.9.7	DeleteEventDetails structure	73
Annex A (informative)	Client conventions.....	75
A.1	How clients can request timestamps	75
A.2	Determining the first or last historical data point.....	76
Bibliography		78

Figure 1 – Possible OPC UA Server supporting Historical Access	11
Figure 2 – ReferenceType hierarchy	20
Figure 3 – Historical Variable with Historical Data Configuration and Annotations	26
Figure 4 – Historical Variable with Historical Data Configuration and Annotations	27
Figure 5 – Representation of an Event with History in the AddressSpace	29
Figure 6 – Event History configuration example	30
Figure 7 – Server and HistoryServer Capabilities	32
Figure 8 – History Array example	46
Figure 9 – Historian Array Illustration 2	47
Table 1 – Bounding Value examples	14
Table 2 – Annotations Property	16
Table 3 – HistoricalDataConfigurationType definition	17
Table 4 – ExceptionDeviationFormat Values Items	18
Table 5 – ExceptionDeviationFormat definition	19
Table 6 – Historical Access configuration definition	20
Table 7 – HasHistoricalConfiguration ReferenceType	21
Table 8 – HasCurrentData ReferenceType	21
Table 9 – HasCurrentEvent ReferenceType	22
Table 10 – Standard Historical Events Properties	23
Table 11 – HistoricalEventConfigurationType definition	23
Table 12 – HistoricalExternalEventSourceType definition	24
Table 13 – HistoryServerCapabilitiesType Definition	33
Table 14 – DefaultHAConfiguration definition	35
Table 15 – DefaultHEConfiguration definition	35
Table 16 – AuditHistoryEventUpdateEventType definition	36
Table 17 – AuditHistoryValueUpdateEventType definition	37
Table 18 – AuditHistoryAnnotationUpdateEventType definition	38
Table 19 – AuditHistoryDeleteEventType definition	39
Table 20 – AuditHistoryRawModifyDeleteEventType definition	39
Table 21 – AuditHistoryAtTimeDeleteEventType definition	40
Table 22 – AuditHistoryEventDeleteEventType definition	41
Table 23 – AuditHistoryConfigurationChangeEvent definition	41
Table 24 – AuditHistoryBulkInsertEventType definition	42
Table 25 – Bad operation level result codes	43
Table 26 – Good operation level result codes	44
Table 27 – HistoryReadDetails parameterType parameter Symbolic Names	48
Table 28 – HistoryReadDetails definition	49
Table 29 – ReadEventDetails Structure	49
Table 30 – ReadEventDetails definition	49
Table 31 – ReadEventDetails2 Structure	51
Table 32 – ReadEventDetails2 definition	51
Table 33 – ReadRawModifiedDetails structure	52

Table 34 – ReadRawModifiedDetails definition	52
Table 35 – ReadProcessedDetails structure.....	55
Table 36 – ReadProcessedDetails definition	55
Table 37 – ReadAtTimeDetails structure	57
Table 38 – ReadAtTimeDetails definition	57
Table 39 – ReadAnnotationDataDetails Structure	58
Table 40 – ReadAnnotationDataDetails definition	58
Table 41 – HistoryData-Details structure	59
Table 42 – HistoryData definition	59
Table 43 – HistoryModifiedData-Details structure.....	60
Table 44 – HistoryModifiedData definition	60
Table 45 – HistoryEvent-Details structure	60
Table 46 – HistoryEvent definition	61
Table 47 – HistoryModifiedEvent structure.....	61
Table 48 – HistoryModifiedEvent definition	61
Table 49 – Annotation Structure.....	62
Table 50 – Annotation definition.....	62
Table 51 – HistoryUpdateType-Enumeration Items.....	62
Table 52 – HistoryUpdateType definition.....	63
Table 53 – PerformUpdateType-Enumeration Items	63
Table 54 – PerformUpdateType definition.....	63
Table 55 – HistoryUpdateDetails parameter-Types Symbolic Names.....	64
Table 56 – HistoryUpdateDetails Structure.....	65
Table 57 – HistoryUpdateDetails definition.....	65
Table 58 – UpdateDataDetails Structure.....	66
Table 59 – UpdateDataDetails definition	66
Table 60 – UpdateStructureDataDetails Structure	67
Table 61 – UpdateStructureDataDetails definition	68
Table 62 – UpdateEventDetails Structure.....	69
Table 63 – UpdateEventDetails definition.....	70
Table 64 – DeleteRawModifiedDetails Structure	72
Table 65 – DeleteRawModifiedDetails definition.....	72
Table 66 – DeleteAtTimeDetails Structure.....	73
Table 67 – DeleteAtTimeDetails definition.....	73
Table 68 – DeleteEventDetails Structure.....	73
Table 69 – DeleteEventDetails definition.....	74
Table A.1 – Time keyword definitions.....	76
Table A.2 – Time offset definitions	76

INTERNATIONAL ELECTROTECHNICAL COMMISSION

OPC unified architecture - Part 11: Historical Access

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at <https://patents.iec.ch>. IEC shall not be held responsible for identifying any or all such patent rights.

This redline version of the official IEC Standard allows the user to identify the changes made to the previous edition IEC 62541-11:2020. A vertical bar appears in the margin wherever a change has been made. Additions are in green text, deletions are in strikethrough red text.