



Edition 1.2 2025-08

INTERNATIONAL STANDARD

CONSOLIDATED VERSION

Household refrigerating appliances - Characteristics and test methods - Part 3: Energy consumption and volume

(https://standards.iteh.ai)
Document Preview

IEC 62552-3:2015

https://standards.iteh.ai/catalog/standards/iec/d94b31b0-c76e-4c99-b3ed-c8a43b1d3857/iec-62552-3-2015



THIS PUBLICATION IS COPYRIGHT PROTECTED Copyright © 2025 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Secretariat Tel.: +41 22 919 02 11

3, rue de Varembé info@iec.ch CH-1211 Geneva 20 www.iec.ch

Switzerland

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search -

webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublishedStay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc
If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Discover our powerful search engine and read freely all the publications previews, graphical symbols and the glossary. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 500 terminological entries in English and French, with equivalent terms in 25 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

Preview

IEC 62552-3·2015

https://standards.iteh.ai/catalog/standards/iec/d94h31h0-c76e-4c99-h3ed-c8a43h1d3857/iec-62552-3-201

CONTENTS

FOREWORD7				
IN	TRODU	JCTION	10	
1	Scop	ıe	11	
2	Norm	native references	11	
3	Term	ns, definitions and symbols	11	
	3.1	Terms and definitions		
	3.2	Symbols		
4	Appli	icable test steps for determination of energy and volume	12	
	4.1	Setup for energy testing		
	4.2	Steady state power consumption		
	4.3	Defrost and recovery energy and temperature change		
	4.4	Defrost frequency		
	4.5	Number of test points and interpolation		
	4.6	Load processing efficiency		
	4.7	Specified auxiliaries	12	
	4.8	Volume determination	13	
5	Targ	et temperatures for energy determination	13	
	5.1	General		
	5.2	Temperature control settings for energy consumption test		
6		rmination of energy consumption	14	
	6.1	General (https://standards.itch.ai)	14	
	6.2	Objective Objective	14	
	6.3	Objective	15	
	6.4	Steady state power consumption	16	
	6.5	Defrost and recovery energy and temperature change		
	6.6	Defrost interval		
	tandard 6.7	s iteh ai/catalog/standards/iec/d94b31b0-c/6e-4c99-b3ed-c8a43b1d385// Specified auxiliaries	1ec-62552-3-2 16	
	6.8	Calculation of energy consumption		
	6.8.1			
	6.8.2	Daily energy consumption	17	
	6.8.3	Interpolation	18	
	6.8.4	Specified auxiliaries	18	
	6.8.5	Total energy consumption	18	
7	Circu	ımvention devices	19	
8	Unce	ertainty of measurement	19	
9		report		
		(normative) Set up for energy testing		
,	A.1	General		
	A.2	Additional set up requirements for energy testing		
	A.2.1			
	A.2.2			
	A.2.3			
	A.2.4	•		
	A.2.5			
	A.2.6			
۸۰		(normative) Determination of steady state power and temperature		

Б. І	General	∠5
B.2	Setup for testing and data collection	25
B.3	Case SS1: no defrost control cycle or where stability is established for a period between defrosts	25
B.3.		
B.3.	• •	
B.3.	·	
B.4	Case SS2: steady state determined between defrosts	
B.4.	·	
B.4.:	• •	
B.4.3	•	
B.5	Correction of steady state power	
	(normative) Defrost and recovery energy and temperature change	
C.1	General	
C.2	Setup for testing and data collection	
C.3	Case DF1: where steady state operation can normally be established before and after defrosts	
C.3.		
C.3.		
C.3.	·	
C.4	Number of valid defrost and recovery periods	
C.5	Calculation of representative defrost energy and temperature	
Annex D	(normative) Defrost interval	43
D.1	General	
D.2	Elapsed time defrost controllers	
D.3	Compressor run time defrost controllers	44
D.4	Variable defrost controllers	
D.4.		
D 4		
D.4.		
D.4.	,	
	(normative) Interpolation of results	
E.1	General	
E.2	Temperature adjustment prior to interpolation	
E.3	Case 1: linear interpolation – two test points	
E.3.		
E.3.		
E.3.		
E.4	Case 2: triangulation – three (or more) test points	
E.4.	· , , , , , , , , , , , , , , , , , , ,	
E.4.:		
E.4.:	1 7 1 9	
E.4.		
E.4.		-
	compartments for triangulation	63
E.4.0	6 Calculations for three compartment triangulation – matrices	64
Annex F	(normative) Energy consumption of specified auxiliaries	68
F.1	Purpose	68

F.2	Ambient controlled anti-condensation heaters	68
F.2.1	Outline of the method	68
F.2.2	Measurement procedure	69
F.2.3	B Data requirements	69
F.2.4	Regional weather data	69
F.2.5	Calculation of power consumption	69
F.2.6	Where anti-condensation heater(s) cannot be disabled but their power consumption can be measured directly	70
F.2.7	Where anti-condensation heater(s) cannot be disabled and their power consumption cannot be measured directly	71
F.2.8	B Where anti-condensation heater(s) has a user-adjustable setting	71
F.3	Automatic icemakers – energy to make ice	71
F.3.1		
F.3.2	2 Tank type automatic icemakers	71
Annex G	(normative) Determination of load processing efficiency	78
G.1	Purpose	78
G.2	General description	78
G.3	Setup, equipment and preparation	79
G.3.	1 General	79
G.3.2	2 Equipment	80
G.3.3	Quantity of water to be processed	80
G.3.4	Position of the water load in compartments	81
G.3.	Temperature of the water to be processed	84
G.4	Load processing efficiency test method	
G.4.		
G.4.2		
G.4.3	3 Measurements to be taken	86
G.4.4		
G.5		
ttps://standard G.5.	Determination of load processing efficiency	52552-3-2015 87
G.5.2		
G.5.3		
G.5.4		
G.5.		
G.5.0	· · · · · · · · · · · · · · · · · · ·	
Annex H	(normative) Determination of volume	
H.1	Scope	95
H.2	Total volume	
H.2.		
H.2.2		
H.2.		
H.2.4	• •	
H.3	Key for Figures H.1 through H.5	
H.4	Calculation of the volume of the section or sub-compartment in the compartment whose target temperatures are different from each other	
Annex I (i	nformative) Worked examples of energy consumption calculations	
l.1	Example calculation of daily energy consumption	
1.2	Variable defrost – calculation of defrost intervals	
1.3	Examples of Interpolation	
		- -

1.3.1	General	104
1.3.2	Linear interpolation	104
1.3.3	Two compartments – manual triangulation	113
1.3.4	Two compartments – triangulation using matrices	117
1.3.5	Three compartments – triangulation using matrices	119
1.4	Calculating the energy impact of internal temperature changes	121
1.4.1	General	121
1.4.2	One compartment	121
1.4.3	Triangulation	
1.5	Automatically controlled anti-condensation heater(s)	123
1.6	Calculation of load processing efficiency	125
1.7	Determination of annual energy consumption	127
1.8	Examples of determination of power and temperature from raw data	
1.8.1	Manual review of data	128
1.8.2	Review of data and selection of minimum spread using bespoke software	148
	informative) Development of the IEC global test method for refrigerating	150
J.1	Purpose	150
J.2	Overview	
J.3	Test method objective	150
J.4	Description of key components of energy consumption	151
J.5	Regional factors to consider in energy regulations	
Annex K ((normative) Analysis of a refrigerating appliance without steady state	
K.1	Purpose Dagumant Pravious	
K.2	Products with regular characteristics but without steady state operation	
K.2.1		
14.0.0	EC.62552-3:2015	
://standard K.2.3	Special case DF2 approach Special case DF2 approach Special Case DF2 acceptance criteria	62552
K.2.4		
	informative) Derivation of ambient temperature correction formula	
L.1	Purpose	
L.2	Background	
L.3	Approach	
	(informative) Volume measurement with a 3D scanner	
	· · · · · · · · · · · · · · · · · · ·	
M.1	Volume measurement with a 3D scanner	
M.2	Requirements to 3D scanner	
M.3	Scanning method	
M.3.		
M.3.2	'	
M.3.3		
M.3.4		
	5 Example of result	164

Figure B.3 – Case SS2 – typical operation of a refrigerating appliance with a defrost control cycle	. 30
Figure C.1 – Conceptual illustration of the additional energy associated with a defrost and recovery period	. 36
Figure C.2 – Case DF1 with steady state operation before and after a defrost	.37
Figure E.1 – Interpolation where temperatures change in multiple compartments (compartment D critical)	. 55
Figure E.2 – Interpolation with valid results in both Compartment A and B	.55
Figure E.3 – Interpolation with no valid results	. 56
Figure E.4 – Schematic representation of interpolation by triangulation	.58
Figure G.1 – Conceptual illustration of the load processing efficiency test	.79
Figure G.2 – Shelf locations and loading sequence (example showing 10 PET bottles)	.82
Figure G.3 – Ice cube tray locations and clearances	.84
Figure G.4 – Representation of the additional energy to process the added load	.88
Figure G.5 – Case where a defrost and recovery period occurs during load processing	.90
Figure H.1 – Basic view of top mounted freezer appliance	.97
Figure H.2 – Automatic ice-maker dispenser and chute	.98
Figure H.3 – Automatic ice-making compartment	.98
Figure H.4 – Rail of drawer type shelves or baskets	. 99
Figure H.5 – Rotary divider of fresh food compartment for French Doors	.99
Figure H.6 – Part with partition in the freezer is a two-star compartment (or a chill compartment next to a fresh food compartment)	100
Figure H.7 – Part without partition next to the freezer or fresh food compartment is a two-star compartment or a chill compartment, respectively	100
Figure H.8 – Freezer door shelves are a two-star section	100
Figure H.9 – Drawer in the freezer is a two-star section (or a chill sub-compartment in a fresh food compartment)	101
Figure H.10 – Space between a door shelf and drawer-type two-star section	101
Figure I.1 – Example linear interpolation two compartments (Compartment B critical)	106
Figure I.2 – Example linear interpolation two compartments (Compartment B critical)	107
Figure I.3 – Example Interpolation where both test points have both compartments below target (two valid results)	108
Figure I.4 – Example Interpolation where both test points have both compartments below target (two valid results)	109
Figure I.5 – Example Interpolation where neither test point has both compartments below target (no valid results)	110
Figure I.6 – Example Interpolation where neither test point has both compartments below target (no valid results)	111
Figure I.7 – Example Interpolation for 4 compartments	113
Figure I.8 – Example of triangulation (temperatures)	115
Figure I.9 – Example of triangulation (temperature and energy)	116
Figure I.10 – An example of power and temperature data	129
Figure I.11 – Example of finding a test period with minimum spread in power	149
Figure K.1 – Special Case SS2 – where steady state operation is never reached between defrost and recovery periods and Annex C stability may not be established	154
Figure M.1 – Volume with unnecessary parts removed	161