



Edition 1.0 2025-12

# INTERNATIONAL STANDARD

Railway applications - Electronic power converters for fixed installations - Part 2-1: DC traction applications - Uncontrolled rectifiers

(https://standards.iteh.ai)
Document Preview

IEC 62590-2-1:2025

https://standards.iteh.ai/catalog/standards/iec/af742515-bfee-4ce0-8939-532985102489/iec-62590-2-1-2025

IEC 62590-2-1:2025-12(en)

ICS 45.060.01 ISBN 978-2-8327-0742-5



# THIS PUBLICATION IS COPYRIGHT PROTECTED Copyright © 2025 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Secretariat Tel.: +41 22 919 02 11

3, rue de Varembé info@iec.ch CH-1211 Geneva 20 www.iec.ch

# Switzerland About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

#### About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

## IEC publications search -

### webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

**IEC Just Published - webstore.iec.ch/justpublished**Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

# IEC Products & Services Portal - products.iec.ch

Discover our powerful search engine and read freely all the publications previews, graphical symbols and the glossary. With a subscription you will always have access to up to date content tailored to your needs.

## Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 500 terminological entries in English and French, with equivalent terms in 25 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

Preview

IEC 62590-2-1:2025

# IEC 62590-2-1:2025 © IEC 2025

# **CONTENTS**

F	OREWORD3				
IN	ITRODI	JCTION	5		
1	Scor	De	6		
2		native references			
3		ns, definitions, symbols and abbreviated terms			
	3.1	Terms and definitions			
	3.2	Symbols			
	3.3	Abbreviated terms			
4		em configurations and characteristics			
•	4.1	General			
	4.2	Main interfaces			
	4.3	Transformer main values			
	4.3.				
	4.3.2				
	4.3.3	•			
	4.4	Electrical connections			
	4.5	Voltage characteristic			
	4.6	Current characteristic			
	4.7	Current imbalance	16		
	4.8	Short time withstand capability			
	4.9	Direct voltage harmonic content	17		
	4.10	3AC power network harmonic current	17		
5	Desi	gn and integration	17		
	5.1	General	17		
	5.2	To be defined by user specification	18		
	5.2.1	Electrical data <u>IEC 62590-2-1:2025</u> 2 iteh Mechanical requirements Mechanical requirements	18		
	5.2.2	Mechanical requirements	c-62590-7 <sub>-</sub> 1-202		
	5.3	To be indicated by manufacturer	19		
	5.4	Marking	20		
	5.4.	Rating plate	20		
	5.4.2	Main circuit terminals	21		
6	Test	S	21		
	6.1	General	21		
	6.2	Test specifications	22		
	6.2.1	·			
	6.2.2	Test of accessory and auxiliary components	22		
	6.2.3	Insulation test	23		
	6.2.4	5 1			
	6.2.5	<del>o</del>			
	6.2.6				
	6.2.7				
	6.2.8	•			
	6.2.9				
	6.2.				
	6.2.				
	6.2.	12 Harmonic test	27		

# IEC 62590-2-1:2025 © IEC 2025

	3 Power factor measurement	27			
6.2.1	4 Mechanical test	27			
Annex A of uncont	(informative) Determination of the voltage drop and the short-circuit currents rolled rectifiers	28			
A.1	General				
A.2	Description of the method				
A.3	Example of a six-pulse rectifier or twelve-pulse rectifier with magnetically not coupled transformer windings ( $K \approx 0$ )				
A.4	Example of a twelve-pulse rectifier with closely coupled secondary windings of the converter transformer ( $K \approx 1$ )				
Annex B	(informative) Examples of power factors of uncontrolled rectifiers				
B.1	General				
B.2	Considerations on the variation of the fundamental current and power factor in rectifiers				
B.2.1					
B.2.2	Pirst working zone	39			
B.2.3	-				
Annex C	(informative) Interphase transformer				
C.1	General				
C.2	Voltage and currents				
C.3	Intermittent current conditions				
C.4	Current imbalance				
	(informative) Example of a protection curve				
	https://standards.iteh.ai)				
Figure 1 -	- General configuration	10			
Figure 2 – Reactances of a rectifier transformer					
Figure 3 – Voltage characteristic					
•	TEC (2500 2 1 2025				
•	TEC (2500 2 1 2025				
•	- Voltage characteristic - Measurement of inherent voltage drop				
Figure 4 - Figure A.: Figure A.: twelve-pu	- Measurement of inherent voltage drop				
Figure 4 - Figure A. Figure A. twelve-pu Figure A.	- Measurement of inherent voltage drop	25 20-21-202 29			
Figure 4 - Figure A.: Figure A.: twelve-pu Figure A.: secondary	- Measurement of inherent voltage drop	25 20-21-202 29			
Figure 4 - Figure A.: Figure A.: twelve-pu Figure A.: secondary Figure A.:	- Measurement of inherent voltage drop	25 90-25 90-25 1-202 32 33			
Figure 4 - Figure A.: Figure A.: twelve-pu Figure A.: secondar Figure A.: twelve-pu	- Measurement of inherent voltage drop	25 90-25 90-25 1-202 32 33			
Figure 4 - Figure A.: Figure A.: twelve-pu Figure A.: secondar: Figure A.: twelve-pu Figure A.:	- Measurement of inherent voltage drop	25 29 32 33 36			
Figure 4 - Figure A.: Figure A.: twelve-pu Figure A.: twelve-pu Figure A.: twelve-pu Figure A.: closely co	- Measurement of inherent voltage drop	25 32 33 36 38			
Figure 4 - Figure A.: Figure A.: twelve-pu Figure A.: secondar Figure A.: twelve-pu Figure A.: closely co Figure C.	Measurement of inherent voltage drop	25 32 33 36 38 41			
Figure 4 - Figure A.: Figure A.: twelve-pu Figure A.: secondar Figure A.: twelve-pu Figure A.: closely co Figure C.	- Measurement of inherent voltage drop	25 32 33 36 38 41			
Figure 4 - Figure A.: twelve-pu Figure A.: secondar; Figure A.: twelve-pu Figure A.: closely co Figure C. Figure D.	Measurement of inherent voltage drop	32 33 36 38 41 43			
Figure 4 - Figure A.: Figure A.: twelve-pu Figure A.: twelve-pu Figure A.: twelve-pu Figure A.: closely co Figure C. Figure D. Table 1 -	Measurement of inherent voltage drop	25 32 36 38 41 43			
Figure 4 - Figure A.: figure A.: twelve-pu Figure A.: twelve-pu Figure A.: closely co Figure C. Figure D.  Table 1 - Table 2 -	- Measurement of inherent voltage drop	25 29 32 36 38 41 43 43			
Figure 4 - Figure A.: figure A.: twelve-pu Figure A.: twelve-pu Figure A.: twelve-pu Figure A.: closely co Figure C. Figure D.  Table 1 - Table 2 - Table 3 -	Measurement of inherent voltage drop	25 29 32 36 38 41 43 43 14 18			
Figure 4 - Figure A.: Figure A.: twelve-pu Figure A.: twelve-pu Figure A.: twelve-pu Figure A.: closely co Figure C. Figure D.  Table 1 - Table 2 - Table 3 - Table 4 -	Measurement of inherent voltage drop	25 29 32 36 36 41 43 14 18 19			
Figure 4 - Figure A.: Figure A.: twelve-pu Figure A.: twelve-pu Figure A.: twelve-pu Figure A.: twelve-pu Figure C. Figure D. Table 1 - Table 2 - Table 3 - Table 4 - Table A.1 Table A.2	Measurement of inherent voltage drop	25 29 32 36 38 41 43 14 18 19 22			

# INTERNATIONAL ELECTROTECHNICAL COMMISSION

# Railway applications Electronic power converters for fixed installations Part 2-1: DC traction applications - Uncontrolled rectifiers

## **FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international
  consensus of opinion on the relevant subjects since each technical committee has representation from all
  interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at https://patents.iec.ch. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 62590-2-1 has been prepared by IEC technical committee 9: Electrical equipment and systems for railways. It is an International Standard.

This first edition of IEC 62590-2-1, in conjunction with the other parts of the IEC 62590 series, cancels and replaces the first edition of IEC 62589 published in 2010 and the second edition of IEC 62590 published in 2019.

This document includes the following significant technical changes with respect to IEC 62589 and the former IEC 62590:

- a) Reduction of the requirements for uncontrolled rectifiers only;
- b) Interface model for the different systems connected;
- c) Energy efficiency addressed.

The text of this International Standard is based on the following documents:

Draft	Report on voting
9/3224/FDIS	9/3265/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at <a href="https://www.iec.ch/members\_experts/refdocs">www.iec.ch/members\_experts/refdocs</a>. The main document types developed by IEC are described in greater detail at <a href="https://www.iec.ch/publications">www.iec.ch/publications</a>.

A list of all parts in the IEC 62590 series, published under the general title *Railway applications - Fixed installations - Electronic power converters*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn, or
- revised.

iTeh Standards (https://standards.iteh.ai) Document Preview

IEC 62590-2-1:2025

https://standards.iteh.ai/catalog/standards/iec/af742515-bfee-4ce0-8939-532985102489/iec-62590-2-1-2025

## IEC 62590-2-1:2025 © IEC 2025

# INTRODUCTION

Electronic power converters for traction power supply differ from other converters for industrial use due to special electrical service conditions and due to the large range of load variations and the peculiar characteristics of the load.

For these reasons IEC 60146-1-1 does not fully cover the requirements of railway applications and the decision was taken to have a specific standard for this use.

Uncontrolled rectifiers consist of a rectifier diode assembly and a transformer. Both fulfil common requirements. The transformer determines the voltage versus current characteristic.

Converter transformers for fixed installations of railway applications are covered by IEC 62695.

# iTeh Standards (https://standards.iteh.ai) Document Preview

IEC 62590-2-1:2025

https://standards.iteh.ai/catalog/standards/iec/at742515-bfee-4ce0-8939-532985102489/iec-62590-2-1-2025