

# INTERNATIONAL STANDARD

Industrial networks – Coexistence of wireless systems –  
Part 2: Coexistence management

(<https://standards.iteh.ai>)

Document Preview

[IEC 62657-2:2025](https://standards.iteh.ai/catalog/standards/iec/ce1621df-7bfd-47d3-a113-f24359b4219a/iec-62657-2-2025)

<https://standards.iteh.ai/catalog/standards/iec/ce1621df-7bfd-47d3-a113-f24359b4219a/iec-62657-2-2025>



**THIS PUBLICATION IS COPYRIGHT PROTECTED**  
**Copyright © 2025 IEC, Geneva, Switzerland**

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Secretariat  
3, rue de Varembe  
CH-1211 Geneva 20  
Switzerland

Tel.: +41 22 919 02 11  
[info@iec.ch](mailto:info@iec.ch)  
[www.iec.ch](http://www.iec.ch)

**About the IEC**

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

**About IEC publications**

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

**IEC publications search - [webstore.iec.ch/advsearchform](http://webstore.iec.ch/advsearchform)**

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

**IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)**

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

**IEC Customer Service Centre - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)**

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: [sales@iec.ch](mailto:sales@iec.ch).

**IEC Products & Services Portal - [products.iec.ch](http://products.iec.ch)**

Discover our powerful search engine and read freely all the publications previews, graphical symbols and the glossary. With a subscription you will always have access to up to date content tailored to your needs.

**Electropedia - [www.electropedia.org](http://www.electropedia.org)**

The world's leading online dictionary on electrotechnology, containing more than 22 500 terminological entries in English and French, with equivalent terms in 25 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

International Standards  
(standards.iteh.ai)  
Document Preview

[IEC 62657-2:2025](https://standards.iteh.ai/catalog/standards/iec/ce1621df-7bfd-47d3-a113-f24359b4219a/iec-62657-2-2025)

<https://standards.iteh.ai/catalog/standards/iec/ce1621df-7bfd-47d3-a113-f24359b4219a/iec-62657-2-2025>



IEC 62657-2

Edition 4.0 2025-02  
REDLINE VERSION

# INTERNATIONAL STANDARD

Industrial networks – Coexistence of wireless systems –  
Part 2: Coexistence management

iteh Standards  
(<https://standards.iteh.ai>)  
Document Preview

[IEC 62657-2:2025](https://standards.iteh.ai/catalog/standards/iec/ce1621df-7bfd-47d3-a113-f24359b4219a/iec-62657-2-2025)

<https://standards.iteh.ai/catalog/standards/iec/ce1621df-7bfd-47d3-a113-f24359b4219a/iec-62657-2-2025>

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

ICS 25.040.40, 33.040, 35.100

ISBN 978-2-8327-0228-4

**Warning! Make sure that you obtained this publication from an authorized distributor.**

## CONTENTS

FOREWORD.....	7
INTRODUCTION.....	2
1 Scope.....	11
2 Normative references .....	11
3 Terms, definitions, abbreviated terms and conventions.....	12
3.1 Terms and definitions.....	12
3.2 Abbreviated terms.....	27
3.3 Conventions.....	28
4 Coexistence concept in industrial automation .....	29
4.1 Overview.....	29
4.2 Objective .....	30
4.3 Necessity to implement a coexistence management.....	32
4.4 Interference potential.....	34
4.5 Ancillary conditions.....	35
4.6 Requirements to wireless devices for support of coexistence management.....	36
4.7 Concepts .....	36
4.7.1 Manual coexistence management.....	36
4.7.2 Automated non-collaborative coexistence management.....	37
4.7.3 Automated collaborative coexistence management.....	37
4.8 Best practices to achieve coexistence.....	38
4.9 Coexistence conceptual model.....	40
4.10 Coexistence management and selection of a wireless solution.....	42
4.11 Coexistence management system.....	44
5 Coexistence management parameters .....	45
5.1 General.....	45
5.1.1 Definition and usage of parameters .....	45
5.1.2 Physical link .....	45
5.2 Adjacent channel selectivity.....	45
5.3 Antenna gain .....	46
5.4 Antenna radiation pattern.....	46
5.5 Antenna type .....	46
5.6 Communication availability.....	46
5.7 Communication reliability .....	47
5.8 Bit rate of physical link.....	47
5.9 Blocked frequency list.....	47
5.10 Centre frequency .....	47
5.11 Area of operation .....	47
5.12 Communication load .....	48
5.13 Cut-off frequency .....	50
5.14 Data throughput.....	51
5.15 Distance between wireless devices.....	51
5.16 Duty cycle.....	52
5.17 Dwell time.....	54
5.18 Equivalent isotropic radiated power.....	55
5.19 Equivalent radiated power.....	55
5.20 Frequency band.....	55

5.21	Frequency bandwidth .....	55
5.22	Frequency channel .....	56
5.23	Frequency hopping sequence .....	56
5.24	Future expansion plan .....	57
5.25	Geographical dimension of the plant .....	57
5.26	Infrastructure device .....	57
5.27	Initiation of data transmission .....	57
5.28	Interference type .....	57
5.29	Intervisibility .....	58
5.30	ISM application .....	58
5.31	Length of user data per transfer interval .....	58
5.32	Limitation from neighbours of the plant .....	58
5.33	Maximum number of retransmissions .....	58
5.34	Mechanism for adaptivity .....	59
5.35	Medium access control mechanism .....	59
5.36	Medium utilization factor .....	59
5.37	Message .....	60
5.38	Modulation .....	60
5.39	Natural environmental condition .....	60
5.40	Network topology .....	60
5.41	Number of consecutive lost messages .....	61
5.42	Object movement .....	61
5.43	Operating time between failures .....	61
5.44	Message loss ratio .....	61
5.45	Position of wireless devices .....	62
5.46	Power spectral density .....	62
5.47	Purpose of the automation application .....	63
5.48	Receiver blocking .....	63
5.49	Receiver maximum input level .....	63
5.50	Receiver sensitivity .....	63
5.51	Regional radio regulations .....	63
5.52	Relative movement .....	64
5.53	Response time .....	64
5.54	Security level .....	64
5.55	Spatial coverage of the wireless communication system .....	65
5.56	Spatial extent of the application .....	65
5.57	Spurious response .....	65
5.58	Survival time .....	65
5.59	Total radiated power .....	65
5.60	Transfer interval .....	65
5.61	Transmission gap .....	66
5.62	Transmission time .....	67
5.63	Transmitter output power .....	70
5.64	Transmitter sequence .....	70
5.65	Transmitter spectral mask .....	72
5.66	Update time .....	72
5.67	Wireless device density .....	73
5.68	Wireless device type information .....	73
5.69	Wireless communication solution density .....	74

5.70	Wireless technology or standard .....	74
6	Coexistence management information structures .....	74
6.1	General.....	74
6.2	General plant characteristic .....	76
6.2.1	General .....	76
6.2.2	General plant characteristic .....	76
6.2.3	Passive environmental influences .....	77
6.2.4	Active environmental influences.....	77
6.3	Application communication requirements .....	78
6.3.1	Overview .....	78
6.3.2	Requirements influencing the characteristic of wireless solutions .....	79
6.3.3	Performance requirements.....	80
6.4	Wireless system type and wireless device type .....	80
6.4.1	Overview .....	80
6.4.2	Wireless system type .....	81
6.4.3	Wireless device type.....	81
6.5	Wireless solution .....	84
6.5.1	Overview .....	84
6.5.2	Wireless system solution .....	84
6.5.3	Wireless device solution .....	85
6.6	Application related characteristic parameters.....	86
6.7	Radio environment related performance parameters .....	87
6.8	Wireless communication solution related performance parameters.....	88
7	Coexistence management process .....	89
7.1	General.....	89
7.1.1	Overview .....	89
7.1.2	Documentation .....	90
7.1.3	Suitable documentation method .....	91
7.1.4	Application of tools .....	92
7.2	Establishment of a coexistence management system .....	92
7.2.1	Nomination of a coexistence manager .....	92
7.2.2	Responsibility of a coexistence manager .....	93
7.2.3	Support by wireless experts.....	93
7.2.4	Training .....	93
7.3	Maintaining coexistence management system.....	94
7.4	Phases of a coexistence management process .....	94
7.4.1	Investigation phase.....	94
7.4.2	Planning phase.....	97
7.4.3	Implementation phase.....	99
7.4.4	Operation phase .....	100
8	Coexistence parameter templates.....	102
Annex A (normative)	Parameter usage in the IEC 62657 series .....	109
A.1	General.....	109
A.2	Outline of the IEC 62657 series .....	109
A.3	Parameter usage in coexistence management process in IEC 62657-2.....	109
A.4	Parameters usage among the IEC 62657 series.....	112
Bibliography	.....	114

Figure 1 – Issues of consideration .....	31
Figure 2 – Applications using frequency spectrum .....	32
Figure 3 – Progression of expense to achieve coexistence corresponding to the application classes .....	36
Figure 4 – Separation of wireless systems according to frequency and time .....	39
Figure 5 – Coexistence conceptual model.....	41
Figure 6 – Flow chart of the coexistence conceptual model.....	42
Figure 7 – Selection of a wireless system in the coexistence management process .....	44
Figure 8 – Communication load in case of two wireless devices.....	49
Figure 9 – Communication load in the case of several wireless devices .....	50
Figure 10 – Cut-off frequencies derived from maximum power level.....	51
Figure 11 – Distance of the wireless devices .....	52
Figure 12 – Duty cycle .....	53
Figure 13 – Maximum dwell time.....	54
Figure 14 – Power spectral density of an IEEE Std.802.15.4 system.....	62
Figure 15 – Communication cycle, application event interval and machine cycle.....	66
Figure 16 – Transmission gap.....	67
Figure 17 – Example of the density functions of transmission time .....	68
Figure 18 – Example of the distribution functions of transmission time .....	69
Figure 19 – Transmitter sequence.....	71
Figure 20 – Transmitter spectral mask of an IEEE Std.802.15.4 system.....	72
Figure 21 – Example of distribution functions of the update time .....	73
Figure 22 – Principle for use of coexistence parameters .....	76
Figure 23 – Parameters to describe the general plant characteristic .....	76
Figure 24 – Parameters to describe application communication requirements.....	79
Figure 25 – Parameters to describe wireless system type and device type.....	80
Figure 26 – Example of power spectral density and transmitter spectral mask .....	82
Figure 27 – Example of medium utilization in time and frequency.....	83
Figure 28 – Parameters to describe a wireless communication solution .....	84
Figure 29 – Planning of a wireless system in the coexistence management process .....	98
Figure 30 – Implementation and operation of a wireless system in the coexistence management process.....	101
Figure A.1 – Usage of parameters in IEC 62657-2 .....	110
Figure A.2 – Parameter usage among the IEC 62657 series .....	112
Table 1 – Example of a classification of application communication requirements.....	30
Table 2 – Application profile dependent observation time values.....	53
Table 3 – Parameter options for frequency channel .....	56
Table 4 – Hierarchy of the characteristic parameters .....	75
Table 5 – List of parameters used to describe the general plant characteristic.....	77
Table 6 – List of parameters used to describe the passive environmental influences.....	77
Table 7 – List of parameters used to describe the active environmental influences .....	77
Table 8 – List of parameters used to describe the interference type.....	78