

INTERNATIONAL STANDARD

NORME INTERNATIONALE

**Universal Serial Bus interfaces for data and power -
Part 1-3: Common components - USB Type-C® cable and connector
specification**

**Interfaces de bus universel en série pour les données et l'alimentation électrique -
Partie 1-3: Composants communs - Spécification des câbles et des connecteurs
USB Type-C®**



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2026 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Secretariat
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search -

webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Discover our powerful search engine and read freely all the publications previews, graphical symbols and the glossary. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 500 terminological entries in English and French, with equivalent terms in 25 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Recherche de publications IEC -

webstore.iec.ch/advsearchform

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études, ...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Découvrez notre puissant moteur de recherche et consultez gratuitement tous les aperçus des publications, symboles graphiques et le glossaire. Avec un abonnement, vous aurez toujours accès à un contenu à jour adapté à vos besoins.

Electropedia - www.electropedia.org

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 500 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 25 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

Warning! Make sure that you obtained this publication from an authorized distributor.

Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.

INTERNATIONAL ELECTROTECHNICAL COMMISSION

Universal Serial Bus interfaces for data and power - Part 1-3: Common components - USB Type-C® cable and connector specification

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at <https://patents.iec.ch>. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 62680-1-3 has been prepared by technical area 18: Multimedia home systems and applications for end-user networks, of IEC technical committee 100: Audio, video and multimedia systems and equipment. It is an International Standard.

The text of this standard was prepared by the USB Implementers Forum (USB-IF). The structure and editorial rules used in this publication reflect the practice of the organization which submitted it.

The text of this International Standard is based on the following documents:

Draft	Report on voting
100/4332/CDV	100/4381/RVC

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

A list of all parts in the IEC 62680 series, published under the general title *Universal serial bus interfaces for data and power*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn, or
- revised.

Sample Document

get full document from standards.iteh.ai

Universal Serial Bus Type-C Cable and Connector Specification

Sample Document

Release 2.4
October 2024

get full document from standards.iteh.ai

Copyright © 2014-2024, USB 3.0 Promoter Group:

**Apple Inc., HP Inc., Intel Corporation, Microsoft Corporation,
Renesas, STMicroelectronics, and Texas Instruments**

All rights reserved.

NOTE: Adopters may only use the USB Type-C® cable and connector to implement USB or third-party functionality as expressly described in this Specification; all other uses are prohibited.

LIMITED COPYRIGHT LICENSE: The USB 3.0 Promoters grant a conditional copyright license under the copyrights embodied in the USB Type-C Cable and Connector Specification to use and reproduce the Specification for the sole purpose of, and solely to the extent necessary for, evaluating whether to implement the Specification in products that would comply with the specification. Without limiting the foregoing, use of the Specification for the purpose of filing or modifying any patent application to target the Specification or USB compliant products is not authorized. Except for this express copyright license, no other rights or licenses are granted, including without limitation any patent licenses. In order to obtain any additional intellectual property licenses or licensing commitments associated with the Specification a party must execute the USB 3.0 Adopters Agreement. NOTE: By using the Specification, you accept these license terms on your own behalf and, in the case where you are doing this as an employee, on behalf of your employer.

INTELLECTUAL PROPERTY DISCLAIMER

THIS SPECIFICATION IS PROVIDED TO YOU "AS IS" WITH NO WARRANTIES WHATSOEVER, INCLUDING ANY WARRANTY OF MERCHANTABILITY, NON-INFRINGEMENT, OR FITNESS FOR ANY PARTICULAR PURPOSE. THE AUTHORS OF THIS SPECIFICATION DISCLAIM ALL LIABILITY, INCLUDING LIABILITY FOR INFRINGEMENT OF ANY PROPRIETARY RIGHTS, RELATING TO USE OR IMPLEMENTATION OF INFORMATION IN THIS SPECIFICATION. THE PROVISION OF THIS SPECIFICATION TO YOU DOES NOT PROVIDE YOU WITH ANY LICENSE, EXPRESS OR IMPLIED, BY ESTOPPEL OR OTHERWISE, TO ANY INTELLECTUAL PROPERTY RIGHTS.

All implementation examples and reference designs contained within this Specification are included as part of the limited patent license for those companies that execute the USB 3.0 Adopters Agreement.

USB Type-C®, USB-C® and USB4® are trademarks of the Universal Serial Bus Implementers Forum (USB-IF). DisplayPort™ is a trademark of VESA. All product names are trademarks, registered trademarks, or service marks of their respective owners.

Thunderbolt™ is a trademark of Intel Corporation. You may only use the Thunderbolt™ trademark or logo in conjunction with products designed to this specification that complete proper certification and executing a Thunderbolt™ trademark license – see <https://www.usb.org/compliance> for further information.

Contents

Specification Editor	20
Specification Work Group Contributors.....	20
Pre-Release Draft Industry Reviewing Companies That Provided Feedback.....	28
Revision History.....	29
1 Introduction.....	30
1.1 Purpose	30
1.2 Scope	30
1.3 Related Documents	30
1.4 Conventions.....	31
1.4.1 Precedence	31
1.4.2 Keywords	31
1.4.3 Numbering.....	32
1.5 Terms and Abbreviations	32
2 Overview	38
2.1 Introduction	38
2.2 USB Type-C Receptacles, Plugs and Cables	39
2.3 Configuration Process.....	40
2.3.1 Source-to-Sink Attach/Detach Detection.....	41
2.3.2 Plug Orientation/Cable Twist Detection.....	41
2.3.3 Initial Power (Source-to-Sink) Detection and Establishing the Data (Host-to-Device) Relationship	41
2.3.4 USB Type-C VBUS Current Detection and Usage.....	42
2.3.5 USB PD Communications.....	42
2.3.6 Functional Extensions	43
2.4 VBUS.....	43
2.5 VCONN.....	43
2.6 Hubs.....	44
3 Mechanical.....	45
3.1 Overview.....	45
3.1.1 Compliant Connectors	45
3.1.2 Compliant Cable Assemblies	45
3.1.3 Compliant USB Type-C to Legacy Cable Assemblies	46
3.1.4 Compliant USB Type-C to Legacy Adapter Assemblies.....	47
3.2 USB Type-C Connector Mating Interfaces	47
3.2.1 Interface Definition.....	47
3.2.2 Reference Designs	71

3.2.3	Pin Assignments and Descriptions	78
3.3	Cable Construction and Wire Assignments	79
3.3.1	Cable Construction (<i>Informative</i>).....	79
3.3.2	Wire Assignments	81
3.3.3	Wire Gauges and Cable Diameters (<i>Informative</i>).....	82
3.4	Standard USB Type-C Cable Assemblies	84
3.4.1	USB Full-Featured Type-C Cable Assembly	84
3.4.2	USB 2.0 Type-C Cable Assembly	86
3.4.3	USB Type-C Captive Cable Assembly	86
3.4.4	USB Type-C Thumb Drive Assembly	87
3.5	Legacy Cable Assemblies	87
3.5.1	USB Type-C to USB 3.1 Standard-A Cable Assembly	88
3.5.2	USB Type-C to USB 2.0 Standard-A Cable Assembly	89
3.5.3	USB Type-C to USB 3.1 Standard-B Cable Assembly	90
3.5.4	USB Type-C to USB 2.0 Standard-B Cable Assembly	91
3.5.5	USB Type-C to USB 2.0 Mini-B Cable Assembly	92
3.5.6	USB Type-C to USB 3.1 Micro-B Cable Assembly	93
3.5.7	USB Type-C to USB 2.0 Micro-B Cable Assembly	94
3.6	Legacy Adapter Assemblies.....	94
3.6.1	USB Type-C to USB 3.1 Standard-A Receptacle Adapter Assembly	94
3.6.2	USB Type-C to USB 2.0 Micro-B Receptacle Adapter Assembly	96
3.7	Electrical Characteristics.....	96
3.7.1	Raw Cable (<i>Informative</i>).....	97
3.7.2	USB Type-C to USB Type-C Passive Cable Assemblies	98
3.7.3	Mated Connector (<i>Informative – USB 3.2 Gen2 and USB4 Gen2</i>).....	120
3.7.4	Receptacle Connector SI Requirements and Testing (<i>Normative – USB4 Gen3/Gen4</i>)	124
3.7.5	USB Type-C to USB Legacy Cable Assemblies (<i>Normative</i>)	126
3.7.6	USB Type-C to USB Legacy Adapter Assemblies (<i>Normative</i>)	130
3.7.7	Shielding Effectiveness Requirements (<i>Normative</i>)	133
3.7.8	DC Electrical Requirements (<i>Normative</i>).....	135
3.8	Mechanical and Environmental Requirements (<i>Normative</i>).....	138
3.8.1	Mechanical Requirements	138
3.8.2	Environmental Requirements.....	143
3.9	Docking Applications (<i>Informative</i>)	144
3.10	Implementation Notes and Design Guides	145
3.10.1	EMC Management (<i>Informative</i>)	145

3.10.2	Stacked and Side-by-Side Connector Physical Spacing (<i>Informative</i>)	148
3.10.3	Cable Mating Considerations (<i>Informative</i>)	148
3.11	Extended Power Range (EPR) Cables	150
3.11.1	Electrical Requirements	150
3.11.2	EPR Cable Identification Requirements	150
4	Functional	151
4.1	Signal Summary	151
4.2	Signal Pin Descriptions	151
4.2.1	USB 3.2/USB4 Pins	151
4.2.2	USB 2.0 Pins	152
4.2.3	Auxiliary Signal Pins	152
4.2.4	Power and Ground Pins	152
4.2.5	Configuration Pins	152
4.3	Sideband Use (SBU)	152
4.4	Power and Ground	153
4.4.1	IR Drop	153
4.4.2	VBUS	154
4.4.3	VCONN	155
4.5	Configuration Channel (CC)	160
4.5.1	Architectural Overview	160
4.5.2	CC Functional and Behavioral Requirements	172
4.5.3	USB Port Interoperability Behavior	208
4.6	Power	226
4.6.1	Power Requirements during USB Suspend	227
4.6.2	VBUS Power Provided Over a USB Type-C Cable	228
4.7	USB Hubs	233
4.8	Power Sourcing and Charging	234
4.8.1	DFP as a Power Source	234
4.8.2	Non-USB Charging Methods	236
4.8.3	Sinking Host	237
4.8.4	Sourcing Device	237
4.8.5	Charging a System with a Dead Battery	237
4.8.6	USB Type-C Multi-Port Chargers	237
4.9	Electronically Marked Cables	241
4.9.1	Parameter Values	242
4.9.2	Active Cables	242

4.10	VCONN-Powered Accessories (VPAs) and VCONN-Powered USB Devices (VPDs).....	243
4.10.1	VCONN-Powered Accessories (VPAs).....	243
4.10.2	VCONN-Powered Devices (VPDs).....	243
4.11	Parameter Values	245
4.11.1	Termination Parameters	245
4.11.2	Timing Parameters.....	247
4.11.3	Voltage Parameters	251
5	USB4 Discovery and Entry	258
5.1	Overview of the Discovery and Entry Process	258
5.2	USB4 Functional Requirements.....	259
5.2.1	USB4 Host Functional Requirements.....	259
5.2.2	USB Device Functional Requirements.....	259
5.2.3	USB4 Alternate Mode Support.....	259
5.3	USB4 Power Requirements.....	260
5.3.1	Source Power Requirements	260
5.3.2	Sink Power Requirements	260
5.3.3	Device Power Management Requirements	260
5.4	USB4 Discovery and Entry Flow Requirements	261
5.4.1	USB Type-C Initial Connection	261
5.4.2	USB Power Delivery Contract.....	261
5.4.3	USB4 Discovery and Entry Flow	261
5.4.4	USB4 Post-Entry Operation.....	267
5.5	USB4 Hub Connection Requirements.....	267
5.5.1	USB4 Hub Port Initial Connection Requirements.....	267
5.5.2	USB4 Hub UFP and Host Capabilities Discovery.....	267
5.5.3	Hub DFP Connection Requirements	268
5.5.4	Hub Ports Connection Behavior Flow Examples.....	269
5.5.5	Connecting to Downstream USB4 Hubs	275
5.5.6	Fallback Functional Requirements for USB4 Hubs	275
5.6	USB4 Device Connection Requirements	276
5.6.1	Fallback Mapping of USB4 Peripheral Functions of USB Device Class Types	276
5.7	Parameter Values	277
5.7.1	Timing Parameters	277
6	Active Cables.....	278
6.1	General Specifications for All Active Cables.....	278
6.1.1	Discovering Active Cable Characteristics.....	278

6.1.2	Electrical Requirements	280
6.1.3	Mechanical Requirements	312
6.2	Additional Specifications for Copper and Hybrid-Optical Active Cables.....	313
6.2.1	Active Cable Block Diagram	314
6.2.2	<i>USB4</i> Asymmetric Mode Support	314
6.2.3	Active Cable <i>USB PD</i> Requirements	314
6.2.4	Active Cable Behaviors in Response to <i>USB PD</i> Events.....	314
6.2.5	Active Cable Power Requirements	315
6.3	Additional Specifications for Optically Isolated Active Cables	315
6.3.1	OIAC Block Diagrams	316
6.3.2	OIAC Limitations and General Requirements	318
6.3.3	OIAC Cable Power Requirements	319
6.3.4	OIAC <i>USB PD</i> Requirements.....	319
6.3.5	OIAC Connection Flow and State Diagrams	329
6.3.6	Additional Electrical Requirements for OIAC	348
6.3.7	Additional Mechanical Requirements for OIAC	351
A	Liquid Corrosion Mitigation Mode.....	352
A.1	Overview	352
A.2	Detail	352
A.3	Liquid Detection Methods.....	354
A.3.1	Liquid Measurement Method	354
A.3.2	Pulsed Measurement Method.....	354
A.3.3	Impedance Measurement Method.....	355
A.4	Liquid Detection Pins in the Connector	358
B	Debug Accessory Mode	361
B.1	Overview.....	361
B.2	Functional	361
B.2.1	Signal Summary	361
B.2.2	Port Interoperability.....	362
B.2.3	Debug Accessory Mode Entry.....	362
B.2.4	Connection State Diagrams.....	362
B.2.5	DTS Port Interoperability Behaviors.....	371
B.2.6	Orientation Detection.....	380
B.3	Security/Privacy Requirements	380
C	USB Type-C Digital Audio.....	381
C.1	Overview	381

C.2	USB Type-C Digital Audio Specifications.....	381
D	Thermal Design Considerations for Active Cables.....	382
D.1	Introduction	382
D.2	Model.....	382
D.2.1	Assumptions.....	382
D.2.2	Model Architecture.....	383
D.2.3	Heat Sources.....	383
D.2.4	Heat Flow.....	384
D.3	USB 3.2 Single-Lane Active Cable	385
D.3.1	USB 3.2 Single-Lane Active Cable Design Considerations	385
D.4	Dual-Lane Active Cables.....	388
D.4.1	USB 3.2 Dual-Lane Active Cable Design Considerations	388
D.4.2	USB 3.2 Dual-Lane Active Cable in a Multiple Port Configuration	390
D.5	USB 3.2 Host and Device Design Considerations	391
D.5.1	Heat Spreading or Heat Sinking from Host or Device.....	391
D.5.2	Motherboard Temperature Control	392
D.5.3	Wider Port Spacing for Multi-Port Applications	392
D.5.4	Power Policies	392
E	Alternate Modes.....	393
E.1	Alternate Mode Architecture	393
E.2	Alternate Mode Requirements.....	393
E.2.1	Alternate Mode Pin Reassignment.....	394
E.2.2	Alternate Mode Electrical Requirements.....	394
E.3	Parameter Values	397
E.4	Example Alternate Mode – USB DisplayPort™ Dock	398
E.4.1	USB DisplayPort™ Dock Example.....	398
E.4.2	Functional Overview	398
E.4.3	Operational Summary	399
E.5	Example Alternate Mode Entry Flow with Cable Warnings.....	400
E.5.1	Operational Summary	401
F	Thunderbolt™ 3 Compatibility Discovery and Entry	402
F.1	TBT3 Compatibility Mode Functional Requirements	402
F.1.1	TBT3-Compatible Power Requirements.....	402
F.1.2	TBT3-Compatible Host Requirements	402
F.1.3	TBT3-Compatible Device Upstream Requirements.....	402
F.1.4	TBT3-Compatible Device Downstream Requirements.....	402

F.1.5	<i>TBT3</i> -Compatible Self-Powered Device Without Predefined Upstream Port Rules	403
F.1.6	<i>TBT3</i> -Compatible Devices with a Captive Cable	403
F.2	<i>TBT3</i> Discovery and Entry Flow.....	403
F.2.1	<i>TBT3</i> Passive Cable Discover Identity Responses	404
F.2.2	<i>TBT3</i> Active Cable Discover Identity Responses.....	407
F.2.3	<i>TBT3</i> Device Discover Identity Responses.....	410
F.2.4	<i>TBT3</i> Discover SVID Responses.....	411
F.2.5	<i>TBT3</i> Device Discover Mode Responses	412
F.2.6	<i>TBT3</i> Cable Discover Mode Responses	413
F.2.7	<i>TBT3</i> Cable Enter Mode Command.....	414
F.2.8	<i>TBT3</i> Device Enter Mode Command	415
F.2.9	<i>TBT3</i> Cable Functional Difference Summary	417
G	Extracting Pulse Response from Sampled Data and Calculating Non-Linearity Noise.....	418
H	<i>USB PD</i> High-Voltage Design Considerations	420
H.1	Potential for Arcing Damage During Cable Withdrawal.....	420
H.2	Arcing During <i>USB</i> Type-C Cable Withdrawal	420
H.3	Mitigating Arcing Damage During Cable Withdrawal Due to Sink Discharge.....	422
H.3.1	Limiting Sink Discharge Rate.....	423
H.3.2	Load Removal	424
H.3.3	Limiting Source Current Capability	427
I	<i>USB PD</i> Encoding Guidelines for <i>USB</i> Type-C Product Types	428
I.1	<i>USB</i> Type-C Product Type Definitions and <i>USB PD</i> Encodings.....	428
I.2	<i>USB PD</i> Encoding Guidelines Tables.....	429
I.3	Detailed Examples.....	436
I.3.1	<i>USB 3.2</i> Host – no DC – Power Consumer : DRP (Source or Sink) / Not DRD (DFP).....	436
I.3.2	<i>USB 3.2</i> Peripheral – Power Provider : DRP (Source or Sink) / Not DRD (UFP).....	436
I.3.3	<i>USB4</i> Host – Power Consumer : DRP (Source or Sink) / Not DRD (DFP)	437
I.3.4	<i>USB4</i> Host – <i>USB4</i> DC – Partial or no <i>USB</i> Equivalent : DRP (Source or Sink) / DRD.....	437
I.3.5	<i>USB4</i> Peripheral : UFP (Sink)	438
I.3.6	<i>USB4</i> Dock (Upstream) – Power Provider : DRP (Source or Sink) / Not DRD (UFP)	439
I.3.7	<i>USB4</i> Hub (Downstream) – DFP (Source)	439
J	Design Assumptions for the <i>USB4</i> Gen4 LRD Cable Specification	441

Figures

Figure 2-1	<i>USB</i> Type-C Receptacle Interface (Front View).....	38
Figure 2-2	<i>USB</i> Full-Featured Type-C Plug Interface (Front View).....	39
Figure 3-1	<i>USB</i> Type-C Receptacle Interface Dimensions.....	50
Figure 3-2	Reference Design <i>USB</i> Type-C Plug External EMC Spring Contact Zones.....	54

Figure 3-3 USB Full-Featured Type-C Plug Interface Dimensions.....	55
Figure 3-4 Right-Angle USB Type-C Plug Dimensional Requirements	58
Figure 3-5 Reference Footprint for a USB Type-C Vertical Mount Receptacle (<i>Informative</i>)	59
Figure 3-6 Reference Footprint for a USB Type-C Dual-Row SMT Right-Angle Receptacle (<i>Informative</i>)	60
Figure 3-7 Reference Footprint for a USB Type-C Hybrid Right-Angle Receptacle (<i>Informative</i>).....	61
Figure 3-8 Reference Footprint for a USB Type-C Mid-Mount Dual-Row SMT Receptacle (<i>Informative</i>)	62
Figure 3-9 Reference Footprint for a USB Type-C Mid-Mount Hybrid Receptacle (<i>Informative</i>)	63
Figure 3-10 Reference Footprint for a <i>USB 2.0</i> Type-C Through Hole Right Angle Receptacle (<i>Informative</i>)	64
Figure 3-11 Reference Footprint for a <i>USB 2.0</i> Type-C Single Row Right Angle Receptacle (<i>Informative</i>)	65
Figure 3-12 <i>USB 2.0</i> Type-C Plug Interface Dimensions	67
Figure 3-13 USB Type-C Plug EMC Shielding Spring Tip Requirements	70
Figure 3-14 Reference Design of Receptacle Mid-Plate.....	71
Figure 3-15 Reference Design of Retention Latch	72
Figure 3-16 Illustration of the Latch Soldered to the Paddle Card Ground.....	72
Figure 3-17 Reference Design of the USB Full-Featured Type-C Plug Internal EMC Spring.....	73
Figure 3-18 Reference Design of the <i>USB 2.0</i> Type-C Plug Internal EMC Spring	74
Figure 3-19 Reference Design of Internal EMC Pad.....	75
Figure 3-20 Reference Design of a USB Type-C Receptacle with External EMC Springs.....	76
Figure 3-21 Reference Design of a USB Full-Featured Type-C Plug Paddle Card.....	77
Figure 3-22 Illustration of a USB Full-Featured Type-C Cable Cross Section, a Coaxial Wire Example with VCONN.....	80
Figure 3-23 Illustration of a USB Full-Featured Type-C Cable Cross Section, a Coaxial Wire Example without VCONN.....	80
Figure 3-24 USB Full-Featured Type-C Standard Cable Assembly.....	84
Figure 3-25 USB Type-C to <i>USB 3.1</i> Standard-A Cable Assembly.....	88
Figure 3-26 USB Type-C to <i>USB 2.0</i> Standard-A Cable Assembly.....	89
Figure 3-27 USB Type-C to <i>USB 3.1</i> Standard-B Cable Assembly.....	90
Figure 3-28 USB Type-C to <i>USB 2.0</i> Standard-B Cable Assembly.....	91
Figure 3-29 USB Type-C to <i>USB 2.0</i> Mini-B Cable Assembly	92
Figure 3-30 USB Type-C to <i>USB 3.1</i> Micro-B Cable Assembly.....	93
Figure 3-31 USB Type-C to <i>USB 2.0</i> Micro-B Cable Assembly.....	94
Figure 3-32 USB Type-C to <i>USB 3.1</i> Standard-A Receptacle Adapter Assembly.....	95
Figure 3-33 USB Type-C to <i>USB 2.0</i> Micro-B Receptacle Adapter Assembly.....	96
Figure 3-34 Illustration of Test Points for a Mated Cable Assembly.....	98
Figure 3-35 Recommended Differential Insertion Loss Requirement (<i>USB 3.2</i> Gen2 and <i>USB4</i> Gen2)	99
Figure 3-36 Recommended Differential Return Loss Requirement	99
Figure 3-37 Recommended Differential Crosstalk Requirement.....	100
Figure 3-38 Recommended Differential Near-End and Far-End Crosstalk Requirement between USB D+/D- Pair and TX/RX Pair	101
Figure 3-39 Recommended Differential Insertion Loss Requirement (<i>USB4</i> Gen3/Gen4).....	101
Figure 3-40 Illustration of Insertion Loss Fit at Nyquist Frequency	102
Figure 3-41 Input Pulse Spectrum.....	103
Figure 3-42 IMR Limit as Function of ILfitatNq.....	104
Figure 3-43 IRL Limit as Function of ILfitatNq	106
Figure 3-44 Differential-to-Common Mode Conversion Requirement.....	106
Figure 3-45 IMR Limit as Function of ILfit at 10 GHz (<i>USB4</i> Gen3/Gen4).....	110
Figure 3-46 Definition of Port, Victim, and Aggressor.....	111
Figure 3-47 IXT_DP and IXT_USB Limit as Function of ILfit at 10 GHz (<i>USB4</i> Gen3/Gen4)	111
Figure 3-48 IRL Limit as Function of ILfit at 10 GHz (<i>USB4</i> Gen3/Gen4).....	112
Figure 3-49 Differential-to-Common Mode Conversion Requirement (<i>USB4</i> Gen3/Gen4).....	112
Figure 3-50 Cable Assembly in System.....	113

Figure 3-51 Requirement for Differential Coupling between CC and D+/D-	116
Figure 3-52 Requirement for Single-Ended Coupling between CC and D- in <i>USB 2.0</i> Type-C Cables.....	116
Figure 3-53 Requirement for Single-Ended Coupling between CC and D- in USB Full-Featured Type-C Cables	117
Figure 3-54 Requirement for Differential Coupling between VBUS and D+/D-	117
Figure 3-55 Requirement for Single-Ended Coupling between SBU_A and SBU_B.....	118
Figure 3-56 Requirement for Single-Ended Coupling between SBU_A/SBU_B and CC.....	119
Figure 3-57 Requirement for Coupling between SBU_A and differential D+/D-, and SBU_B and differential D+/D-	119
Figure 3-58 Illustration of USB Type-C Mated Connector.....	120
Figure 3-59 Recommended Impedance Limits of a USB Type-C Mated Connector	121
Figure 3-60 Recommended Ground Void Dimensions for USB Type-C Receptacle	121
Figure 3-61 Recommended Differential Near-End and Far-End Crosstalk Limits between D+/D- Pair and TX/RX Pairs.....	123
Figure 3-62 Recommended Limits for Differential-to-Common-Mode Conversion.....	124
Figure 3-63 IMR Limit as Function of ILfitatNq for USB Type-C to Legacy Cable Assembly	129
Figure 3-64 IRL Limit as Function of ILfitatNq for USB Type-C to Legacy Cable Assembly.....	129
Figure 3-65 Cable Assembly Shielding Effectiveness Testing.....	133
Figure 3-66 Shielding Effectiveness Pass/Fail Criteria.....	134
Figure 3-67 LLCR Measurement Diagram.....	135
Figure 3-68 Temperature Measurement Point.....	136
Figure 3-69 Example Current Rating Test Fixture Trace Configuration	137
Figure 3-70 Example of 4-Axis Continuity Test Fixture	139
Figure 3-71 Torque Force Application Distance for Right-Angle Plugs.....	141
Figure 3-71 Example Wrenching Strength Test Fixture for Plugs without Overmold.....	142
Figure 3-72 Reference Wrenching Strength Continuity Test Fixture.....	142
Figure 3-73 Example of Wrenching Strength Test Mechanical Failure Point	143
Figure 3-74 Wrenching Strength Test with Cable in Fixture.....	143
Figure 3-75 USB Type-C Cable Receptacle Flange Example	145
Figure 3-76 EMC Guidelines for Side Latch and Mid-Plate.....	146
Figure 3-77 EMC Finger Connections to Plug Shell.....	147
Figure 3-78 EMC Pad Connections to Receptacle Shell	147
Figure 3-79 Examples of Connector Apertures.....	148
Figure 3-80 Recommended Minimum Spacing between Connectors.....	148
Figure 3-81 Recommended Minimum Plug Overmold Clearance	149
Figure 3-82 Cable Plug Overmold and an Angled Surface.....	149
Figure 4-1 Cable IR Drop.....	153
Figure 4-2 Cable IR Drop for powered cables.....	153
Figure 4-3 Logical Model for Single-Lane Data Bus Routing across USB Type-C-based Ports.....	161
Figure 4-4 Logical Model for USB Type-C-based Ports for a Single-Lane Direct Connect Device.....	161
Figure 4-5 Pull-Up/Pull-Down CC Model.....	163
Figure 4-6 Current Source/Pull-Down CC Model.....	163
Figure 4-7 Source Functional Model for CC1 and CC2	166
Figure 4-8 Source Functional Model Supporting <i>USB PD</i> PR_Swap.....	167
Figure 4-9 Sink Functional Model for CC1 and CC2	167
Figure 4-10 Sink Functional Model Supporting <i>USB PD</i> PR_Swap and VCONN_Swap	168
Figure 4-11 DRP Functional Model for CC1 and CC2.....	169
Figure 4-12 Connection State Diagram: Source.....	174
Figure 4-13 Connection State Diagram: Sink.....	175
Figure 4-14 Connection State Diagram: Sink with Accessory Support	176
Figure 4-15 Connection State Diagram: DRP	177