

INTERNATIONAL STANDARD

**Electric vehicle battery swap system -
Part 2: Safety requirements**

Sample Document

get full document from standards.iteh.ai



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2025 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Secretariat
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search -

webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Discover our powerful search engine and read freely all the publications previews, graphical symbols and the glossary. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 500 terminological entries in English and French, with equivalent terms in 25 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD	4
INTRODUCTION	7
1 Scope	8
2 Normative references	8
3 Terms and definitions	11
4 Abbreviated terms	13
5 General requirements	13
6 Classification	13
7 Safety requirements of systems	14
7.1 General	14
7.2 Lane system	14
7.2.1 Vehicle lane	14
7.2.2 Measures in case of emergency	14
7.3 Battery handling system	15
7.3.1 Interlock protection guarding	15
7.3.2 Interlock with the lane	15
7.3.3 Battery handling process	15
7.3.4 Measures in case of emergency	16
7.4 Storage system	16
7.4.1 Battery storage	16
7.4.2 Measures in case of emergency	17
7.5 Charging system	17
7.5.1 SBS/HBS charger	17
7.5.2 Charger connection	18
7.5.3 Charging rack	18
7.5.4 Communication and monitoring	18
7.6 SBS/HBS	19
7.6.1 General	19
7.6.2 Interoperability requirements	19
7.7 Supervisory and control system	20
7.8 Supporting systems	20
7.8.1 Battery maintenance system	20
7.8.2 SBS/HBS logistic system	21
7.9 Power supply system	21
7.10 Interfaces	21
8 Communication	21
8.1 Data security	21
8.2 Transmission of safety related messages	21
8.3 Telecommunication network	21
9 Protection against electric shock	22
9.1 General requirements	22
9.2 Provisions for basic protection	22
9.2.1 IP degrees for the shock prevention	22
9.2.2 IP degrees for coupler	22
9.2.3 Stored energy – discharge of capacitors	23
9.3 Fault protection	23

9.4	Protective conductor	23
9.5	Supplementary measures	23
9.5.1	Additional protection	23
9.5.2	Manual/automatic reset	24
9.5.3	Protection of persons against electric shock	24
10	Specific requirements for accessories	24
11	Cable assembly requirements	24
12	BSS constructional requirements	25
12.1	General	25
12.2	Characteristics of mechanical switching devices	25
12.2.1	Switch and switch-disconnector	25
12.2.2	Contactors	25
12.2.3	Circuit-breaker	25
12.2.4	Relays	25
12.2.5	Metering	26
12.2.6	Switch-on peak current/Inrush current	26
12.3	Clearances and creepage distances	26
12.4	IP degrees for the penetration	26
12.5	Insulation resistance	26
12.6	Touch current	27
12.7	Dielectric withstand voltage	27
12.7.1	AC withstand voltage	27
12.7.2	Impulse dielectric withstand (1,2 µs/50 µs)	27
12.8	Temperature rise	27
12.9	Damp heat functional test	28
12.10	Minimum temperature functional test	28
12.11	Strength of materials and parts	28
12.11.1	General	28
12.11.2	Mechanical impact	28
12.11.3	Environmental conditions	28
12.11.4	Properties of insulating materials	29
13	Overload and short-circuit protection	30
14	EMC	30
14.1	General	30
14.2	EMC of the BSS	30
14.3	Functional safety related to EMC	30
15	Emergency switching or disconnect (optional)	30
16	Marking and instructions	31
16.1	Installation manual of battery swap station	31
16.2	User manual for battery swap station	31
16.3	Marking of battery swap station	31
16.3.1	General	31
16.3.2	Marking of equipment	32
16.4	Legibility	32
16.5	Signals and warning devices	32
Annex A (informative)	Interface of system A for type B BSS	34
A.1	General	34
A.2	Interface circuit	34

A.2.1	Interface circuit diagram	34
A.2.2	Control pilot circuit.....	35
A.3	State transition of charging control process	36
Annex B (informative)	Interface of system B for type B BSS	38
B.1	General.....	38
B.2	Interface circuit	38
B.3	State transition of charging control process	39
Bibliography		41
Figure A.1	– Example of Interface circuit for charging control of system A station	35
Figure A.2	– State transition diagram of charging process for system A station	37
Figure B.1	– Example of interface circuit for charging control of system B station	39
Figure B.2	– State transition diagram of charging process for system B station	40
Table 1	– Interoperability requirements	19
Table 2	– Touch current limits	27
Table A.1	– Voltage of control pilot circuit	36

Sample Document

get full document from standards.iteh.ai

INTERNATIONAL ELECTROTECHNICAL COMMISSION

Electric vehicle battery swap system - Part 2: Safety requirements

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at <https://patents.iec.ch>. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 62840-2 has been prepared by IEC technical committee 69: Electrical power/energy transfer systems for electrically propelled road vehicles and industrial trucks. It is an International Standard.

This second edition cancels and replaces the first edition published in 2016. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) expands the scope to encompass both swappable battery systems (SBS) and handheld swappable battery systems (HBS);
- b) introduces stricter interoperability requirements through detailed system interface specifications and defined state transition protocols;
- c) enhances data security by defining safety message transmission protocols and integrating telecom network requirements;

- d) increases electrical safety protection levels for battery swap stations (BSS) with specified capacitor discharge time limits to mitigate electric shock risks;
- e) introduces enhanced mechanical safety requirements for automated battery handling systems, with technical alignment to ISO 10218-1 and ISO 10218-2;
- f) strengthens overload and short-circuit protection for BSS through standardized testing methods and overcurrent protection specifications;
- g) defines upgraded electromagnetic compatibility (EMC) standards to ensure system resilience against external interference, supplemented with EMC-related functional safety measures.

The text of this International Standard is based on the following documents:

Draft	Report on voting
69/1046/FDIS	69/1062/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

This document is to be read in conjunction with IEC 62840-1:2025.

In this document, the following print types are used:

- *test specifications: in italic type;*

The following differing practices of a less permanent nature exist in the countries indicated below:

- 7.5.4: the battery passport defines the necessary data to be transmitted (EU).
- 7.6.1: RCDs of type AC may be used (JP).
- 7.6.1: a device which measures leakage current over a range of frequencies and trips at pre-defined levels of leakage current, based upon the frequency, is required (US).
- 9.4: the size and rating of the protective conductor is determined by national codes and regulations (CA, US, JP).
- 9.5.1: RCDs of type AC may be used (JP).
- 9.5.1: a device which measures leakage current over a range of frequencies and trips at pre-defined levels of leakage current, based upon the frequency, is required (US).
- 12.2.1: national standards or regulations provide the different requirements (JP).
- 12.2.2: national standards or regulations provide the different requirements (JP).
- Clause 13: the methods of protection against overcurrent and overvoltage are in accordance with national codes (US, JP, CA).
- Clause 13: the branch circuit overcurrent protection is based upon 125 % of the equipment rating (US, CA).
- Clause 13: EV charging is considered a continuous load and is limited to 80 % of the branch circuit fuse or circuit breaker rating by national rules (US, CA).
- Clause 13: the equipment earthing path complies with the test requirement in national standard (JP).

- 16.5: three-part cautionary statements are required (US).
- 16.5: the use of specific language(s) is covered by legal requirements (CN).

A list of all parts in the IEC 62840 series, published under the general title *Electric vehicle battery swap system*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn, or
- revised.

Sample Document

get full document from standards.iteh.ai

INTRODUCTION

The purpose of the battery swap system is to provide energy partly or in total to electric vehicles (EV) through fast replacement of their swappable battery systems (SBS) or handheld-swappable battery systems (HBS). The battery swap system aims to provide energy to electric road vehicles by quickly replacing their swappable battery system or handheld-swappable battery system. This may help alleviate range anxiety and make longer distance travel more convenient.

As there is a possibility to charge the batteries after their removal from the vehicle in various ways, the impact of this process on the critical infrastructure of the electrical grid is minimized.

Battery swap stations mainly include one or more of the following functions:

- swap of EV SBS or HBS;
- storage of EV SBS or HBS;
- charging and cooling of EV SBS or HBS;
- testing, maintenance and safety management of EV SBS or HBS.

This document serves as a generic approach for safety during the lifecycle of battery swap systems and stations for electric vehicles.

This document contains the general safety requirements for battery swap system of SBS/HBS. The specific safety requirements for dedicated system are described in other parts of the IEC 62840 series.

Sample Document

get full document from standards.iteh.ai

1 Scope

This part of IEC 62840 provides the safety requirements for a battery swap system, for the purposes of swapping swappable battery system (SBS)/handheld-swappable battery system (HBS) of electric vehicles. The battery swap system is intended to be connected to the supply network. The power supply is up to 1 000 V AC or up to 1 500 V DC in accordance with IEC 60038.

This document also applies to battery swap systems supplied from on-site storage systems (e.g. buffer batteries).

Aspects covered in this document:

- safety requirements of the battery swap system and its subsystems;
- security requirements for communication;
- electromagnetic compatibility (EMC);
- marking and instructions;
- protection against electric shock and other hazards.

This document is applicable to battery swap systems for EV equipped with one or more SBS/HBS.

This document is not applicable to

- aspects related to maintenance and service of the battery swap station (BSS),
- trolley buses, rail vehicles and vehicles designed primarily for use off-road, and
- maintenance and service of EVs.

Requirements for bidirectional energy transfer are under consideration.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60038, *IEC standard voltages*

IEC 60068-2-1, *Environmental testing – Part 2-1: Tests – Test A: Cold*

IEC 60068-2-78, *Environmental testing – Part 2-78: Tests – Test Cab: Damp heat, steady state*

IEC 60112, *Method for the determination of the proof and the comparative tracking indices of solid insulating materials*

IEC 60127 (all parts), *Miniature fuses*

IEC 60204-1, *Safety of machinery – Electrical equipment of machines – General requirements*

IEC 60269 (all parts), *Low-voltage fuses*

IEC 60364 (all parts), *Low-voltage electrical installations*

IEC 60364-4-41:2005, *Low-voltage electrical installations – Part 4-41: Protection for safety – Protection against electric shock*
IEC 60364-4-41:2005/AMD1:2017

IEC 60364-5-54, *Low-voltage electrical installations – Part 5-54: Selection and erection of electrical equipment – Earthing arrangements and protective conductors*

IEC 60479 (all parts), *Effects of current on human beings and livestock*

IEC 60529, *Degrees of protection provided by enclosures (IP Code)*

IEC 60664-1:2020, *Insulation coordination for equipment within low-voltage systems – Part 1: Principles, requirements and tests*

IEC 60695-2-11, *Fire hazard testing – Part 2-11: Glowing/hot-wire based test methods – Glow-wire flammability test method for end-products (GWEPT)*

IEC 60695-10-2, *Fire hazard testing – Part 10-2: Abnormal heat – Ball pressure test method*

IEC 60755, *General safety requirements for residual current operated protective devices*

IEC 60898 (all parts), *Electrical accessories – Circuit-breakers for overcurrent protection for household and similar installations*

IEC 60898-1, *Electrical accessories – Circuit-breakers for overcurrent protection for household and similar installations – Part 1: Circuit-breakers for a.c. operation*

IEC 60947-2, *Low-voltage switchgear and control gear – Part 2: Circuit-breakers*

IEC 60947-3, *Low-voltage switchgear and controlgear – Part 3: Switches, disconnectors, switch-disconnectors and fuse-combination units*

IEC 60947-4-1, *Low-voltage switchgear and controlgear – Part 4-1: Contactors and motor-starters – Electromechanical contactors and motor-starters*

IEC 60947-6-2, *Low-voltage switchgear and controlgear – Part 6-2: Multiple function equipment – Control and protective switching devices (or equipment) (CPS)*

IEC 60990, *Methods of measurement of touch current and protective conductor current*

IEC 61000-6-7, *Electromagnetic compatibility (EMC) – Part 6-7: Generic standards – Immunity requirements equipment intended to perform functions in a safety-related system (functional safety) in industrial locations*

IEC 61008 (all parts), *Residual current operated circuit-breakers without integral overcurrent protection for household and similar uses (RCCBs)*

IEC 61008-1, *Residual current operated circuit-breakers without integral overcurrent protection for household and similar uses (RCCBs) – Part 1: General rules*

IEC 61009 (all parts), *Residual current operated circuit-breakers with integral overcurrent protection for household and similar uses (RCBOs)*

IEC 61009-1, *Residual current operated circuit-breakers with integral overcurrent protection for household and similar uses (RCBOs) – Part 1: General rules*

IEC 61140, *Protection against electric shock – Common aspects for installation and equipment*

IEC 61439-1:2020, *Low-voltage switchgear and controlgear assemblies – Part 1: General rules*

IEC 61439-7:2022, *Low-voltage switchgear and controlgear assemblies – Part 7: Assemblies for specific applications such as marinas, camping sites, market squares, electric vehicle charging stations*

IEC 61508-1, *Functional safety of electrical/electronic/programmable electronic safety-related systems – Part 1: General requirements*

IEC 61511-1, *Functional safety – Safety instrumented systems for the process industry sector – Part 1: Framework, definitions, system, hardware and application programming requirements*

IEC 61784-3, *Industrial communication networks – Profiles – Part 3: Functional safety fieldbuses – General rules and profile definitions*

IEC 61810-1, *Electromechanical elementary relays – Part 1: General and safety requirements*

IEC 61851-1:2017, *Electric vehicle conductive charging system – Part 1: General requirements*

IEC 61851-21-2, *Electric vehicle conductive charging system – Part 21-2: Electric vehicle requirements for conductive connection to an AC/DC supply – EMC requirements for off board electric vehicle charging systems*

IEC 61851-23:2023, *Electric vehicle conductive charging system – Part 23: DC electric vehicle supply equipment*

IEC 62052-11, *Electricity metering equipment – General requirements, tests and test conditions – Part 11: Metering equipment*

IEC 62262, *Degrees of protection provided by enclosures for electrical equipment against external mechanical impacts (IK code)*

IEC 62368-1:2023, *Audio/video, information and communication technology equipment – Part 1: Safety requirements*

IEC 62423, *Type F and type B residual current operated circuit-breakers with and without integral overcurrent protection for household and similar uses*

IEC 62477-1:2022, *Safety requirements for power electronic converter systems and equipment – Part 1: General*

IEC 62840-1:2025, *Electric vehicle battery swap system – Part 1: General and guidance*

IEC 63066: —¹, *Low-voltage docking connectors for removable energy storage units*

ISO 10218-1:2011, *Robots and robotic devices – Safety requirements for industrial robots – Part 1: Robots*

ISO 10218-2:2011, *Robots and robotic devices – Safety requirements for industrial robots – Part 2: Robot systems and integration*

¹ Under preparation. Stage at the time of publication: IEC CCDV 63066:2024