



Edition 2.0 2025-12

INTERNATIONAL STANDARD

Electrical energy storage (EES) systems - dards
Part 5-2: Safety requirements for grid-integrated EES systems - Electrochemical-based systems (MCDS://StandardS.iten.al)

Document Preview

IEC 62933-5-2:2025

https://standards.iteh.ai/catalog/standards/iec/427e0255-7f72-4ce9-b14f-c5160b5b764c/iec-62933-5-2-2025

62933-5-2:2025-12(el

ICS 13.020.30 ISBN 978-2-8327-0820-0



THIS PUBLICATION IS COPYRIGHT PROTECTED Copyright © 2025 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Secretariat Tel.: +41 22 919 02 11

3, rue de Varembé info@iec.ch CH-1211 Geneva 20 www.iec.ch

Switzerland

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search -

webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished
Stay up to date on all new IEC publications. Just Published
details all new publications released. Available online and
once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc
If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Discover our powerful search engine and read freely all the publications previews, graphical symbols and the glossary. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 500 terminological entries in English and French, with equivalent terms in 25 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

Preview

IEC 62933-5-2:2025

CONTENTS

F	OREWO	ORD	5
١N	ITRODU	UCTION	7
1	Scop	pe	8
2	Norr	mative references	8
3		ns and definitions	
4	Basi	ic guidelines for safety of BESS	10
	4.1	General	
	4.2	Approach to BESS safety	
	4.3	BESS changes in ownership, control or use	
5	Haza	ard considerations	
6	BES	S system risk assessment	14
	6.1	BESS structure	14
	6.1.1	1 General characteristics	14
	6.1.2	2 Specific characteristics	16
	6.1.3	3 Specific BESS implementation location	16
	6.2	Description of BESS conditions	
	6.3	Risk analysis	
	6.3.		
	6.3.2		16
	6.3.3	3 Risk consideration	16
	6.3.4	' thttps://otanuarus.itch.ai/	1/
7	6.4	System level risk assessmentuirements necessary to reduce risks	17
7			
	7.1 7.2	General measures to reduce risks	
	7.3	Preventive measures against damage to neighbouring inhabitants Preventive measures against physical injury or damage to the health of	
	andards	workers and residents	2933-5 ₋ 2- 18
	7.4	Over current protection design	18
	7.5	BESS disconnection and shutdown	18
	7.6	Operation and maintenance	18
	7.7	Staff training	18
	7.8	Safety design	
	7.9	General requirements for BESS safety	
	7.10	Inherently safe design of BESS	
	7.10		
	7.10		
	7.10	•	21
	7.10	electromagnetic fields	
	7.10		
	7.10	•	
	7.10		22
	7.10	5 ,	22
	7.10	communication system malfunctions 9.9 Protection from hazards arising from environments	
	7.10	Guards and protective measures	
	7.11	·	

7.11.2	BESS disconnection and shutdown	23
7.11.3	Other guards and protective functions of BESS	25
7.12 In	formation for end users	30
7.13 Lif	fe cycle safety management	30
7.13.1	Operation and maintenance	30
7.13.2	Partial system change	34
7.13.3	Design revision	34
7.13.4	End of service life management	34
7.13.5	Measures for validating life cycle safety management	34
8 System	validation and testing	34
8.1 Ge	eneral	34
8.2 Va	alidation and testing of BESS	39
8.2.1	Electrical hazards	39
8.2.2	Mechanical hazards	44
8.2.3	Explosion	45
8.2.4	Hazards arising from electric, magnetic, and electromagnetic fields	48
8.2.5	Fire hazards (propagation)	
8.2.6	Temperature hazards	49
8.2.7	Chemical effects	51
8.2.8	Hazards arising from auxiliary, control and communication system	
	malfunctions	
8.2.9	Hazards arising from environments	
8.2.10	IP rating of BESS enclosure and protective guards	
	nes and manuals 1.SS.f.a.m.d.a.r.d.Sif.e.ha.i.	
Annex A (infe	ormative) Ownership models of BESS	54
Annex B (infe	ormative) BESS hazards and risks	55
	eneral introduction	
	azards to be addressed . <u>IEC.62933-5-2:2025</u>	
nttps://standbi2l1.ite	h. Generalg/standards/iec/427e0255-7f72-4ce9-b14f-c5160b5b764c/iec-	62933-612-2025
B.2.2	Fire hazards	61
B.2.3	Chemical hazards	61
B.2.4	Electrical hazards	61
B.2.5	Stored electrical energy hazards	62
B.2.6	Physical hazards	62
B.2.7	High-pressure hazards	62
B.3 Ha	azard considerations under normal operating conditions	
B.3.1	Fire and explosive hazards	
B.3.2	Chemical hazards	
B.3.3	Electrical hazards	63
B.3.4	Physical hazards	
B.4 Ha	azard considerations under emergency/abnormal conditions	
B.4.1	Fire hazards	
B.4.2	Chemical hazards	64
B.4.3	Electrical hazards	65
B.4.4	Physical hazards	
	ommercially available battery technologies	
B.5.1	Lithium ion (Li-ion) batteries (C-A)	
B.5.2	Lead-acid batteries (C-B)	67
B.5.3	Nickel batteries (C-B)	

	B.5.4	High-temperature sodium batteries (C-C)	70
	B.5.5	Flow batteries (C-D)	72
	B.5.6	Lithium metal solid state batteries (C-Z)	73
	B.6 Oth	ner technologies	74
An	nex C (info	rmative) Large scale fire testing on BESS	75
An en	nex D (info	rmative) Test methods for protection from hazards arising from	76
· · · ·		neral	
		tdoor installations subject to moisture exposure	
		tdoor installation near marine environments	
An		rmative) Information required for BESS life cycle safety management	
7	`	erview	
	_	neral introduction	
	_	eration and maintenance process	
	•	eventive maintenance	
		asuring and monitoring of system soundness	
		iff training	
		rtial system change	
		sign revision	
An	nex F (info	rmative) BESS safety signage	79
An	nex G (info	ormative) Example of testing for verification of thermal control operation	80
	•	ormative) Examples of test procedures and methods that can be	
	plicable to	BESS	81
	H.1 Ov	erview (NUUDS://Standards.iten.ai)	81
	H.2 Exa	amples of testing procedures	81
	H.2.1	Electrical hazards test procedure and test method in 8.2.1	81
	H.2.2	Mechanical hazards test procedures and test methods in 8.2.2	89
	H.2.3	Explosion hazards test procedure and test method in 8.2.3	
	H.2.4 itel	Hazards arising from electric, magnetic, and electromagnetic fields test procedure and test method in 8.2.4	
	H.2.5	Fire hazards test procedure and test method in 8.2.5	
	H.2.6	Temperature hazards test procedure and test method in 8.2.6	98
	H.2.7	Explosion hazards test procedure and test method in 8.2.7	99
	H.2.8	Hazards arising from auxiliary, control and communication system malfunctions test procedure and test method in 8.2.8	101
	H.2.9	Hazards arising from environments test procedure and test method in 8.2.9	102
	H.2.10	IP rating of BESS enclosure and protective guards test procedure and test method in 8.2.10	
An	nex I (infor	mative) Risk analysis	
	•	rmative) Aisle and access requirements	
	•	· · · · · · · · · · · · · · · · · · ·	
	5 . ,		
`	•	eneral procedure for risk assessment and reduction of BESS	
Fiç	gure 2 – An	example of BESS architecture	15
Fiç	gure 3 – Ex	ample of isolated condition (whole isolation of BESS)	24
Fiç	gure 4 – Ex	ample for the scheme of dielectric voltage test and insulation	43

Figure H.1 – Composition of circuits for short-circuit test – AC short circuit	81
Figure H.2 – Composition of circuits for short-circuit test – DC short circuit	82
Figure H.3 – Composition of circuits for short-circuit test – Switching element short-circuit	82
Figure H.4 – Composition of circuits for short-circuit test – Short-circuit in rack exterior	82
Figure H.5 – Composition of circuits for earth fault test – AC earth fault	84
Figure H.6 – Composition of circuits for earth fault test – DC earth fault	84
Figure H.7 – Impulse withstand voltage test points	86
Figure H.8 – Dielectric test points	87
Figure H.9 – Insulation resistance test points	88
Figure H.10 – Impact test using a steel ball	89
Figure H.11 – Test probe A	90
Figure H.12 – Test probe B	91
Figure H.13 – Gas release profile of an overheated NMC pouch cell of 100 % SOC	93
Figure H.14 – Diagram of the abuse chamber used for signal cell testing	93
Figure H.15 – Example of gas sensor placement accuracy verification test	94
Figure H.16 – Circuit composition for communication error test	102
Figure J.1 – Minimum width of aisle	107
Figure J.2 – Maximum length of escape route	108
Table 1 – BESS categories	13
Table 2 – Examples of BESS application	13
Table 3 – Examples of components within subsystems of a BESS	15
Table 4 – Overview of validation and testing for BESS	36
	57
Table B.1 – Hazards of BESS in common	
Table B.1 – Hazards of BESS in common	2933.58
Table B.2 – Hazards of BESS using non-aqueous electrolyte battery (category "C-A")	59
Table B.2 – Hazards of BESS using non-aqueous electrolyte battery (category "C-A") Table B.3 – Hazards of BESS using aqueous electrolyte battery (category "C-B")	59 60
Table B.2 – Hazards of BESS using non-aqueous electrolyte battery (category "C-A") Table B.3 – Hazards of BESS using aqueous electrolyte battery (category "C-B") Table B.4 – Hazards of BESS using high temperature battery (category "C-C")	59 60
Table B.2 – Hazards of BESS using non-aqueous electrolyte battery (category "C-A") Table B.3 – Hazards of BESS using aqueous electrolyte battery (category "C-B") Table B.4 – Hazards of BESS using high temperature battery (category "C-C") Table B.5 – Hazards of BESS using flow battery (category "C-D") Table H.1 – Criteria for judgment of short-circuit test (secondary) Table H.2 – Rated impulse withstand voltage for equipment energized directly from	59 60 61
Table B.2 – Hazards of BESS using non-aqueous electrolyte battery (category "C-A") Table B.3 – Hazards of BESS using aqueous electrolyte battery (category "C-B") Table B.4 – Hazards of BESS using high temperature battery (category "C-C") Table B.5 – Hazards of BESS using flow battery (category "C-D") Table H.1 – Criteria for judgment of short-circuit test (secondary) Table H.2 – Rated impulse withstand voltage for equipment energized directly from mains supply	59 61 83
Table B.2 – Hazards of BESS using non-aqueous electrolyte battery (category "C-A") Table B.3 – Hazards of BESS using aqueous electrolyte battery (category "C-B") Table B.4 – Hazards of BESS using high temperature battery (category "C-C") Table B.5 – Hazards of BESS using flow battery (category "C-D") Table H.1 – Criteria for judgment of short-circuit test (secondary) Table H.2 – Rated impulse withstand voltage for equipment energized directly from mains supply Table H.3 – Example of minimum values of insulation resistance	59 61 83 85
Table B.2 – Hazards of BESS using non-aqueous electrolyte battery (category "C-A") Table B.3 – Hazards of BESS using aqueous electrolyte battery (category "C-B") Table B.4 – Hazards of BESS using high temperature battery (category "C-C") Table B.5 – Hazards of BESS using flow battery (category "C-D") Table H.1 – Criteria for judgment of short-circuit test (secondary) Table H.2 – Rated impulse withstand voltage for equipment energized directly from mains supply	59 61 83 85 88

INTERNATIONAL ELECTROTECHNICAL COMMISSION

Electrical energy storage (EES) systems Part 5-2: Safety requirements for grid-integrated EES systems Electrochemical-based systems

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at https://patents.iec.ch. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 62933-5-2 has been prepared by IEC technical committee 120: Electrical Energy Storage (EES) systems. It is an International Standard.

This second edition cancels and replaces the first edition published in 2020. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) New BESS categories: This document created new BESS energy categories "E-LI" (integrated within one enclosure), and "E-LS"(separated by two or more enclosures), because the safety measures are different for systems with one enclosure and systems with multiple enclosures.
- b) Location risk: This document added information about differences in risk depending on location.