

# INTERNATIONAL STANDARD

---

**Audio/video, information and communication technology equipment - Safety -  
Power transfer between communication equipment ports using communication  
wires and cables cabling at non-mains voltage above 60 V DC and ES2/ES3 AC  
voltage**

get full document from [standards.iteh.ai](https://standards.iteh.ai)



## THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2026 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Secretariat  
3, rue de Varembe  
CH-1211 Geneva 20  
Switzerland

Tel.: +41 22 919 02 11  
[info@iec.ch](mailto:info@iec.ch)  
[www.iec.ch](http://www.iec.ch)

### About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

### About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

#### IEC publications search -

[webstore.iec.ch/advsearchform](http://webstore.iec.ch/advsearchform)

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

#### IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

#### IEC Customer Service Centre - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: [sales@iec.ch](mailto:sales@iec.ch).

#### IEC Products & Services Portal - [products.iec.ch](http://products.iec.ch)

Discover our powerful search engine and read freely all the publications previews, graphical symbols and the glossary. With a subscription you will always have access to up to date content tailored to your needs.

#### Electropedia - [www.electropedia.org](http://www.electropedia.org)

The world's leading online dictionary on electrotechnology, containing more than 22 500 terminological entries in English and French, with equivalent terms in 25 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

**Warning! Make sure that you obtained this publication from an authorized distributor.**

## CONTENTS

FOREWORD .....	3
1 Scope .....	5
2 Normative references .....	6
3 Terms, definitions and abbreviated terms .....	6
3.1 Terms and definitions .....	6
3.2 Abbreviated terms .....	9
4 General requirements .....	9
5 Communications power transfer using above 60 V DC but $\leq$ 120 V DC, classified as external ES2 circuit .....	10
5.1 General requirements .....	10
5.2 Electrical-caused injury, electrical sources and safeguards .....	10
5.3 Electrical-caused fire, power sources and safeguards .....	10
5.3.1 DC power transfer interconnection to building wiring (3.1.1) .....	10
5.3.2 DC power transfer interconnection to other equipment .....	11
6 RFT-V and -C network powering (ES2 or ES3) .....	11
6.1 General .....	11
6.2 General requirements .....	12
6.3 Connection to ICT networks operating at RFT levels .....	12
6.4 Electrically caused injury .....	13
6.4.1 Classification and limits of electrical energy sources .....	13
6.4.2 Accessibility to electrical energy sources and safeguards .....	20
6.4.3 Safeguards .....	20
6.5 Electrically caused fire .....	21
7 AC/DC remote powering voltage above ES1 over coaxial cable in circuits used by a CATV service provider or utility .....	21
7.1 General requirements .....	21
7.2 Electrically caused injury .....	22
7.2.1 Classification and limits of electrical energy sources .....	22
7.2.2 Accessibility .....	22
7.2.3 Safeguards .....	22
Annex A (informative) Remote power feeding .....	24
A.1 Overview .....	24
A.2 Operational considerations .....	25
A.3 Safety considerations .....	25
A.3.1 General .....	25
A.3.2 Work practices .....	26
A.4 Principle of remote power feeding .....	26
A.4.1 General .....	26
A.4.2 RFT-C circuits (3.1.6) .....	27
A.4.3 RFT-V circuits (3.1.7) .....	28
A.5 Safety aspects .....	28
A.5.1 Steady-state body current .....	28
A.5.2 Body resistance .....	29
A.5.3 Charged capacitance .....	29
Annex B (normative) Flammability test for fire enclosure materials of equipment .....	31
Bibliography .....	33

Figure 1 – Maximum current after a single fault is applied.....	14
Figure 2 – Charge and body resistance versus touch voltage.....	15
Figure 3 – Basic charge measuring circuit.....	16
Figure 4 – Characterization circuit .....	17
Figure 5 – Maximum voltages permitted after a single fault.....	19
Figure 6 – CATV network example .....	22
Figure A.1 – Field of application of this document.....	24
Figure A.2 – Example of a remote power feeding RFT-C system.....	27
Figure A.3 – Example of a remote power feeding RFT-C system with a repeater.....	27
Figure A.4 – Example of a remote power feeding system .....	28
Table 1 – Spot values from ITU-T K.50:2018 [3], Figure 5.....	16
Table A.1 – Current limits .....	29

# Sample Document

get full document from [standards.iteh.ai](https://standards.iteh.ai)

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**Audio/video, information and communication technology equipment -  
Safety - Power transfer between communication equipment ports using  
communication wires and cables cabling at non-mains voltage above  
60 V DC and ES2/ES3 AC voltage**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at <https://patents.iec.ch>. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 63316 was prepared by IEC Technical Committee 108: Safety of electronic equipment within the field of audio/video, information technology and communication technology. It is an International Standard.

This first edition cancels and replaces Clause 6 of IEC 62368-3 published in 2017. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to Clause 6 of IEC 62368-3 published in 2017:

- a) DC power transfer at voltages above 60 V DC but  $\leq$  120 V DC (ES2), including telecommunications networks formerly known as TNV-3;

- b) DC power transfer at voltages  $\geq 120$  V DC at ES3, such as RFT circuits and associated telecommunications equipment;
- c) AC/DC remote powering above ES1 over coaxial cable in cable television utility service provider circuits for repeaters, amplifiers, and ONUs;
- d) clarification on communication cable permitting power transfer, regardless of data transmission presence.

The text of this International Standard is based on the following documents:

Draft	Report on voting
108/856/FDIS	108/858/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at [www.iec.ch/members\\_experts/refdocs](http://www.iec.ch/members_experts/refdocs). The main document types developed by IEC are described in greater detail at [www.iec.ch/publications](http://www.iec.ch/publications).

In this document, the following print types are used:

- compliance statements: *italic type*;
- terms defined in Clause 3: **bold type**.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under [webstore.iec.ch](http://webstore.iec.ch) in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn, or
- revised.

## 1 Scope

This document prescribes **safeguards**, test methods and compliance requirements intended to reduce the risk of electrical shock and fire associated with voltage and current at voltages greater than 60 V DC and 60 V AC.

This document applies to equipment ports intended to supply and receive operating power from communications equipment ports using communication wires and cables. It covers particular requirements for circuits that are designed to transfer AC or DC power from a **power sourcing equipment (PSE)** (3.1.2) to a **powered device (PD)** (3.1.3), including repeaters, amplifiers, Optical Network Units, Remote DSLAMs, service provider terminating equipment, remote telecommunications cabinets and equipment, and midspan passive equipment connected to the **PSE** (3.1.2) and **PD** (3.1.3).

The power transfer of equipment ports covered by this document uses non-mains AC voltage or non-mains DC voltage above 60 V DC classified as ES2 according to 5.2.1.2 of IEC 62368-1:2023 or, in some very controlled cases, classified as ES3 according to IEC 62368-1:2023.

### EXAMPLES

- DC power transfer using voltages above 60 V DC but  $\leq$  120 V DC, classified as ES2;
- Some telecommunications networks where the voltage was formerly called TNV-3 (see IEC 62368-1:2023, Table W.3), typically used for line, span or express powering outside North America, Long Range Reverse Power Feeding, HDSLx line powering ISDN, Line Powering Primary Rate E1;
- Some North American telecommunications networks between the utility service providers' **PSE** (3.1.2) and service providers side of the **PD** (3.1.3) at the **PNI** (3.1.8);
- For DC power transfer using voltages  $\geq$  120 V DC at ES3: **RFT circuits** and the associated telecommunications network equipment and cabling used by communications service providers and communications utilities (for example, line powered E1/T1, HDSLx, SHDSLx, xDSL, repeaters, and telecommunications line powering up or line powering down converters as applicable), Optical Network Units, remote DSLAMs, etc. These **RFT circuits** are used between the utility service providers **PSE** (3.1.2) and service providers side of the **PD** (3.1.3) at the **PNI** (3.1.8). The customer facing ports of this equipment are at voltage not exceeding 60 V DC and are covered by IEC 62368-1:2023, see Annex A for deployment topologies;
- For AC/DC remote powering voltage above ES1 over coaxial cable in circuits used by cable television utility service providers for repeaters, amplifiers, Optical Network Units. The customer facing ports of this equipment are at voltage not exceeding 60 V DC that are covered by IEC 62368-1:2023.

NOTE 1 Any communications cable that permits power transfer between communication equipment is considered a communication cable even if communication does not take place. For example, a line powering up or line powering down converters as applicable used to power remote telecommunications equipment, can provide limited communications **RFT** power and not necessarily any superimposed data or signalling.

This document does not cover equipment interfaces within the scope of IEC 63315.

NOTE 2 IEC 63315 covers equipment intended to either supply or receive charging, or operating power from ICT interfaces using ICT wires and cables such as PoE, USB, HDMI, etc, or any of these combined.

This document does not cover ringing signals that are in the scope of IEC 62368-1 or in the scope of IEC 62949:2017.

This document does not cover traditional telecommunications technologies which operate at voltages not exceeding 60 V DC (circuits classified as ES1 according to 5.2.1.1 of IEC 62368-1:2023 and Table ID1a, 1b, or 1c in Table 13 of IEC 62368-1:2023) with or without ringing signals (classified as ES2 according to 5.2.1.1 of IEC 62368-1:2023 and **external circuit** ID1a, 1b, or 1c in Table 13 of IEC 62368-1:2023). Examples of traditional telecommunications technologies include Analogue Telephony, ISDN, T1, E1, VDSL, SHDSL, DDS, etc.

This document does not cover communications over **mains** and high-voltage power transmission and distribution lines.

## 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60695-11-5:2016, *Fire hazard testing - Part 11-5: Test flames - Needle-flame test method - Apparatus, confirmatory test arrangement and guidance*

IEC 60728-11:2023, *Cable networks for television signals, sound signals and interactive services - Part 11: Safety*

IEC 62368-1:2023, *Audio/video, information and communication technology equipment - Part 1: Safety requirements*

## 3 Terms, definitions and abbreviated terms

### 3.1 Terms and definitions

For the purposes of this document, the terms and definitions given in IEC 62368-1:2023 and the following apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

- IEC Electropedia: available at <https://www.electropedia.org/>
- ISO Online browsing platform: available at <https://www.iso.org/obp>

#### 3.1.1 building wiring

ICT and AV wires or cables that are intended to be installed wholly within a structure

EXAMPLE Wire or cables installed in walls, under floors, in plenums, risers, etc. in a building or structure, that are used to connect ICT and AV equipment in different locations within the building and that is not **mains**. It also includes **devices** associated with the interconnection of the equipment. The cables can be conductive or non-conductive, such as fiber optic cable and connectorization.

Note 1 to entry: Under certain circumstances, **building wiring** (3.1.1) can run outside the building for connection to equipment (for example, a video camera outside of the building).

Note 2 to entry: Within this document **building wiring** (3.1.1) excludes dedicated wires and cables dedicated to specific known equipment and for connecting known equipment on each end at the time of installation of such controlled wire and cables.

#### 3.1.2 power sourcing equipment PSE

equipment, other than dedicated external power supply unit intended to supply specific equipment, supplying AC or DC power from a communications port to other communications equipment through communications wiring or cables

Note 1 to entry: It should be noted that ISO/IEC/IEEE 8802-3:2021 [1] has a similar but different definition, however PoE is not covered by this document.

**3.1.3****powered device****PD**

equipment supplied with AC or DC power by a **PSE** (3.1.2) into a communications port from communications wiring or cables

Note 1 to entry: It should be noted that ISO/IEC/IEEE 8802-3:2021 [1] has a similar but different definition, however PoE is not covered by this document.

Note 2 to entry: Some in-line **devices** can just function as a **PSE** (3.1.2) to inject power into the cable connecting to **PD** (3.1.3) equipment. ISO/IEC/IEEE 8802-3:2021 [1] identifies such **devices** as Midspan **PSE** (3.1.2), however PoE is not covered by this document.

Note 3 to entry: Some **PD** (3.1.3) equipment can also have a **PSE** (3.1.2) output to pass on unused power to other **PD** (3.1.3) equipment, such as repeaters and in-line amplifiers.

**3.1.4****information and communication technology network****ICT network**

metallically terminated transmission medium and its associated equipment and ICT wiring and communication cables

Note 1 to entry: The cable or wiring consists of two or more conductors intended for communication or power transfer between the various pieces of communications related equipment. The equipment can be located within the same or separate structures, buildings or locations, excluding:

- the **mains** system for supply, transmission and distribution of electrical power, if used as a communication transmission medium;
- a dedicated HBES/BACS network. The requirement for interconnection with **external circuits** in an HBES/BACS network is given in IEC 63044-3:2017 and IEC 63044-3:2017/AMD1:2021 [2];
- end customer terminal equipment and associated wiring and cabling that is operating at ES1 DC voltages.

Note 2 to entry: This can include twisted pairs, and can include circuits, that are subjected to transients as indicated by Table 13 of IEC 62368-1:2023 (assumed to be 1,5 kV).

Note 3 to entry: An **ICT network** can be:

- publicly or privately owned;
- subject to longitudinal (common mode) as well as transverse (differential) voltages and currents induced from nearby power lines or electric traction lines.

Note 4 to entry: Examples of ICT networks addressed within this document are:

- a telecommunication service provider or utility's RFT T1/E1, HDSLx, or span/line-powering network that is metallically isolated from the end customers terminal equipment (see Annex A);
- a RFT public data network located in the service providers utility space;
- a Long Range reverse powering network operating above 60 V DC;
- a private RFT network with electrical interface characteristics similar to the above;
- a cable television network located in the service providers utility space.

Note 5 to entry: For information about circuit voltages and signals, which can be present, see Annex H of IEC 62368-1:2023. For **RFT**, see ITU-T K.50 [3]. For remote powering voltage above ES1 over coaxial cable in circuits used by cable television utility service providers, see IEC 60728-11.