

INTERNATIONAL STANDARD

**Household appliances network and grid connectivity –
Part 1: General requirements, generic data modelling and neutral messages**

(<https://standards.iteh.ai>)
Document Preview

[IEC 63510-1:2025](https://standards.iteh.ai/catalog/standards/iec/7ef8afe4-7b97-4c41-b1d8-98a02f8f7b79/iec-63510-1-2025)

<https://standards.iteh.ai/catalog/standards/iec/7ef8afe4-7b97-4c41-b1d8-98a02f8f7b79/iec-63510-1-2025>



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2025 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Secretariat
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search -

webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Discover our powerful search engine and read freely all the publications previews, graphical symbols and the glossary. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 500 terminological entries in English and French, with equivalent terms in 25 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

[IEC 63510-1:2025](https://standards.iteh.ai/catalog/standards/iec/7ef8afe4-7b97-4c41-b1d8-98a02f8f7b79/iec-63510-1-2025)

<https://standards.iteh.ai/catalog/standards/iec/7ef8afe4-7b97-4c41-b1d8-98a02f8f7b79/iec-63510-1-2025>

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD	9
INTRODUCTION	11
1 Scope	13
2 Normative references	13
3 Terms and definitions	13
4 Process and requirements to enable interoperability	17
4.1 Introduction	17
4.2 Process	17
4.3 Architecture	19
5 Reader's guide	21
5.1 Finding the right information	21
5.2 Reading the tables	21
5.3 Reading the graphics	22
5.3.1 Flowcharts	22
5.3.2 Sequence diagram	22
6 User Stories	23
6.1 Introduction	23
6.2 User stories	23
6.2.1 General	23
6.2.2 Appliance Energy Flexibility	23
6.2.3 Remote Control of a Smart Appliance	26
6.2.4 Remote Monitoring of a Smart Appliance	26
6.2.5 Manual Operation of a Smart Appliance	27
7 Use cases	28
7.1 Introduction	28
7.2 User Stories and Use Cases	28
7.3 Flexible Start for White Goods	29
7.3.1 General	29
7.3.2 Actors	32
7.3.3 Scenario overview	32
7.3.4 Scenario support requirements	32
7.3.5 Scenario flow	33
7.3.6 Scenario details	34
7.3.7 Scenarios and Use Case Functions (UCFs)	37
7.3.8 Dependencies to other Use Cases	37
7.3.9 Assumptions and Prerequisites	37
7.4 Incentive Table-based Power Consumption Management	37
7.4.1 Actors	37
7.4.2 Scenario Overview	38
7.4.3 Scenario support requirements	38
7.4.4 Scenario Flow	38
7.4.5 Scenario Details	39
7.4.6 Scenarios and Use Case Functions (UCFs)	50
7.4.7 Dependencies to other Use Cases	50
7.4.8 Assumptions and Prerequisites	51
7.5 Install/Remove Device	51

7.5.1	General.....	51
7.5.2	Actors.....	51
7.5.3	Scenario Overview.....	51
7.5.4	Scenario support requirements.....	51
7.5.5	Scenario Flow.....	52
7.5.6	Scenario details.....	52
7.5.7	Scenarios and Use Case Functions (UCFs)	53
7.5.8	Dependencies to other Use Cases	53
7.5.9	Assumptions and Prerequisites	53
7.6	Limitation of Power Consumption	53
7.6.1	General.....	53
7.6.2	Actors.....	55
7.6.3	Scenario Overview.....	55
7.6.4	Scenario support requirements.....	56
7.6.5	Scenario Flow.....	56
7.6.6	Scenario details.....	56
7.6.7	Scenarios and Use Case Functions (UCFs)	60
7.6.8	Dependencies to other Use Cases	60
7.6.9	Further information and rules	60
7.6.10	Assumptions and Prerequisites	61
7.7	Limit Consumption to own Production	61
7.8	Manual Operation	61
7.8.1	General.....	61
7.8.2	Actors.....	61
7.8.3	Scenario Overview.....	62
7.8.4	Dependencies to other Use Cases	62
7.8.5	Assumptions and Prerequisites	62
7.9	Monitoring and Control of Smart Grid Ready Conditions	62
7.9.1	General.....	62
7.9.2	Actors.....	63
7.9.3	Scenario overview.....	63
7.9.4	Scenario support requirements.....	64
7.9.5	Scenario flow.....	64
7.9.6	Scenario details.....	64
7.9.7	Scenarios and Use Case Functions.....	65
7.9.8	Dependencies to other Use Cases	65
7.9.9	Assumptions and Prerequisites	65
7.10	Monitoring of Power Consumption	66
7.10.1	General.....	66
7.10.2	Actors.....	66
7.10.3	Scenario Overview.....	67
7.10.4	Scenario Support Requirements	67
7.10.5	Scenario Flow.....	68
7.10.6	Scenario details.....	68
7.10.7	Scenarios and Use Case Functions (UCFs)	71
7.10.8	Dependencies to other Use Cases	71
7.10.9	Assumptions and Prerequisites	71
7.11	Optimization of Self Consumption by Heat Pump Compressor Flexibility.....	71
7.11.1	General.....	71

7.11.2	User Story as an example	72
7.11.3	Detailed background information	72
7.11.4	Actors	75
7.11.5	Scenario Overview	75
7.11.6	Scenario Support Requirements	75
7.11.7	Scenario Flow.....	75
7.11.8	Scenario Details	77
7.11.9	Scenarios and Use Case Functions (UCFs)	80
7.11.10	Dependencies to other Use Cases	80
7.11.11	Assumptions and Prerequisites	80
8	Use Case Function (UCF) details	81
8.1	General	81
8.2	Concepts	81
8.3	UCF_AC_Measurement.....	81
8.3.1	Generic Description.....	81
8.3.2	Additional Information.....	91
8.4	UCF_Characteristics	92
8.4.1	Generic Description.....	92
8.4.2	Additional Information.....	93
8.5	UCF_Configure_Current_Power_Sequence	93
8.5.1	Generic Description.....	93
8.5.2	Additional Information.....	94
8.6	UCF_Consumption_Curve	95
8.6.1	Generic Description.....	95
8.6.2	Additional Information.....	97
8.7	UCF_Device_Configuration.....	97
8.7.1	Generic Description.....	97
8.7.2	Additional Information.....	101
8.8	UCF_Device_Connected.....	101
8.8.1	Generic Description.....	101
8.8.2	Additional Information.....	102
8.9	UCF_Heartbeat	102
8.9.1	Generic Description.....	102
8.9.2	Additional Information.....	103
8.10	UCF_Incentive_Table.....	103
8.10.1	Generic Description.....	103
8.10.2	Additional Information.....	120
8.11	UCF_Overrun.....	120
8.11.1	Generic Description.....	120
8.11.2	Additional Information.....	122
8.12	UCF_Plan_With_Power_Sequences	122
8.12.1	Generic Description.....	122
8.12.2	Additional Information.....	129
8.13	UCF_Power_Limit.....	129
8.13.1	Generic Description.....	129
8.13.2	Additional Information.....	131
8.14	UCF_Report_Status_Of_Power_Sequence.....	131
8.14.1	Generic Description.....	131
8.14.2	Additional Information.....	133

8.15	UCF_Select_Power_Sequence.....	134
8.15.1	Generic Description.....	134
8.15.2	Additional Information.....	135
8.16	UCF_Shift_Preferred_Power_Sequence.....	136
8.16.1	Generic Description.....	136
8.16.2	Additional Information.....	137
8.17	UCF_System_Function.....	137
8.17.1	Generic Description.....	137
8.17.2	Additional Information.....	138
9	Glossary of definitions for UCFs.....	138
	Bibliography.....	144

Figure 1	– SGAM Framework (from [9]).....	18
Figure 2	– Process used in this document.....	18
Figure 3	– Application of IEC 63510 series for the local and IoT/Cloud based operating modes.....	19
Figure 4	– Applicability of resources to different scenarios.....	20
Figure 5	– Applicability of IEC 63510 series	20
Figure 6	– Planned application of IEC 63510 series using SPINE and SHIP.....	21
Figure 7	– Example communication sequence diagram.....	22
Figure 8	– The different layers of operation classes	23
Figure 9	– Energy management with smart appliance and CCM	29
Figure 10	– Power sequence: P(t) (power-over-time) modelling with slots and time constraints.....	30
Figure 11	– Further possible properties of a scheduled power sequence	30
Figure 12	– Scenario overview for Flexible Start for White Goods.....	32
Figure 13	– Workflow of this Use Case	34
Figure 14	– Scenario Overview	38
Figure 15	– Workflow of this Use Case	39
Figure 16	– Overview of Scenario 2 activity.....	41
Figure 17	– Activity begin diagram of Scenario 2	41
Figure 18	– Activity branch "Update of Committed Power Plan" diagram of Scenario 2	42
Figure 19	– Activity branch "Autonomous operation" diagram of Scenario 2.....	43
Figure 20	– Overview of Scenario 3 activity.....	45
Figure 21	– Activity begin diagram of Scenario 3	46
Figure 22	– Activity branch "Update of Preliminary Power Plan" diagram of Scenario 3.....	47
Figure 23	– Activity branch "Disable simulation phase" diagram of Scenario 3	48
Figure 24	– Install/Remove Device Scenario overview.....	51
Figure 25	– Scenario Flow for Install/Remove Device.....	52
Figure 26	– High-Level Use Case functionality overview.....	54
Figure 27	– Scenario Overview for Limitation of Power Consumption.....	56
Figure 28	– High-Level Use Case functionality overview.....	62
Figure 29	– Scenario overview.....	64
Figure 30	– High-Level Use Case functionality overview.....	66
Figure 31	– Scenario overview.....	67

Figure 32 – High-Level Use Case functionality overview	71
Figure 33 – Single electricity meter	72
Figure 34 – Multiple electricity meters.....	72
Figure 35 – PV generation and consumption	73
Figure 36 – Excess and surplus power.....	73
Figure 37 – Scenario overview for Optimization of Self Consumption by Heat Pump Compressor Flexibility.....	75
Figure 38 – Workflow of "phase A" of Scenarios 1, 2.....	76
Figure 39 – Workflow of "phase B" of Scenarios 1, 2.....	77
Figure 40 – Message sequence of UCF_AC_Measurement.....	82
Figure 41 – Message sequence of UCF_Characteristics	92
Figure 42 – Message sequence of UCF_Configure_Current_Power_Sequence	93
Figure 43 – Messaging sequence for UCF_Consumption_Curve.....	95
Figure 44 – Message sequence of UCF_Device_Configuration.....	97
Figure 45 – Communication sequence diagram for UCF_Device_Connected.....	101
Figure 46 – Runtime messaging sequence for UCF_Heartbeat.....	102
Figure 47 – MESSAGING SEQUENCE FOR UCF_INCENTIVE_TABLE	103
Figure 48 – Sequence diagram for UCF_Overrun.....	121
Figure 49 – Message sequence of UCF_Plan_With_Power_Sequences	122
Figure 50 – Valid state transitions of a Device	128
Figure 51 – Generic Message sequence of UCF_Power_Limit.....	129
Figure 52 – Message sequence of UCF_Report_Status_Of_Power_Sequence.....	131
Figure 53 – Message sequence of UCF_Select_Power_Sequence.....	134
Figure 54 – Message sequence of UCF_Shift_PREFERRED_Power_Sequence.....	136
Figure 55 – Sequence diagram for UCF_HVAC_System_Function	137
Table 1 – Presence indication description	22
Table 2 – Explanation of symbols used in flowcharts.....	22
Table 3 – Mapping of User Stories, Use Cases, and Use Case Functions.....	28
Table 4 – Flexible Start for White Goods scenario implementation requirements for Actors	33
Table 5 – Flexible Start for White Goods: Scenarios and primary Use Case Functions (UCFs)	37
Table 6 – Scenario implementation requirements for Actors	38
Table 7 – Scenario 1 – Negotiation options	39
Table 8 – Scenarios and primary Use Case Functions (UCFs).....	50
Table 9 – Install/Remove Device Scenario implementation requirements for Actors	52
Table 10 – Scenarios and primary Use Case Functions (UCFs).....	53
Table 11 – Controllable System power limitation behaviour.....	54
Table 12 – Limitation of Power Consumption Scenario implementation requirements for Actors	56
Table 13 – Scenario 1 – Control active power limit – Data point list	57
Table 14 – Scenario 2 – Failsafe values – Data point list.....	58
Table 15 – Scenario 3 – Heartbeat – Data point list.....	59

<https://standards.iteh.ai/catalog/standards/iec/7ef8afe4-7b97-4c41-b1d8-98a02f8f7b79/iec-63510-1-2025>