

INTERNATIONAL STANDARD

**Household appliances network and grid connectivity -
Part 3-1: Specific Data Model Mapping: SPINE and SPINE-IoT**

(<https://standards.iteh.ai>)
Document Preview

[IEC 63510-3-1:2025](https://standards.iteh.ai/catalog/standards/iec/9983ae8b-23e0-48fb-b576-dbc4416fae5c/iec-63510-3-1-2025)

<https://standards.iteh.ai/catalog/standards/iec/9983ae8b-23e0-48fb-b576-dbc4416fae5c/iec-63510-3-1-2025>



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2025 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Secretariat
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search -

webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Discover our powerful search engine and read freely all the publications previews, graphical symbols and the glossary. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 500 terminological entries in English and French, with equivalent terms in 25 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

[IEC 63510-3-1:2025](https://standards.iteh.ai/catalog/standards/iec/9983ae8b-23e0-48fb-b576-dbc4416fae5c/iec-63510-3-1-2025)

<https://standards.iteh.ai/catalog/standards/iec/9983ae8b-23e0-48fb-b576-dbc4416fae5c/iec-63510-3-1-2025>

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD	8
INTRODUCTION	10
1 Scope	11
2 Normative references	11
3 Terms and definitions	11
4 Reader's guide	16
4.1 Reading the graphics	16
4.1.1 General	16
4.1.2 Hierarchy diagram	16
4.1.3 Sequence diagram	17
4.2 Finding the right information	18
5 Use Case Function (UCF) details	18
5.1 General	18
5.2 Mapping to SPINE	18
5.2.1 Concepts	18
5.2.2 UCF_AC_Measurement	33
5.2.3 UCF_Characteristics	54
5.2.4 UCF_Configure_Current_Power_Sequence	58
5.2.5 UCF_Consumption_Curve	61
5.2.6 UCF_Device_Configuration	72
5.2.7 UCF_Device_Connected	83
5.2.8 UCF_Heartbeat	84
5.2.9 UCF_Incentive_Table	88
5.2.10 UCF_Overrun	112
5.2.11 UCF_Plan_With_Power_Sequences	118
5.2.12 UCF_Power_Limit	125
5.2.13 UCF_Report_Status_Of_Power_Sequence	131
5.2.14 UCF_Select_Power_Sequence	135
5.2.15 UCF_Shift_Preferred_Power_Sequence	138
5.2.16 UCF_System_Function	140
5.3 Mapping to SPINE-IoT	145
5.3.1 Concepts	145
5.3.2 UCF_Configure_Current_Power_Sequence	147
5.3.3 UCF_Device_Connected	149
5.3.4 UCF_Plan_With_Power_Sequences	150
5.3.5 UCF_Select_Power_Sequence	155
5.3.6 UCF_Shift_Preferred_Power_Sequence	155
5.3.7 YAML models for SPINE-IoT	157
Bibliography	187
Figure 1 – Actor overview example	17
Figure 2 – Example communication sequence diagram	17
Figure 3 – Description of IEC 63510-3	18
Figure 4 – Actor overview example	28
Figure 5 – Pre-Scenario communication – Detailed discovery sequence diagram	31

Figure 6 – Pre-Scenario communication – Binding sequence diagram.....	32
Figure 7 – Pre-Scenario communication – Subscription sequence diagram.....	33
Figure 8 – Generic Sequence Diagram for UCF_AC_Measurement.....	34
Figure 9 – UCF_AC_Measurement: Request Measurement/ Measurement communication sequence diagram.....	35
Figure 10 – UCF_AC_Measurement: Request Electrical Connection Data/Electrical Connection Data communication sequence diagram.....	46
Figure 11 – Actor "Monitoring Appliance" overview.....	53
Figure 12 – Actor "Monitored Unit " overview.....	53
Figure 13 – Generic Sequence Diagram for UCF_Characteristics	54
Figure 14 – UCF_Characteristics: Request Characteristics/ Characteristics communication sequence diagram.....	55
Figure 15 – Actor "CCM" overview.....	57
Figure 16 – Actor "Device" overview.....	58
Figure 17 – Generic message sequence of UCF_Configure_Current_Power_Sequence	59
Figure 18 – SPINE message sequence for Pause/Resume/Stop Current Interaction	60
Figure 19 – Messaging sequence for UCF_Consumption_Curve.....	61
Figure 20 – SPINE Sequence Diagram for Request Consumption Curve and Consumption Curve	62
Figure 21 – Actor "Device" overview.....	68
Figure 22 – Actor "Device" overview.....	69
Figure 23 – Generic Sequence Diagram for UCF_Device_Configuration.....	73
Figure 24 – UCF_Device Configuration: Request Device Configuration/Device Configuration Data communication sequence diagram.....	73
Figure 25 – UCF_Device Configuration: Notify Device Configuration Data communication sequence diagram.....	79
Figure 26 – UCF_Device Configuration: Write Device Configuration communication sequence diagram.....	80
Figure 27 – Actor "Controllable System" overview.....	82
Figure 28 – Actor "Energy Guard" overview.....	83
Figure 29 – Communication sequence diagram for UCF_Device_Connected.....	83
Figure 30 – Generic message sequence for UCF_Heartbeat	84
Figure 31 – UCF_Heartbeat communication sequence diagram.....	85
Figure 32 – Actor "Device" overview.....	87
Figure 33 – Actor "CCM" overview.....	88
Figure 34 – Sequence diagram for UCF_Incentive_Table	88
Figure 35 – SPINE Sequence Diagram for Read Incentive Table and Incentive Table	89
Figure 36 – SPINE Sequence Diagram for Write Incentive Table	100
Figure 37 – Actor "Device" overview.....	107
Figure 38 – Actor "Device" overview.....	108
Figure 39 – Sequence diagram for UCF_Overrun.....	112
Figure 40 – SPINE Sequence Diagram for Request Overrun Settings and Overrun Settings.....	113
Figure 41 – SPINE Sequence Diagram for Write Overrun and Overrun.....	115
Figure 42 – Actor "CCM" overview.....	117
Figure 43 – Actor "Heat Pump" overview.....	118

Figure 44 – Generic message sequence of UCF_Plan_With_Power_Sequences	118
Figure 45 – Message sequence diagram for Request Plan and Power Plan	119
Figure 46 – Actor "CCM" overview.....	122
Figure 47 – Actor "Device" overview.....	123
Figure 48 – State transitions of a power sequence.....	124
Figure 49 – Generic Message sequence of UCF_Power_Limit.....	125
Figure 50 – UCF_Power_Limit: Read Active Power Limit/Current Active Power Limit communication sequence diagram.....	126
Figure 51 – UCF_Power_Limit: Notify Current Active Power Limit communication sequence diagram	128
Figure 52 – UCF_Power_Limit: Send Active Power Limit communication sequence diagram.....	129
Figure 53 – Actor "Energy Guard" overview.....	130
Figure 54 – Actor "Controllable System" overview.....	131
Figure 55 – Generic Sequence Diagram for UCF_Report_Status_Of_Power_Sequence	132
Figure 56 – Message sequence diagram for Request Plan and Power Plan	132
Figure 57 – Generic message sequence of UCF_Select_Power_Sequence.....	136
Figure 58 – SPINE message sequence for Select interaction	136
Figure 59 – Generic message sequence of UCF_Shift_Preferred_Power_Sequence.....	138
Figure 60 – SPINE message sequence for Shift interaction.....	139
Figure 61 – Sequence diagram for UCF_System_Function.....	141
Figure 62 – SPINE Sequence Diagram for Request Overrun Settings and Overrun Settings.....	141
Figure 63 – SPINE Sequence Diagram for Change System Function and System Function	143
Figure 64 – Actor "Configuration Appliance" overview	144
Figure 65 – Actor "Heat Pump" overview.....	145
Figure 66 – Generic message sequence of UCF_Configure_Current_Power_Sequence	148
Figure 67 – Generic message sequence of UCF_Configure_Current_Power_Sequence.....	148
Figure 68 – Communication sequence diagram for UCF_Device_Connected.....	150
Figure 69 – Generic message sequence of UCF_Plan_With_Power_Sequences	151
Figure 70 – Message sequence diagram for Request Plan and Response Power Plan.....	151
Figure 71 – Generic message sequence of UCF_Select_Power_Sequence.....	155
Figure 72 – Generic message sequence of UCF_Shift_Preferred_Power_Sequence.....	156
Figure 73 – Message sequence diagram for Shift Power Sequence in SPINE-IoT.....	156
Table 1 – Presence indication description	22
Table 2 – Example table for cardinality indications on Elements and list items	23
Table 3 – Content of an example table.....	26
Table 4 – Content of measurementDescriptionListData read at Actor CCM (for "Monitoring of Power Consumption")	35
Table 5 – Content of measurementConstraintListData read at Actor CCM	36
Table 6 – Content of measurementListData read at Actor CCM	36
Table 7 – Content of measurementDescriptionListData reply or notify at Actor Device – Power, non-phase specific (for "Monitoring of Power Consumption").....	36

Table 8 – Content of measurementDescriptionListData reply or notify at Actor Device – Power, phase-specific (for "Monitoring of Power Consumption")	37
Table 9 – Content of measurementConstraintsListData reply or notify at Actor Device – Power, non-phase specific (for "Monitoring of Power Consumption")	37
Table 10 – Content of measurementConstraintsListData reply or notify at Actor Device – Power, phase-specific (for "Monitoring of Power Consumption")	38
Table 11 – Content of measurementListData reply or notify at Actor Device – Power, non-phase specific (for "Monitoring of Power Consumption")	39
Table 12 – Content of measurementListData reply or notify at Actor Device – Power, phase-specific (for "Monitoring of Power Consumption")	39
Table 13 – Content of measurementDescriptionListData reply or notify at Actor Device – Energy consumed (for "Monitoring of Power Consumption")	40
Table 14 – Content of measurementConstraintsListData reply or notify at Actor Device – Energy consumed (for "Monitoring of Power Consumption")	40
Table 15 – Content of measurementListData reply or notify at Actor Device – Energy consumed (for "Monitoring of Power Consumption")	41
Table 16 – Content of measurementDescriptionListData reply or notify at Actor Device – Current (for "Monitoring of Power Consumption")	41
Table 17 – Content of measurementConstraintsListData reply or notify at Actor Device – Current (for "Monitoring of Power Consumption")	42
Table 18 – Content of measurementListData reply or notify at Actor Device – Current (for "Monitoring of Power Consumption")	43
Table 19 – Content of measurementDescriptionListData reply or notify at Actor Device – Voltage (for "Monitoring of Power Consumption")	43
Table 20 – Content of measurementConstraintsListData reply or notify at Actor Device – Voltage (for "Monitoring of Power Consumption")	44
Table 21 – Content of measurementListData reply or notify at Actor Device – Voltage (for "Monitoring of Power Consumption")	44
Table 22 – Content of measurementDescriptionListData reply or notify at Actor Device – Frequency (for "Monitoring of Power Consumption")	45
Table 23 – Content of measurementConstraintsListData reply or notify at Actor Device – Frequency (for "Monitoring of Power Consumption")	45
Table 24 – Content of measurementListData reply or notify at Actor Device – Frequency (for "Monitoring of Power Consumption")	46
Table 25 – Content of electricalConnectionParameterListData read at Actor CCM	47
Table 26 – Content of electricalConnectionDescriptionListData read at Actor CCM	47
Table 27 – Content of electricalConnectionDescriptionListData reply or notify at Actor Device (for "Monitoring of Power Consumption")	47
Table 28 – Content of electricalConnectionParameterDescriptionListData reply or notify at Actor Device – Power, non-phase specific	48
Table 29 – Content of electricalConnectionParameterDescriptionListData reply or notify at Actor Device – Power, phase-specific	49
Table 30 – Content of electricalConnectionParameterDescriptionListData reply or notify at Actor Device – Energy consumed	49
Table 31 – Content of electricalConnectionParameterDescriptionListData reply or notify at Actor Device – Current	50
Table 32 – Content of electricalConnectionParameterDescriptionListData reply or notify at Actor Device – Voltage	51
Table 33 – Content of electricalConnectionParameterDescriptionListData reply or notify at Actor Device – Frequency	52

Table 34 – Actor naming for "CCM"	52
Table 35 – Actor naming for "Device"	53
Table 36 – Content of electricalConnectionCharacteristicListData read at Actor CCM	55
Table 37 – Content of electricalConnectionCharacteristicListData reply or notify at Actor Device	56
Table 38 – Actor naming for "CCM"	57
Table 39 – Actor naming for "Device"	58
Table 40 – smartEnergyManagementPsData write for Use Case "Optimization of Self-Consumption by Heat Pump Flexibility" at Actor CCM	60
Table 41 – Information content for timeSeriesDescriptionListData read at Actor CCM (Committed Power Plan)	62
Table 42 – Information content for timeSeriesDescriptionListData read at Actor CCM (Preliminary Power Plan)	62
Table 43 – Information content for timeSeriesListData read at Actor CCM (Committed Power Plan)	63
Table 44 – Information content for timeSeriesListData read at Actor CCM (Preliminary Power Plan)	63
Table 45 – Information content for timeSeriesDescriptionListData reply at Actor Device (Committed Power Plan)	64
Table 46 – Information content for timeSeriesDescriptionListData reply at Actor Device (Preliminary Power Plan)	64
Table 47 – Information content for timeSeriesListData reply at Actor Device (Committed Power Plan)	65
Table 48 – Information content for timeSeriesListData reply at Actor Device (Preliminary Power Plan)	66
Table 49 – Resource Names for UCF_Incentive_Table Actor "Device"	68
Table 50 – Resource Names for UCF_Incentive_Table Actor "CCM"	69
Table 51 – Content of deviceConfigurationKeyValueDescriptionListData read at Actor CCM	74
Table 52 – Content of deviceConfigurationKeyValueListData read at Actor CCM	74
Table 53 – Content of deviceConfigurationKeyValueDescriptionListData reply or notify at Actor Device – failsafeConsumptionActivePowerLimit	75
Table 54 – Content of deviceConfigurationKeyValueDescriptionListData reply or notify at Actor Device – failsafeDurationMinimum	75
Table 55 – Content of deviceConfigurationKeyValueDescriptionListData reply or notify at Actor Device – incentivesSimulationCyclesMax	75
Table 56 – Content of deviceConfigurationKeyValueDescriptionListData reply or notify at Actor Device – incentivesSimulationConcurrent	76
Table 57 – Content of deviceConfigurationKeyValueDescriptionListData reply or notify at Actor Device – incentivesTimeoutIncentiveRequest	76
Table 58 – Content of deviceConfigurationKeyValueDescriptionListData reply or notify at Actor Device – incentivesWaitIncentiveWriteable	76
Table 59 – Content of deviceConfigurationKeyValueListData reply or notify at Actor Device	77
Table 60 – Content of deviceConfigurationKeyValueListData reply or notify at Actor Device	77
Table 61 – Content of deviceConfigurationKeyValueListData reply or notify at Actor Device	78