

INTERNATIONAL STANDARD

**Measuring equipment for electrical and electromagnetic quantities -
Environmental aspects**

Sample Document

get full document from standards.iteh.ai



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2026 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Secretariat
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search -

webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Discover our powerful search engine and read freely all the publications previews, graphical symbols and the glossary. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 500 terminological entries in English and French, with equivalent terms in 25 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD	4
INTRODUCTION	6
1 Scope	9
2 Normative references	9
3 Terms, definitions and abbreviated terms	10
3.1 Terms and definitions	10
3.2 General	10
3.3 Section related to data	11
3.4 Section related to energy	12
3.5 Section related to functions	14
3.6 Section related to lifetime	16
3.7 Section related to material	17
3.8 Abbreviated terms	22
4 Product Life Cycle Assessment	22
4.1 General	22
4.2 Common rules for all product families	22
4.2.1 Functional unit and reference flow description	22
4.2.2 System boundaries	23
4.2.3 Cut-off criteria	23
4.2.4 Life cycle inventory	23
4.2.5 Rules for allocation between co-products	23
4.2.6 Allocation for recovery operation	24
4.2.7 Units	24
4.2.8 Data quality	24
4.2.9 Development of default scenario	24
4.2.10 Extrapolation rules	29
4.2.11 Rules applying for the aggregation of environmental impacts on system level	29
4.2.12 Environmental impact calculation in respect of the functional unit (FU)	29
4.2.13 Impact categories and category indicators	30
4.3 LCA report	30
5 Specific rules per product family	30
5.1 Product Specific Rules for [ME3Q, PMD]	30
5.1.1 General	30
5.1.2 Functional unit	30
5.1.3 Reference service life	30
5.1.4 Use scenario	30
5.1.5 EoL treatment scenario	31
5.1.6 Reference flow elements to consider in the LCA or that can be ignored	31
5.1.7 List of impact categories and category indicators to consider in the LCA or that can be ignored	31
5.1.8 Allocation rules	31
5.2 Specific rules for [ME3Q, PQI]	31
5.2.1 General	31
5.2.2 Functional unit	32
5.2.3 Reference service life	32
5.2.4 Use scenario	32

5.2.5	EoL treatment scenario	33
5.2.6	Reference flow elements to consider in the LCA or that can be ignored	33
5.2.7	List of impact categories and category indicators to consider in the LCA or that can be ignored	33
5.2.8	Allocation rules	33
5.3	Specific rules for [ME3Q, DDM]	33
5.3.1	General	33
5.3.2	Functional unit	34
5.3.3	Reference service life	34
5.3.4	Use scenario	34
5.3.5	EoL treatment scenario	34
5.3.6	Reference flow elements to consider in the LCA or that can be ignored	35
5.3.7	List of impact categories and category indicators to consider in the LCA or that can be ignored	35
5.3.8	Allocation rules	35
5.4	Specific rules for [ME3Q, TRD]	35
5.4.1	General	35
5.4.2	Functional unit	35
5.4.3	Reference service life	35
5.4.4	Use scenario	36
5.4.5	EoL treatment scenario	36
5.4.6	Reference flow elements to consider in the LCA or that can be ignored	36
5.4.7	List of impact categories and category indicators to consider in the LCA or that can be ignored	37
5.4.8	Allocation rules	37
6	Drawing up the product environmental profile	37
6.1	General	37
6.2	Constitutive materials and substances	37
6.3	Environmental impact	37
6.4	Additional environmental information	37
7	Environmentally conscious design	38
7.1	General	38
7.2	"Cradle to grave" approach	38
7.3	Inputs	40
7.4	Outputs	40
7.5	Qualitative and quantitative assessments	40
8	Material Efficiency	41
8.1	General	41
8.2	Durability	41
9	Material declaration	42
10	EOL information	42
Annex A (informative) Description of ME3Q devices covered by TC 85		43
Bibliography		44
Figure 1 – Standard family for life cycle assessment (LCA)		6
Figure 2 – Standard family for environmental communication		7
Figure 3 – Standard family for interoperability with Building LCA		7

Figure 4 – “Conceptual relationship between provisions in product standards and the environmental impacts associated with the product during its life cycle”	39
Figure A.1 – Overview of the ME3Q product families	43
Table 1 – Mandatory modelled materials	23
Table 2 – Mandatory components	23
Table 3 – Default scrap rates to be used in the absence of specific data	25
Table 4 – List of default values for use stage	28
Table 5 – Key parameters per operations	28
Table 6 – Functional unit (FU) for PMD	30
Table 7 – Reference service life (RSL) for PMD	30
Table 8 – List of default values for use stage for PMD	31
Table 9 – Functional unit (FU) for PQI	32
Table 10 – Reference service life (RSL) for PQI	32
Table 11 – List of default values for use stage for fixed-installed PQI	32
Table 12 – List of default values for use stage for portable PQI	33
Table 13 – Functional unit (FU) for DDM	34
Table 14 – Reference service life (RSL) for DDM	34
Table 15 – List of default values for use stage for DDM	34
Table 16 – Functional unit (FU) for TRD2	35
Table 17 – Reference service life (RSL) for TRD	35
Table 18 – List of default values for use stage for TRD	36
Table 19 – Temperature for devices covered by this document	41

INTERNATIONAL ELECTROTECHNICAL COMMISSION

Measuring equipment for electrical and electromagnetic quantities - Environmental aspects

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at <https://patents.iec.ch>. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 63580 has been prepared by IEC technical committee 85: Measuring equipment for electrical and electromagnetic quantities. It is an International Standard.

The text of this International Standard is based on the following documents:

Draft	Report on voting
85/1001/FDIS	85/1007/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available

at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/standardsdev/publications.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn, or
- revised.

Sample Document

get full document from standards.iteh.ai

INTRODUCTION

Increasingly, there is a focus on preserving the natural environment for the good of future generations. This results in the publication of various regulations that are based on environmental data, whether at the local or national level. Product manufacturers are also faced by requests from their stakeholders' customers (wholesalers, installers, specifiers, authorities...) for environmental data. In addition to reduce product environmental impact, manufacturers need a standardized methodology to quantify and to consequently reduce the environmental impact of the product.

It is then important to establish product specific rules (PSR) to have standardized science-based methodologies for the data to be evaluated and transmitted.

Specific rules for assessing the environmental impacts and providing appropriate data for ME3Q are among the purposes of this document. These rules establish a common evaluation scheme of their environmental impacts in terms of characterized impact indicators (e.g. greenhouse gas emissions, CO₂-equivalents, ozone depletion) over their whole life cycle. Figure 1 describes the relationship with some standards covering the life cycle assessment (LCA) topic.




Figure 1 – Standard family for life cycle assessment (LCA)

This document is to be used by manufacturers, customers, authorities, programme operators, LCA practitioners and verifiers, whatever the type of environmental data related to life cycle assessment, including extract for one specific impact (carbon footprint). Figure 2 describes the relationship with some standards covering product assessment topic.




Figure 2 – Standard family for environmental communication

Even though ME3Q have a relatively minor impact on the environment, there is a market need for appropriate methods for managing these environmental matters. A simplified means of estimating the environmental impacts will be useful together with readily available data to make the stakeholders, for example contractor's, installer's and end user's, task of assessing environmental impacts at system level easier.

Generally, the environmental impact of ME3Q is very low compared with that of the overall system into which they are incorporated and the processes to which they contribute. The lifetime impact of processes such as the air-conditioning of a building, the manufacture of steel or shipping far exceeds that of the manufacture and use of any associated ME3Q. Figure 3 describes relationship with some standards for interoperability with Building LCA.




Figure 3 – Standard family for interoperability with Building LCA

In addition, release of substances and materials that can be harmful for the environment or induce climatic changes are to be avoided or minimized. From conception to end of life of a product, the environmental impact of all the relevant processes is considered, including how materials are disposed of or recovered for future use.

In order to contribute to conserving natural resources, manufacturers of measuring equipment for electrical and electromagnetic quantities (ME3Q) ensures an environmentally conscious design (ECD) involving:

- phasing-out or minimizing use of hazardous substances or materials;
- efficient use of energy and materials in the manufacture of products;
- ensuring the lowest practical energy consumption by the products while they are in use;
- at the end of product life, the possibility, as far as practical, of recycling materials for future use, and sorting hazardous components requiring a specific treatment.

Declarations and ECD are increasingly deemed as important for some bodies. These can take several forms, for example, Type II or Type III environmental declaration, material declaration (MD). In some business, Green Public Procurement (GPP) is applicable and/or ECD is part of the ISO 14001 certification. Some countries and regions are also actively pushing for environmental conservation, for example, the European Union through its Ecodesign Directive and China through Ecodesign Initiative. Systematic demands for ECD will be deemed as important by most, if not all customers, in the medium term.

Assessing the environmental impact of ME3Q is part of an ECD process. ECD necessitates the identification, measurement and reporting of particular impacts. IEC 62430 describes the basic principles of ECD, with the goal of reducing the potential environmental impacts of products.

Sample Document

get full document from standards.iteh.ai

1 Scope

This International Standard provides guidance to manufacturers of measuring equipment for electrical and electromagnetic quantities (ME3Q) in evaluating and improving the environmental impact of their products, and in enabling effective communication using common references for environmental information throughout the supply chain.

NOTE ME3Q devices are described in Annex A.

This document covers only the below fixed installed measuring equipment:

- IEC 61557-12, power metering and monitoring devices (PMD);
- IEC 62586-1, power quality instruments (PQI);
- IEC 60688, transducers (TRD);
- IEC 62974-1, devices for data management (DDM).

This document provides:

- guidance on the process and general aspects to implement environmentally-conscious product design principles, as given in IEC 62430;
- the product specific rules (PSR) for life cycle assessment (LCA);

NOTE 1 The general methods and the process to execute the LCA are in accordance with ISO 14040 and ISO 14044 but not addressed in this document.

NOTE 2 PSR and LCA can be used for quantitative ECD and also apply for some environmental declarations, for example Type III.

- standard environmental impact data derived from case studies and a means of using them;

NOTE 3 This is to encourage manufacturers to apply more effective quantitative methods in the ECD process to improve the environmental efficiency of their products.

- common rules for communicating information about the presence of regulated substances and the materials contained in the product;
- guidance on communicating information about the end-of-life treatment of the product.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60050-904, *International Electrotechnical Vocabulary (IEV) - Part 904: Environmental standardization for electrical and electronic products and systems*

IEC 60688:2024, *Electrical measuring transducers for converting AC and DC electrical quantities to analogue or digital signals*

IEC 61557-12:2018, *Electrical safety in low voltage distribution systems up to 1 000 V AC and 1 500 V DC - Equipment for testing, measuring or monitoring of protective measures - Part 12: Power metering and monitoring devices (PMD)*

IEC 62430, *Environmentally conscious design (ECD) - Principles, requirements and guidance*

IEC 63366:2025, *Product category rules for life cycle assessment of electrical and electronic products and systems*

ISO 14040, *Environmental management - Life cycle assessment - Principles and framework*

ISO 14044, *Environmental management - Life cycle assessment - Requirements and guidelines*

ISO 14021:2016, *Environmental labels and declarations - Self-declared environmental claims (Type II environmental labelling)*

ISO 14025:2006, *Environmental labels and declarations - Type III environmental declarations - Principles and procedures*

IEC 62586-1:2017, *Power quality measurement in power supply systems - Part 1: Power quality instruments (PQI)*

IEC 62974-1:2024, *Monitoring and measuring systems used for data collection, aggregation and analysis - Part 1: Device requirements*

3 Terms, definitions and abbreviated terms

3.1 Terms and definitions

For the purposes of this document, the terms and definitions given in IEC 60050-904 and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <http://www.iso.org/obp>
- IEC Electropedia: available at <http://www.electropedia.org/>

3.2 General

3.2.1

greenhouse gas GHG

gaseous constituent of the atmosphere, both natural and anthropogenic, that absorbs and emits radiation at specific wavelengths within the spectrum of infrared radiation emitted by the Earth's surface, the atmosphere, and clouds

Note 1 to entry: For a list of GHGs, see the latest IPCC Assessment Report.

Note 2 to entry: Water vapour and ozone, which are anthropogenic as well as natural GHGs, are not included in the CFP and partial CFP.

Note 3 to entry: The focus of this document is limited to long-lived GHGs, it therefore excludes climate effects due to changes in surface reflectivity (albedo) and short-lived radiative forcing agents (e.g., black carbon and aerosols).

[SOURCE: ISO 14067:2018, 3.1.2.1]

3.2.2

co-product

any of two or more products coming from the same unit process or product system

Note 1 to entry: Co-product, by-product and product have the same status and are used for identification of several distinguished flows of products from the same unit process. From co-product, by-product and product, waste is the only output to be distinguished as a non-product.

[SOURCE: ISO 14040:2006, 3.10, modified – A note to entry has been added.]

3.2.3

cut-off criteria

specification of the amount of material or energy flow or the level of environmental significance associated with unit processes or product system to be excluded from a study

[SOURCE: ISO 14040:2006, 3.18]

3.3 Section related to data

3.3.1

primary data

quantified value of a unit process or an activity obtained from a direct measurement or a calculation based on direct measurements at the original source

[SOURCE: ISO 14050:2020, 3.6.34]

3.3.2

secondary data

data that do not fulfil the requirements for primary data

[SOURCE: ISO 14050:2020, 3.6.35]

3.3.3

data quality

characteristics of data that relate to their ability to satisfy stated requirements

[SOURCE: ISO 14044:2006, 3.19]

3.3.4

declared unit

quantity of the product used as a reference unit in a Type III environmental declaration or footprint communication, based on one or more information modules

Note 1 to entry: Information module is a compilation of data covering a unit process or a combination of unit processes that are part of the life cycle of a product.

[SOURCE: ISO 14050:2006, 3.7.11, modified – Note 1 to entry has been added.]

3.3.5

disposal

any operation which is not recovery even where this operation has a reclamation of substances or energy secondary consequences

[SOURCE: IEC TR 62635:2012, 3.1]

3.3.6

durability

<of a product> ability to function as required, under defined conditions of use and maintenance until a defined end state is reached

Note 1 to entry: The degree to which maintenance is within the scope of durability will vary by product or product-group.

Note 2 to entry: The end state can be based on technological, social or economical aspects.

Note 3 to entry: Durability can be expressed in units appropriate to the part or product concerned, e.g. calendar time, operating cycles, distance run, etc.

Note 4 to entry: Durability quantified as a measure relates to the longevity of the interval from first use until the defined end state.

Note 5 to entry: A limiting event can be considered as an end state.

[SOURCE: IEC 60050-192:2025, 192-01-21, modified – The domain <product> has been added before the definition as well as Note 5.]

3.3.7

end of life

life cycle stage of a product starting when it is removed from its intended use phase

[SOURCE: IEC TR 62635:2012, 3.2, modified – The hyphens have been deleted in term, the second preferred term has been deleted, and "use-stage" replaced with "use phase".]

3.3.8

end-of-life-treatment

operation after a waste has been handed over to a facility for product and product part reuse, material recycling, energy recovery and residue disposal

Note 1 to entry: This includes dismantling, material separation and disposal.

3.4 Section related to energy

3.4.1

energy recovery

production of useful energy through direct and controlled combustion or other processing of waste

Note 1 to entry: Waste incinerators producing hot water, steam and/or electricity are common means for energy recovery.

[SOURCE: IEC 60050-904:2014, 904-04-03]

3.4.2

environment

surroundings in which a product or system exists, including air, water, land, natural resources, flora, fauna, humans and their interrelation

[SOURCE: IEC Guide 109:2012, 3.3]

3.4.3

environmental aspect

element of an organization's activities or products that interacts or can interact with the environment

Note 1 to entry: An environmental aspect can cause (an) environmental impact(s). A significant environmental aspect is one that has or can have one or more significant environmental impact(s).

Note 2 to entry: Significant environmental aspects are determined by the organization applying one or more criteria.

[SOURCE: ISO 14001:2015, 3.2.2, modified – "or services" deleted in the definition.]

3.4.4

environmental claim

statement, symbol or graphic that indicates an environmental aspect of a product, including any associated components and packaging

[SOURCE: ISO 14050:2020, 3.7.3]

3.4.5

environmentally conscious design

systematic approach which considers environmental aspects in the design and development with the aim to reduce adverse environmental impacts throughout the life cycle of a product

Note 1 to entry: Other terminology used worldwide with the same meaning includes ecodesign, design for environment (DFE), green design and environmentally sustainable design.

[SOURCE: IEC 62430:2019, 3.1.1, modified – The abbreviated term "ECD" and Note 2 to entry have been deleted.]

3.4.6

environmental declaration

environmental product declaration

claim which indicates the environmental aspects of a product or service

Note 1 to entry: An environmental label or declaration may take the form of a statement, symbol or graphic on a product or package label, in product literature, in technical bulletins, in advertising or in publicity, amongst other things.

[SOURCE: IEC 63366:2025, 3.1.11]

3.4.7

environmental declaration programme

voluntary programme for the development and use of Type III environmental declarations, based on a set of operating rules (programme instructions)

[SOURCE: ISO 14025:2006, 3.3, modified – "Type III" removed from the term and "(programme instructions)" added to the definition.]

3.4.8

environmental impact

change to the environment, whether adverse or beneficial, wholly or partly resulting from environmental aspects

[SOURCE: IEC Guide 109:2012, 3.5, modified – In the definition, "an organization's" has been omitted.]