

IEC/IEEE 60079-30-2

Edition 2.0 2025-09

INTERNATIONAL STANDARD

REDLINE VERSION

Explosive atmospheres Part 30-2: Electrical resistance trace heating - Guidance on application for design, installation and maintenance

Document Preview

IEC/IEEE 60079-30-2:2025

https://standards.iteh.ai/catalog/standards/iec/16f6700d-3809-4484-b6ea-84efef5d57a7/iec-ieee-60079-30-2-2024



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2025 IEC, Geneva, Switzerland

Copyright © 2025 IEEE

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing being secured. Requests for permission to reproduce should be addressed to either IEC at the address below or IEC's member National Committee in the country of the requester or from IEEE.

IEC Secretariat 3, rue de Varembé CH-1211 Geneva 20 Switzerland

Tel.: +41 22 919 02 11

info@iec.ch www.iec.ch Institute of Electrical and Electronics Engineers, Inc.

3 Park Avenue

New York, NY 10016-5997 United States of America

stds.ipr@ieee.org www.ieee.org

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About the IEEE

IEEE is the world's largest professional association dedicated to advancing technological innovation and excellence for the benefit of humanity. IEEE and its members inspire a global community through its highly cited publications, conferences, technology standards, and professional and educational activities.

About IEC/IEEE publications

The technical content of IEC/IEEE publications is kept under constant review by the IEC and IEEE. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Discover our powerful search engine and read freely all the publications previews, graphical symbols and the glossary. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 500 terminological entries in English and French, with equivalent terms in 25 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) entries

309-4484-b6ea-84efef5d57a7/jec-jeee-60079-30-2-2024

CONTENTS

F	OREWO	RD	5
1	Scop	ıe	1
2	Norm	native references	8
3		is and definitions	
4		cation considerations	
	4.1	General	
	4.2	Corrosive areas	
	4.3	Process temperature accuracy	
	4.3.1	·	
	4.3.2	• •	
	4.3.3	Type III	10
	4.4	Installation considerations	10
5	Ther	mal insulation	10
	5.1	General	10
	5.2	Selection of insulating material	
	5.3	Selection of weather barrier (cladding)	
	5.4	Selection of economical thickness to provide optimum trace heating design	12
	5.5	Double insulation	12
6	Syste	em design	15
	6.1	GeneralStandards	15
	6.2	Purpose of, and major requirement for, trace heating	15
	6.3	Purpose of, and major requirement for, trace heating Training	16
	6.4	Selection of trace heater	16
	6.4.1	General	16
	6.4.2		16
	6.4.3	Specific types of trace heating	17
	6.4.3 dards ite 6.5	Maximum temperature determination	00/9-30-2-20 17
	6.5.1	General	17
	6.5.2	PTC characteristic	18
	6.5.3	Stabilized design	18
	6.5.4	Controlled design	18
	6.6	Heat up and cool down considerations	19
	6.7	Design information	19
	6.7.1	Design information documentation	19
	6.7.2	Isometric or trace heater configuration line lists and load charts	20
	6.8	Power system	
	6.9	Earthing requirements	
	6.10	Earth fault protection of equipment	
	6.11	Start-up at minimum ambient temperatures	
	6.12	Long trace heater runs	
	6.13	Flow pattern analysis	
	6.14	Dead-leg control technique	
	6.15	Chimney effect	
_	6.16	Safety shower and eyewash station design requirements	
7		rol and monitoring	
	7 1	Conoral	25

7.2	Mechanical controllers	26
7.3	Electronic controllers	26
7.4	Application suitability	26
7.5	Location of controllers	26
7.6	Location of sensors	27
7.7	Alarm considerations	27
7.7.1	General	27
7.7.2	Prace heating circuit alarm	27
7.7.3	Temperature alarms	28
7.7.4	Other alarms	28
7.7.5	Integrated control	28
8 Reco	ommendations for installation	28
8.1	General	28
8.2	Preparatory work	29
8.2.1	General	29
8.2.2		
8.2.3	-	
8.2.4	Receiving materials	29
8.2.5	Warehousing and handling	29
8.2.6		
8.3	Installation of trace heating circuits	
8.3.1	Coordination and equipment verification	29
8.3.2		
8.3.3	Visual examination / STAIN 0.2 MOS. ITEM	30
8.3.4	Insulation resistance test	30
8.3.5		
8.3.6	Location of power supply	31
8.3.7	Installation of trace heaters .60070.20.2025	33
ttps://standar8:3.8	h.ai/Connections and terminations38094484h6ea84efef5.d57a7.lieqiea	e-6007 34 0-2-20
8.4	Installation of control and monitoring equipment	36
8.4.1	General	36
8.4.2	Verification of equipment suitability	36
8.4.3	Temperature controller and monitoring devices	36
8.4.4	Sensor considerations	36
8.4.5	Controller operation, calibration, and access	40
8.4.6	Necessary modifications	40
8.5	Installation of thermal insulation system (see also Clause 5)	40
8.5.1	General	40
8.5.2	Preparatory work	41
8.5.3	Installation of the thermal insulation materials	41
8.5.4	Cladding	41
8.5.5	Field (site work) circuit insulation resistance test	42
8.5.6	Visual inspection	42
8.5.7	Documentation	42
8.6	Installation of distribution wiring and coordination with branch circuits	42
8.6.1	General	42
8.6.2	Earth fault protective device	42
8.6.3	Circuit protective device	43
864	Tagging/Identification	43

8.7	7 (Commissioning	43
8	3.7.1	Pre-commissioning check	43
8	3.7.2	Functional check and final documentation	43
9 1	Mainte	enance	44
9.1	1 (General	44
9.2	2 F	Fault location	45
9.3	3 F	Fault rectification	45
10 F	Repair	⁻ S	45
10	.1 (General	45
10	.2 F	Practicability of repair to electric trace heaters	45
1	10.2.1	Mechanical damage	45
1	10.2.2	Damage due to corrosion	46
1	10.2.3	Damage due to overheating	46
10	.3 F	Repair techniques for electrical trace heaters	46
1	10.3.1	General	46
	10.3.2	•	46
	10.3.3	,	
10		Earthing	
10		Testing	
	-	nformative) Example of design data record	
Anne	x B (ir	nformative) Checklist for installation requirements	50
Anne	x C (iı	nformative) Example of trace heater commissioning record	51
Anne	x D (iı	nformative) Example of maintenance schedule and log record	52
		nformative) Pipe heat loss considerations - Heat loss formula and examp	
		Document Preview	
Anne	x F (ir	nformative) Vessel heat loss considerations	60
F.		General <u>IEC/IEEE 60079-30-2:2023</u>	60
andard	2 s.itel	nsulation heat loss (Q_{ins})	:e-6007,600-2 -
F.:	3 8	Slab surface areas ($Q_{\sf Slab}$)	61
F.4	4 5	Support heat loss ($Q_{\sf Supt}$)	62
F.:		Manhole heat loss ($Q_{manhole}$)	
F.6		Convection coefficient formulae	
	5.6.1	General	
	6.2	Free convection, nonfluid surface, any orientation (h_i, h_{CO}, h_{O})	
	6.3	Forced convection, any orientation (h_0)	
	=.6.4	Radiation component, all coefficients (h_f, h_i, h_{CO}, h_0)	
	-	nformative) Heat up and cool down considerations	
G.		Heat up	
G.		Cool down	
		nformative) Method to determine equivalent thicknesses of insulating	
			69
Anne	x I (in	formative) Frost heave prevention	70
1.1		General	
1.2		Design information	
	.2.1	General	
	.2.2	Construction details of the floor	

	Electrical considerations	71
1.3	Heat load determination	71
1.3.1	General	71
1.3.2	Trace heater layout and component mounting	73
1.3.3	Electrical design	73
1.4	Control and monitoring system design	74
1.4.1	Control options	74
1.4.2	Monitoring	74
1.5	Special design considerations	74
1.6	Installation	74
1.7	Maintenance	75
1.7.1	General	75
1.7.2	Training of maintenance personnel	75
1.7.3	Frequency of inspection	75
1.7.4	Maintenance program documentation	75
1.7.5	Visual evaluation	76
1.7.6	Electrical evaluation	76
1.7.7	Review of the electrical protection system	76
1.8	Repair	76
Bibliograp	hy	77
Eiguro 1	Lien.Standards	
rigule i -	- Thermal insulation - Weather-barrier installation	13
Figure 2 -	- Typical temperature profile	14
Figure 2 -	- Typical temperature profile	14
Figure 2 -	- Typical temperature profile - Flow pattern analysis example	14 23
Figure 2 - Figure 3 - Figure 4 -	- Typical temperature profile - Flow pattern analysis example - Bypass example	14 23
Figure 2 - Figure 3 - Figure 4 - Figure 5 -	- Typical temperature profile	14 23 24
Figure 2 - Figure 3 - Figure 4 - Figure 5 - Imiting co	- Typical temperature profile - Flow pattern analysis example - Bypass example	14 23 24
Figure 2 - Figure 3 - Figure 4 - Figure 5 - Imiting co Figure 6 -	- Typical temperature profile	14 23 24 38
Figure 2 - Figure 3 - Figure 4 - Figure 5 - Imiting co Figure 6 - Figure 7 -	- Typical temperature profile	14 23 24 38 39
Figure 2 - Figure 3 - Figure 4 - Figure 5 - Iimiting co Figure 6 - Figure 7 - Figure E.	- Typical temperature profile	14 23 24 38 39 39
Figure 2 - Figure 3 - Figure 4 - Figure 5 - Imiting co Figure 6 - Figure 7 - Figure E.7 Figure I.1	- Typical temperature profile	14 23 24 38 39 39 39
Figure 2 - Figure 3 - Figure 4 - Figure 5 - Imiting co Figure 6 - Figure 7 - Figure E.7 Figure I.1	Typical temperature profile Flow pattern analysis example Bypass example Typical installation of control sensor-and or sensor for high temperature introl limiter Limiting device High temperature limiter sensor on sheath of trace heater Limiting device High temperature limiter sensor as artificial hot spot	14 23 24 38 39 39 39
Figure 2 - Figure 3 - Figure 4 - Figure 5 - Iimiting co Figure 6 - Figure 7 - Figure E.7 Figure I.1 Figure I.2	Typical temperature profile Flow pattern analysis example Bypass example Typical installation of control sensor-and or sensor for high temperature introl limiter Limiting device High temperature limiter sensor on sheath of trace heater Limiting device High temperature limiter sensor as artificial hot spot	14 23 24 38 39 39 54 70 73
Figure 2 - Figure 3 - Figure 4 - Figure 5 - Imiting co Figure 6 - Figure 7 - Figure E.' Figure I.1 Figure I.2	- Typical temperature profile	14 23 24 38 39 39 54 70 73
Figure 2 - Figure 3 - Figure 4 - Figure 5 - Iimiting co Figure 6 - Figure 7 - Figure E.1 Figure I.1 Figure I.2 Table 1 - Table A.1	Typical temperature profile	14 23 24 38 39 39 54 70 73
Figure 2 - Figure 3 - Figure 4 - Figure 5 - Imiting co Figure 6 - Figure 7 - Figure E.7 Figure I.1 Figure I.2 Table 1 - Table A.1 Table B.1	Typical temperature profile Flow pattern analysis example Bypass example Typical installation of control sensor-and or sensor for high temperature introl limiter Limiting device High temperature limiter sensor on sheath of trace heater Limiting device High temperature limiter sensor as artificial hot spot Assumed temperature gradients Typical frost heave prevention substructure Frost heave prevention power requirements Pre-installation checks Example of design data record	14 23 24 38 39 54 70 73

Explosive atmospheres Part 30-2: Electrical resistance trace heating Guidance on application for design, installation and maintenance

FOREWORD

1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC document(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation.

IEEE Standards documents are developed within IEEE Societies and Standards Coordinating Committees of the IEEE Standards Association (IEEE SA) Standards Board. IEEE develops its standards through a consensus development process, approved by the American National Standards Institute, which brings together volunteers representing varied viewpoints and interests to achieve the final product. Volunteers are not necessarily members of IEEE and serve without compensation. While IEEE administers the process and establishes rules to promote fairness in the consensus development process, IEEE does not independently evaluate, test, or verify the accuracy of any of the information contained in its standards. Use of IEEE Standards documents is wholly voluntary. IEEE documents are made available for use subject to important notices and legal disclaimers (see https://standards.ieee.org/ipr/disclaimers.html for more information).

IEC collaborates closely with IEEE in accordance with conditions determined by agreement between the two organizations. This Dual Logo International Standard was jointly developed by the IEC and IEEE under the terms of that agreement.

- 2) The formal decisions of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees. The formal decisions of IEEE on technical matters, once consensus within IEEE Societies and Standards Coordinating Committees has been reached, is determined by a balanced ballot of materially interested parties who indicate interest in reviewing the proposed standard. Final approval of the IEEE standards document is given by the IEEE Standards Association (IEEE SA) Standards Board.
- 3) IEC/IEEE Publications have the form of recommendations for international use and are accepted by IEC National Committees/IEEE Societies in that sense. While all reasonable efforts are made to ensure that the technical content of IEC/IEEE Publications is accurate, IEC or IEEE cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications (including IEC/IEEE Publications) transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC/IEEE Publication and the corresponding national or regional publication shall be clearly indicated in the latter 04-3809-4484-b6ea-84efef5d57a7/iec-ieee-60079-3
 - 5) IEC and IEEE do not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC and IEEE are not responsible for any services carried out by independent certification bodies.
 - 6) All users should ensure that they have the latest edition of this publication.
 - 7) No liability shall attach to IEC or IEEE or their directors, employees, servants or agents including individual experts and members of technical committees and IEC National Committees, or volunteers of IEEE Societies and the Standards Coordinating Committees of the IEEE Standards Association (IEEE SA) Standards Board, for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC/IEEE Publication or any other IEC or IEEE Publications.
 - 8) Attention is drawn to the normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
 - 9) Attention is drawn to the possibility that implementation of this IEC/IEEE Publication may require use of material covered by patent rights. By publication of this standard, no position is taken with respect to the existence or validity of any patent rights in connection therewith. IEC or IEEE shall not be held responsible for identifying Essential Patent Claims for which a license may be required, for conducting inquiries into the legal validity or scope of Patent Claims or determining whether any licensing terms or conditions provided in connection with submission of a Letter of Assurance, if any, or in any licensing agreements are reasonable or non-discriminatory. Users of this standard are expressly advised that determination of the validity of any patent rights, and the risk of infringement of such rights, is entirely their own responsibility.

This redline version of the official IEC Standard allows the user to identify the changes made to the previous edition IEC/IEEE 60079-30-2:2015. A vertical bar appears in the margin wherever a change has been made. Additions are in green text, deletions are in strikethrough red text.