



IEEE

IEC/IEEE 65700-19-03

Edition 2.0 2025-07
REDLINE VERSION

INTERNATIONAL STANDARD

REDLINE VERSION

Bushings for DC application

Itch Standards
(<https://standards.itech.ai>)
Document Preview

[IEC/IEEE 65700-19-03:2025](https://standards.itech.ai/catalog/standards/iec/4f14b47c-e06a-4859-b3e3-b18fefaf2416/iec-ieee-65700-19-03-2025)

<https://standards.itech.ai/catalog/standards/iec/4f14b47c-e06a-4859-b3e3-b18fefaf2416/iec-ieee-65700-19-03-2025>



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2025 IEC, Geneva, Switzerland

Copyright © 2025 IEEE

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing being secured. Requests for permission to reproduce should be addressed to either IEC at the address below or IEC's member National Committee in the country of the requester or from IEEE.

IEC Secretariat
3, rue de Varembe
CH-1211 Geneva 20
Switzerland
Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

Institute of Electrical and Electronics Engineers, Inc.
3 Park Avenue
New York, NY 10016-5997
United States of America
stds.ipr@ieee.org
www.ieee.org

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About the IEEE

IEEE is the world's largest professional association dedicated to advancing technological innovation and excellence for the benefit of humanity. IEEE and its members inspire a global community through its highly cited publications, conferences, technology standards, and professional and educational activities.

About IEC/IEEE publications

The technical content of IEC/IEEE publications is kept under constant review by the IEC and IEEE. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Discover our powerful search engine and read freely all the publications previews, graphical symbols and the glossary. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 500 terminological entries in English and French, with equivalent terms in 25 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD.....	7
INTRODUCTION.....	9
1 Scope.....	11
2 Normative references	11
3 Terms, definitions, acronyms and symbols variables	13
3.1 Terms and definitions.....	13
3.2 List of acronyms and variables	16
4 Profiles and use of normative references	17
5 Ratings.....	17
5.1 Rated voltages.....	17
5.1.1 Rated continuous DC voltage	17
5.1.2 Rated peak voltage.....	18
5.1.3 Rated harmonic voltages	18
5.2 Insulation levels	18
5.3 Rated currents	18
5.3.1 General	18
5.3.2 Pure DC voltage applications.....	18
5.3.3 Combined voltage applications	19
5.4 Rated frequency	19
4.5 Pollution parameters	
5.5 Unified Specific Creepage Distance	20
6 Operating conditions.....	22
6.1 Electrical requirements	
6.2 Mechanical requirements	
6.1 General.....	22
6.2 Factors affecting design, testing and application	23
6.3 Altitude correction.....	24
6.4 Interchangeability	27
6.5 Transformer insulating liquid	27
7 General requirements	27
7.1 Nameplate markings	27
8 Test requirements.....	28
8.1 General requirements	28
8.2 Test conditions	29
8.2.1 Air temperature.....	29
8.2.2 Humidity	29
8.2.3 Correction factors	29
8.3 Test classification	29
8.3.1 Type (or design) tests.....	29
8.3.2 Routine tests	30
8.3.3 Special tests.....	30
9 Type (design) tests.....	30
9.1 Dry power-frequency voltage withstand test with partial discharge measurement.....	30
9.1.1 Applicability	30
9.1.2 Test method and requirements	31

9.1.3	Acceptance.....	31
9.2	Dry lightning impulse voltage withstand test (LI or BIL)	31
9.2.1	Applicability	31
9.2.2	Test method and requirements	31
9.2.3	Acceptance.....	31
9.3	Dry or wet switching impulse voltage withstand test (SIL SI or BSL).....	31
9.3.1	Applicability	31
9.3.2	Test method and requirements	32
9.3.3	Acceptance.....	32
9.4	Electromagnetic compatibility tests (EMC)	32
9.4.1	Emission test.....	32
8.4.2	Immunity test.....	33
9.5	Temperature rise test.....	33
9.5.1	Applicability	33
9.5.2	Test method and requirements	33
9.5.3	Acceptance.....	34
9.6	Cantilever load withstand test	34
9.6.1	Applicability	34
9.6.2	Test method and requirements	34
9.6.3	Acceptance.....	35
9.7	Tightness test on liquid-filled, compound-filled and liquid-insulated bushings.....	36
9.8	Internal pressure test on gas-filled, gas-insulated and gas-impregnated bushings	36
9.9	Verification of dimensions	36
9.10	Draw-lead bushing cap pressure test	36
9.10.1	Applicability	36
9.10.2	Test method and requirements	36
9.10.3	Acceptance.....	36
10	Routine tests	36
10.1	Measurement of dielectric dissipation factor ($\tan \delta$) and capacitances	36
10.1.1	Applicability	36
10.1.2	Test method and requirements	36
10.1.3	Acceptance.....	36
10.2	Dry lightning impulse voltage withstand test (LI or BIL)	37
10.2.1	Applicability	37
10.2.2	Test method and requirements	37
10.2.3	Acceptance.....	37
10.3	Dry power-frequency voltage withstand test with partial discharge measurement.....	37
10.3.1	Applicability	37
10.3.2	Test method and requirements	37
10.3.3	Acceptance.....	38
10.4	DC applied voltage withstand test with partial discharge measurement	39
10.4.1	Applicability	39
10.4.2	Test method and requirements	39
10.4.3	Acceptance.....	40
10.5	Polarity reversal test with partial discharge measurement	40
10.5.1	Applicability	40
10.5.2	Test method and requirements	40

10.5.3	Acceptance.....	42
10.6	Dry switching impulse voltage withstand test.....	42
10.6.1	Applicability	42
10.6.2	Test method and requirements	43
10.6.3	Acceptance.....	43
10.7	Test of tap insulation.....	43
10.8	Internal pressure test on gas-filled, gas-insulated, and gas-impregnated bushings	43
10.9	Tightness test on liquid-filled, compound-filled and liquid-insulated bushings	43
10.10	Tightness test on gas-filled, gas-insulated and gas-impregnated bushings	43
10.11	Tightness test at the flange or other fixing device	43
10.12	Visual inspection and dimensional check	43
11	Special tests	43
11.1	General.....	43
11.2	Artificial pollution test.....	44
11.2.1	Applicability	44
11.2.2	Test method and requirements	44
11.2.3	Acceptance.....	44
11.3	Even wetting DC voltage test	44
11.3.1	Applicability	44
11.3.2	Test method and requirements	44
11.3.3	Acceptance.....	45
10.3	Uneven wetting DC voltage test	44
12	Recommendations for transport, storage, erection, operation, and maintenance	46
12.1	General.....	46
12.2	Conditions during transport, storage, and installation	46
12.3	Installation	46
12.4	Unpacking and lifting	46
12.5	Assembly	46
12.5.1	General	46
12.5.2	Mounting	47
12.5.3	Connections	47
12.5.4	Final installation inspection.....	47
12.6	Operation.....	48
12.7	Maintenance	48
12.7.1	General	48
12.7.2	Recommendation for the manufacturer	48
12.7.3	Recommendations for the user	48
12.7.4	Failure report.....	49
13	Safety.....	50
13.1	General.....	50
13.2	Electrical aspects.....	50
13.3	Mechanical aspects	50
13.4	Thermal aspects	50
14	Environmental aspects	51
Annex A (informative) Bushings used in voltage source converters (VSC) HVDC schemes		52
A.1	Introduction Overview	52
A.2	Design	54

A.1.3 Tests	
A.1.4 Supporting Published Material	
Annex B (informative) Temperature rise test methods for the determination of the equivalent test current circuit	56
B.1 Introduction Overview	56
B.2 Basics concerning the losses in distorted operation	56
B.3 Analytical calculation	57
B.4 Finite element method calculation	57
B.5 Calculation by enhancement factors as described in IEC 61378-1	58
B.6 Examples of calculation based on different approaches	59
B.6.1 General	59
B.6.2 Calculation based on the Analytical method	60
B.6.3 Calculation based on the Finite Element Method	62
B.6.4 Calculation based on the Enhancement factor according to IEC 61378-1	63
B.7 References	
Annex C (informative) Typical HVDC topologies	65
C.1 Overview	65
C.2 Typical LCC topologies	65
C.3 Typical VSC topologies	68
Annex D (informative) Uneven wetting DC voltage test	70
D.1 Overview	70
D.2 Historical background to uneven wetting DC voltage test	70
D.3 Test description	70
D.3.1 Test method and requirements	70
D.3.2 Acceptance	71
Annex E (informative) Examples of calculation of minimum creepage and arcing distances under polluted conditions	72
E.1 General	72
E.2 Transformer and wall bushings for combined voltage applications	72
E.3 Wall bushings for pure DC voltage application	76
Annex F (informative) IEC / IEEE cross references	80
Bibliography	82
Figure 1 – Altitude correction factor	
Figure 1 – Factor m on the coordination switching impulse withstand voltage	26
Figure 2 – Polarity reversal test profile	41
Figure A.1 – Two-level VSC HVDC converter station applied in a bipolar scheme with DC cable transmission	53
Figure A.2 – Multi-level VSC HVDC converter station applied in a monopolar scheme with DC overhead line transmission	54
Figure C.1 – Explanation of symbols	65
Figure C.2 – Bipolar LCC configuration with two 6-pulse bridges per pole	66
Figure C.3 – Bipolar LCC configuration with four 6-pulse bridges per pole. Only one pole is shown but that pole follows the same principle	67
Figure C.4 – Mid-point earthed LCC converter configuration with two 6-pulse bridges per converter. Often used for Back-to-Back configurations	68
Figure C.5 – Symmetric VSC converter configuration	68

Figure C.6 – Asymmetric VSC converters forming a bipolar configuration	69
Figure E.1 – Composite insulator real geometry	77
Figure E.2 – Composite insulator simplified geometry	78
Table 1 – Temperature of ambient air and immersion media	23
Table 2 – Type, routine, and special tests	30
Table 3 – Minimum values of cantilever withstand load	35
Table 4 – Maximum values of $\tan \delta$ and $\tan \delta$ increase	37
Table 5 – Maximum values of partial discharge quantity	39
Table B.1 – Valve side connected bushing current harmonic spectrum	60
Table B.2 – Calculation based on the analytical method	61
Table B.3 – Calculation based on Finite Element Method	62
Table B.4 – Calculation based on IEC 61378-1 enhancement factor F_{CE}	63

iTeh Standards

(<https://standards.iteh.ai>)

Document Preview

[IEC/IEEE 65700-19-03:2025](https://standards.iteh.ai/catalog/standards/iec/4f14b47c-e06a-4859-b3e3-b18fefaf2416/iec-ieee-65700-19-03-2025)

<https://standards.iteh.ai/catalog/standards/iec/4f14b47c-e06a-4859-b3e3-b18fefaf2416/iec-ieee-65700-19-03-2025>