

TECHNICAL REPORT

REDLINE VERSION

Audio/video, information and communication technology equipment -
Part 2: Explanatory information related to IEC 62368-1:2023

(<https://standards.iteh.ai>)

Document Preview

[IEC TR 62368-2:2025](https://standards.iteh.ai/catalog/standards/iec/73241a63-c751-4b85-96d5-2b126c537643/iec-tr-62368-2-2025)

<https://standards.iteh.ai/catalog/standards/iec/73241a63-c751-4b85-96d5-2b126c537643/iec-tr-62368-2-2025>



THIS PUBLICATION IS COPYRIGHT PROTECTED
Copyright © 2025 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Secretariat
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search -

webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Discover our powerful search engine and read freely all the publications previews, graphical symbols and the glossary. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 500 terminological entries in English and French, with equivalent terms in 25 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

[IEC TR 62368-2:2025](https://standards.iteh.ai/catalog/standards/iec/73241a63-c751-4b85-96d5-2b126c537643/iec-tr-62368-2-2025)

<https://standards.iteh.ai/catalog/standards/iec/73241a63-c751-4b85-96d5-2b126c537643/iec-tr-62368-2-2025>

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD.....	8
INTRODUCTION.....	1
0 Principles of this product safety standard	12
1 Scope.....	15
2 Normative references	15
3 Terms, definitions and abbreviations	15
4 General requirements	18
4.2 Energy source classifications.....	21
4.6 Fixing of conductors and conductive parts	25
4.7 Equipment for direct insertion into mains socket-outlets.....	26
4.8 Equipment containing coin or button cell batteries	26
4.9 Likelihood of fire or shock due to entry of conductive objects.....	27
5 Electrically-caused injury.....	27
5.4 Insulation materials and requirements.....	43
5.5 Components as safeguards.....	70
5.6 Protective conductor	73
5.7 Prospective touch voltage, touch current and protective conductor current	75
5.8 Backfeed safeguard in battery backed up supplies.....	80
6 Electrically-caused fire	82
6.2 Classification of power sources and potential ignition sources	82
6.3 Safeguards against fire under normal operating conditions and abnormal operating conditions.....	86
6.4 Safeguards against fire under single fault conditions	92
6.6 Safeguards against fire due to the connection of additional equipment	120
7 Injury caused by hazardous substances	120
8 Mechanically-caused injury.....	124
8.1 General.....	124
8.2 Mechanical energy source classifications.....	124
8.3 Safeguards against mechanical energy sources.....	125
8.4 Safeguards against parts with sharp edges and corners	126
8.5 Safeguards against moving parts	126
8.6 Stability of equipment	127
8.7 Equipment mounted to a wall, ceiling or other structure	128
8.8 Handle strength	129
8.9 Wheels or casters attachment requirements.....	129
8.10 Carts, stands, and similar carriers.....	129
8.11 Mounting means for slide-rail mounted equipment (SRME)	130
9 Thermal burn injury	131
9.1 General.....	131
9.2 Thermal energy source classifications.....	135
9.3 Touch temperature limits.....	136
9.4 Safeguards against thermal energy sources.....	140
9.6 Requirements for wireless power transmitters.....	141
10 Radiation.....	142
10.2 Radiation energy source classifications	142
10.3 Safeguards against laser radiation.....	145

10.4	Safeguards against optical radiation from lamps and lamp systems (including LED types).....	145
10.5	Safeguards against X-radiation	145
10.6	Safeguards against acoustic energy sources	145
Annex A	Examples of equipment within the scope of this standard IEC 62368-1	149
Annex B	Normal operating condition tests, abnormal operating condition tests and single fault condition tests	149
B.1	General – Equipment safeguards during various operating conditions	149
B.2 – B.3 – B.4	Operating modes	153
Annex C	UV radiation	154
Annex D	Test generators	154
Annex E	Test conditions for equipment containing audio amplifiers intended to amplify audio signals	154
Annex F	Equipment markings, instructions, and instructional safeguards.....	155
F.3	Equipment markings	155
F.4	Instructions	161
F.5	Instructional safeguards.....	161
Annex G	Components	162
G.1	Switches	162
G.7	Mains power supply cords and interconnection cables	166
G.8	Varistors	166
G.9	Integrated circuit (IC) current limiters	167
G.11	Capacitors and RC units	168
G.13	Printed boards	172
G.14	Coatings on component terminals	172
G.15	Pressurized liquid filled components or LFC assemblies	172
Annex H	Criteria for telephone ringing signals	179
H.2	Method A	179
H.3	Method B	181
Annex J	Insulated winding wires for use without interleaved insulation.....	181
Annex K	Safety interlocks	181
K.7.1	Safety interlocks	181
Annex L	Disconnect devices.....	182
Annex M	Equipment containing batteries and their protection circuits.....	183
M.1	General requirements	183
M.2	Safety of batteries and their cells	183
M.3	Protection circuits for batteries provided within the equipment	191
M.4	Additional safeguards for equipment containing a secondary lithium battery	191
Annex O	Measurement of creepage distances and clearances	194
Annex P	Safeguards against conductive objects	195
P.1	General.....	195
P.2	Safeguards against entry or consequences of entry of a foreign object	195
P.3	Safeguards against spillage of internal liquids	196
P.4	Metallized coatings and adhesives securing parts	197
Annex Q	Circuits intended for interconnection with building wiring	197
Q.2	Test for external circuits – paired conductor cable	197
Annex R	Limited short-circuit test	198

Annex S	Tests for resistance to heat and fire	198
S.1	Flammability test for fire enclosure and fire barrier materials of equipment where the steady-state power does not exceed 4 000 W	198
S.2	Flammability test for fire enclosure and fire barrier integrity	198
S.3	Flammability tests for the bottom of a fire enclosure	199
S.4	Flammability classification of materials	199
S.5	Flammability test for fire enclosure materials of equipment with a steady state power exceeding 4 000 W	199
S.6	Grille covering material, cloth, and reticulated foam	200
Annex T	Mechanical strength tests	200
T.2	Steady force test, 10 N	200
T.3	Steady force test, 30 N	200
T.4	Steady force test, 100 N	200
T.5	Steady force test, 250 N	200
T.6	Enclosure impact test.....	200
T.7	Drop test.....	201
T.8	Stress relief test.....	201
T.9	Glass impact test	201
T.10	Glass fragmentation test	201
Annex U	Mechanical strength of CRTs and protection against the effects of implosion	201
U.2	Test method and compliance criteria for non-intrinsically protected CRTs	201
Annex V	Determination of accessible parts	202
Annex X	Alternative method for determining clearances for insulation in circuits connected to an AC mains not exceeding 420 V peak (300 V RMS)	202
Annex Y	Construction requirements for outdoor enclosures.....	203
Y.3	Resistance to corrosion	204
Annex A (informative)	Background information related to the use of SPDs surge suppressors.....	205
A.1	Industry demand for incorporating SPDs surge suppressors in the equipment.....	205
A.2	Technical environment of relevant component standards	206
A.3	Technical discussion.....	207
A.2	Considerations on surge suppressors bridging both sides of a safeguard.....	211
A.3	Considerations on a surge suppressor used for ID1 external circuit in class II equipment.....	212
A.4	Information about follow current (or follow-on current)	207
Annex B (informative)	Background information related to measurement of discharges – Determining the R-C discharge time constant for X and Y capacitors	227
B.1	General.....	227
B.2	EMC filters	227
B.3	The safety issue and solution.....	227
B.4	The requirement	228
B.5	100 MΩ probes	228
B.6	The R-C time constant and its parameters	229
B.7	Time constant measurement.....	232
B.8	Effect of probe resistance	235
B.9	Effect of probe capacitance.....	236
B.10	Determining the time constant.....	236
B.11	Conclusion.....	238

Annex C (informative) Background information related to resistance to candle flame ignition.....	239
Annex D (informative) Surge suppressers used between mains and an external circuit ID1 as specified in Table 13.....	240
Bibliography.....	241
Figure 1 – Risk reduction as given in ISO/IEC Guide 51	13
Figure 2 – HBSE Process Chart.....	14
Figure 3 – Protective bonding conductor as part of a safeguard.....	18
Figure 4 – Safeguards for protecting an ordinary person.....	22
Figure 5 – Safeguards for protecting an instructed person	22
Figure 6 – Safeguards for protecting a skilled person.....	23
Figure 7 – Flow chart showing the intent of the glass requirements.....	25
Figure 8 – Conventional time/current zones of effects of AC currents (15 Hz to 100 Hz) on persons for a current path corresponding to left hand to feet (see IEC TS 60479-1:20052018, Figure 20).....	30
Figure 9 – Conventional time/current zones of effects of DC currents on persons for a longitudinal upward current path (see IEC TS 60479-1:20052018, Figure 22)	31
Figure 10 – Illustration that limits depend on both voltage and current.....	32
Figure 11 – Typical example.....	39
Figure 12 – Example 1.....	40
Figure 13 – Example 2.....	40
Figure 14 – Flow chart for determining clearances.....	47
Figure 15 – Illustration of working voltage.....	48
Figure 16 – Illustration of transient voltages on paired conductor external circuits	50
Figure 17 – Illustration of transient voltages on coaxial-cable external circuits	51
Figure 18 – Examples of transmission mode and applied conductors.....	52
Figure 19 – Basic and reinforced insulation in Table 14 of IEC 62368-1:2018 ; ratio reinforced to basic	53
Figure 20 – Reinforced clearances according to Rule 1, Rule 2, and Table 14	55
Figure 21 – Example illustrating accessible internal wiring.....	63
Figure 22 – Waveform on insulation without surge suppressors and no breakdown.....	66
Figure 23 – Waveforms on insulation during breakdown without surge suppressors	66
Figure 24 – Waveforms on insulation with surge suppressors in operation	66
Figure 25 – Waveform on short-circuited surge suppressor and insulation	67
Figure 26 – Normal operating condition.....	68
Figure 27 – Single fault condition.....	68
Figure 28 – Single fault condition; hazardous situation if 5.4.11 is not fulfilled	69
Figure 29 – Parts earthed in one piece of equipment	69
Figure 30 – Equipment 2 with connection to a network.....	70
Figure 31 – Example for an ES2 source.....	70
Figure 32 – Example for an ES3 source.....	71
Figure 33 – Overview of protective conductors.....	73
Figure 34 – Example of a typical touch current measuring network	76
Figure 35 – Touch current from a floating circuit	78

Figure 36 – Touch current from an earthed circuit	78
Figure 37 – Summation of touch currents in a PABX	79
Figure 38 – Possible safeguards against electrically-caused fire	86
Figure 39 – Fire clause flow chart	89
Figure 40 – Prevent ignition flow chart	95
Figure 41 – Control fire spread summary	96
Figure 42 – Control fire spread PS2	97
Figure 43 – Control fire spread PS3	98
Figure 44 – Fire cone application to a large component	110
Figure 45 – Calculation of side opening size	117
Figure 46 – Flowchart demonstrating the hierarchy of hazard management	123
Figure 47 – Model for chemical injury	124
Figure 48 – Direction of forces to be applied	128
Figure 49 – Model for a burn injury	132
Figure 50 – Model for safeguards against thermal burn injury	134
Figure 51 – Model for absence of a thermal hazard	134
Figure 52 – Model for presence of a thermal hazard with a physical safeguard in place	134
Figure 53 – Model for presence of a thermal hazard with behavioural safeguard in place	135
Figure 54 – Direct plug in	137
Figure 55 – External power supply	137
Figure 56 – Examples of symmetrical single coils	142
Figure 57 – LED parameters	142
Figure 58 – Flowchart for evaluation of Image projectors (beamers)	144
Figure 59 – Graphical representation of $L_{Aeq,T}$	146
Figure 60 – Overview of operating modes	153
Figure 61 – Typical examples of class I equipment	156
Figure 62 – Typical examples of class I equipment with class II construction	157
Figure 63 – Typical examples of class II equipment	158
Figure 64 – Typical examples of class II equipment with functional earth	159
Figure 65 – Typical examples of class II equipment with functional earth, making use of a class I mains connector	160
Figure 66 – Typical examples of class II equipment with functional earth, making use of a class I mains connector and a separate functional earthing connection	161
Figure 67 – Voltage-current characteristics (Typical data)	163
Figure 68 – Example of IC current limiter circuit	168
Figure 69 – Example of application of Rule 3, first dash	170
Figure 70 – Example of application of Rule 3, second dash	171
Figure 71 – Example on how to use Table G.12	171
Figure 72 – Decision flowchart	173
Figure 73 – Illustration of a self-contained LFC system	175
Figure 74 – Illustration of a modular LFC system	176
Figure 75 – Example illustration of a rack modular LFC subsystems with internal and external connections	177