

Edition 4.0 2025-07

TECHNICAL REPORT

Audio/video, information and communication technology equipment - Part 2: Explanatory information related to IEC 62368-1:2023

(https://standards.iteh.ai)
Document Preview

IEC TR 62368-2:2025

https://standards.iteh.ai/catalog/standards/iec/73241a63-c751-4b85-96d5-2b126c537643/iec-tr-62368-2-202

C TR 62368-2:2025-07(en)

ICS 33.160.01 ISBN 978-2-8327-0533-9



THIS PUBLICATION IS COPYRIGHT PROTECTED Copyright © 2025 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Secretariat Tel.: +41 22 919 02 11

3, rue de Varembé info@iec.ch CH-1211 Geneva 20 www.iec.ch Switzerland

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search -

webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublishedStay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc
If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Discover our powerful search engine and read freely all the publications previews, graphical symbols and the glossary. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 500 terminological entries in English and French, with equivalent terms in 25 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

Preview

<u> 1EC TR 62368-2:2025</u>

CONTENTS

F	OREWO	DRD	8
IN	ITRODI	JCTION	11
0	Prin	ciples of this product safety standard	12
1		De	
2		native references	
3		ns, definitions and abbreviations	
4		eral requirements	
	4.2	Energy source classifications	
	4.6	Fixing of conductors and conductive parts	
	4.7	Equipment containing sain or button cell betteries	
	4.8 4.9	Equipment containing coin or button cell batteries	
5		trically-caused injury	
J	5.4		
	5.5	Insulation materials and requirements Components as safeguards	
	5.6	Protective conductor	
	5.7	Prospective conductor	
	5.8	Backfeed safeguard in battery backed up supplies	
6		trically-caused fire	
	6.2	Classification of power sources and potential ignition sources	
	6.3	Safeguards against fire under normal operating conditions and abnormal	00
	0.0	operating conditions	84
	6.4	Safeguards against fire under single fault conditions	90
	6.6	Safeguards against fire due to the connection of additional equipment	115
7	Injur	y caused by hazardous substances	115
8	Мес	hanically-caused injury	
	8.1	General	
	8.2	Mechanical energy source classifications	119
	8.3	Safeguards against mechanical energy sources	120
	8.4	Safeguards against parts with sharp edges and corners	121
	8.5	Safeguards against moving parts	
	8.6	Stability of equipment	122
	8.7	Equipment mounted to a wall, ceiling or other structure	
	8.8	Handle strength	
	8.9	Wheels or casters attachment requirements	
	8.10	Carts, stands, and similar carriers	
_	8.11	Mounting means for slide-rail mounted equipment (SRME)	
9		mal burn injury	
	9.1	General	
	9.2	Thermal energy source classifications	
	9.3	Touch temperature limits	
	9.4	Safeguards against thermal energy sources	
1(9.6 D. Bad	Requirements for wireless power transmitters	
1 (iation	
	10.2	Radiation energy source classifications	
	10.3	Safeguards against laser radiation	140

10.4	(including LED types)	140
10.5	Safeguards against X-radiation	
10.5	Safeguards against acoustic energy sources	
Annex A	Examples of equipment within the scope of IEC 62368-1	
		144
Annex B	Normal operating condition tests, abnormal operating condition tests and single fault condition tests	
B.1	General – Equipment safeguards during various operating conditions	144
	B.3 – B.4 Operating modes	148
Annex C	UV radiation	149
Annex D	Test generators	149
Annex E	Test conditions for equipment intended to amplify audio signals	149
Annex F	Equipment markings, instructions, and instructional safeguards	150
F.3	Equipment markings	150
F.4	Instructions	156
F.5	Instructional safeguards	
Annex G	Components	157
G.1	Switches	157
G.7	Mains power supply cords and interconnection cables	161
G.8	Varistors	
G.9	Integrated circuit (IC) current limiters	162
G.11	Integrated circuit (IC) current limiters	163
G.13	Printed hoards the sale of the	167
G.14	Coatings on component terminals	167
G.15	Pressurized liquid filled components or LFC assemblies	167
Annex H	Criteria for telephone ringing signals	174
H.2	Method A	174
H.3	Method B <u>IEC TR 62368-2:2025</u>	176 62368-2-2025
Annex J	Insulated winding wires for use without interleaved insulation	176
Annex K	Safety interlocks	176
K.7.1	Safety interlocks	176
Annex L	Disconnect devices	177
Annex M	Equipment containing batteries and their protection circuits	178
M.1	General requirements	178
M.2	Safety of batteries and their cells	
M.3	Protection circuits for batteries provided within the equipment	186
M.4	Additional safeguards for equipment containing a secondary lithium battery	186
Annex O	Measurement of creepage distances and clearances	189
Annex P	Safeguards against conductive objects	190
P.1	General	190
P.2	Safeguards against entry or consequences of entry of a foreign object	
P.3	Safeguards against spillage of internal liquids	
P.4	Metallized coatings and adhesives securing parts	
Annex Q	Circuits intended for interconnection with building wiring	
Q.2	Test for external circuits – paired conductor cable	
Annex R	Limited short-circuit test	
Annex S	Tests for resistance to heat and fire	

S.1	Flammability test for fire enclosure and fire barrier materials of equipment where the steady-state power does not exceed 4 000 W	103
S.2	Flammability test for fire enclosure and fire barrier integrity	
S.2 S.3		
S.3 S.4	Flammability tests for the bottom of a fire enclosure	
S.4 S.5	Flammability classification of materials	194
0.0	state power exceeding 4 000 W	
S.6	Grille covering material, cloth, and reticulated foam	195
Annex T	Mechanical strength tests	195
T.2	Steady force test, 10 N	195
T.3	Steady force test, 30 N	195
T.4	Steady force test, 100 N	195
T.5	Steady force test, 250 N	195
T.6	Enclosure impact test	195
T.7	Drop test	196
T.8	Stress relief test	196
T.9	Glass impact test	196
T.10	Glass fragmentation test	196
Annex U	Mechanical strength of CRTs and protection against the effects of implosion	196
U.2	Test method and compliance criteria for non-intrinsically protected CRTs	196
Annex V	Determination of accessible parts	
Annex X	Alternative method for determining clearances for insulation in circuits connected to an AC mains not exceeding 420 V peak (300 V RMS)	
Annex Y	Construction requirements for outdoor enclosures	
Y.3	Resistance to corrosion	
_	informative) Background information related to the use of surge suppressors.	
A.1	Industry demand for incorporating surge suppressors in the equipment	
/starAlards.	Considerations on surge suppressors bridging both sides of a safeguard	
A.3	Considerations on a surge suppresser used for ID1 external circuit in class II equipment	
A.4	Information about follow current (or follow-on current)	
Annex B (informative) Background information related to measurement of discharges ning the R-C discharge time constant for X and Y capacitors	
B.1	General	
В.1 В.2	EMC filters	
B.2 B.3	The safety issue and solution	
B.4	The requirement	
B.5	100 MΩ probes	
В.5 В.6	The R-C time constant and its parameters	
В.0 В.7	•	
В. <i>1</i> В.8	Time constant measurement.	
	Effect of probe capacitance	
B.9	Effect of probe capacitance	
B.10	Determining the time constant	
B.11	Conclusion.	∠∠७
ignition	(informative) Background information related to resistance to candle flame	227
	(informative) Surge suppressers used between mains and an external circuit ecified in Table 13	228

Bibliography	229
Figure 1 – Risk reduction as given in ISO/IEC Guide 51	13
Figure 2 – HBSE Process Chart	
Figure 3 – Protective bonding conductor as part of a safeguard	
Figure 4 – Safeguards for protecting an ordinary person	
Figure 5 – Safeguards for protecting an instructed person	
Figure 6 – Safeguards for protecting a skilled person	
Figure 7 – Flow chart showing the intent of the glass requirements	
Figure 8 – Conventional time/current zones of effects of AC currents (15 Hz to 100 Hz) on persons for a current path corresponding to left hand to feet (see IEC 60479-1:2018, Figure 20)	
Figure 9 – Conventional time/current zones of effects of DC currents on persons for a longitudinal upward current path (see IEC 60479-1:2018, Figure 22)	
Figure 10 – Illustration that limits depend on both voltage and current	31
Figure 11 – Typical example	38
Figure 12 – Example 1	39
Figure 13 – Example 2	39
Figure 14 – Flow chart for determining clearances	45
Figure 15 – Illustration of working voltage	46
Figure 16 – Illustration of transient voltages on paired conductor external circuits	48
Figure 17 – Illustration of transient voltages on coaxial-cable external circuits	49
Figure 18 – Examples of transmission mode and applied conductors	50
Figure 19 – Basic and reinforced insulation in Table 14; ratio reinforced to basic	51
Figure 20 – Reinforced clearances according to Rule 1, Rule 2, and Table 14	53
Figure 21 – Example illustrating accessible internal wiring	
Figure 22 – Waveform on insulation without surge suppressors and no breakdown	63
Figure 23 – Waveforms on insulation during breakdown without surge suppressors	64
Figure 24 – Waveforms on insulation with surge suppressors in operation	64
Figure 25 – Waveform on short-circuited surge suppressor and insulation	64
Figure 26 – Normal operating condition	66
Figure 27 – Single fault condition	66
Figure 28 – Single fault condition; hazardous situation if 5.4.11 is not fulfilled	67
Figure 29 – Parts earthed in one piece of equipment	67
Figure 30 – Equipment 2 with connection to a network	68
Figure 31 – Example for an ES2 source	68
Figure 32 – Example for an ES3 source	69
Figure 33 – Overview of protective conductors	71
Figure 34 – Example of a typical touch current measuring network	74
Figure 35 – Touch current from a floating circuit	76
Figure 36 – Touch current from an earthed circuit	76
Figure 37 – Summation of touch currents in a PABX	77
Figure 38 – Possible safeguards against electrically-caused fire	84
Figure 39 – Fire clause flow chart	87

Figure 40 – Prevent ignition flow chart	93
Figure 41 – Control fire spread summary	94
Figure 42 – Control fire spread PS2	95
Figure 43 – Control fire spread PS3	96
Figure 44 – Fire cone application to a large component	105
Figure 45 – Calculation of side opening size	112
Figure 46 – Flowchart demonstrating the hierarchy of hazard management	118
Figure 47 – Model for chemical injury	119
Figure 48 – Direction of forces to be applied	123
Figure 49 – Model for a burn injury	127
Figure 50 – Model for safeguards against thermal burn injury	129
Figure 51 – Model for absence of a thermal hazard	129
Figure 52 – Model for presence of a thermal hazard with a physical safeguard in place	129
Figure 53 – Model for presence of a thermal hazard with behavioural safeguard in	
place	
Figure 54 – Direct plug in	
Figure 55 – External power supply	132
Figure 56 – Examples of symmetrical single coils	
Figure 57 – LED parameters	
Figure 58 – Flowchart for evaluation of Image projectors (beamers)	
Figure 59 – Graphical representation of L_{Aeq} , T	141
Figure 60 – Overview of operating modes	148
Figure 61 – Typical examples of class I equipment	151
Figure 62 – Typical examples of class I equipment with class II construction	152
Figure 63 – Typical examples of class II equipment 2.2025	153
Figure 64 - Typical examples of class II equipment with functional earth	.2.154-2-
Figure 65 – Typical examples of class II equipment with functional earth, making use of a class I mains connector	155
Figure 66 – Typical examples of class II equipment with functional earth, making use of a class I mains connector and a separate functional earthing connection	156
Figure 67 – Voltage-current characteristics (Typical data)	
Figure 68 – Example of IC current limiter circuit	
Figure 69 – Example of application of Rule 3, first dash	
Figure 70 – Example of application of Rule 3, second dash	
Figure 71 – Example on how to use Table G.12	
Figure 72 – Decision flowchart	
Figure 73 – Illustration of a self-contained LFC system	
Figure 74 – Illustration of a modular LFC system	
Figure 75 – Example illustration of a rack modular LFC subsystems with internal and external connections	
Figure 76 – CDU liquid cooling system within a data centre	
Figure 77 – Non-CDU liquid cooling system within data centre	
Figure 78 – Current limit curves	
Figure 79 – Example of a dummy battery circuit	
inguio ro – Example di a duminy ballery dirbuit	101