



Edition 2.0 2025-11

TECHNICAL REPORT

Systems interface between customer energy management system and the power management system -

Part 2: Use cases https://standards.iteh.ai)

Document Preview

IEC TR 62746-2:2025

https://standards.iteh.ai/catalog/standards/iec/40fe458f-be75-450d-89e7-f4d2eb025151/iec-tr-62746-2-2025

EC TR 62746-2:2025-11(en)

ICS 33.200 ISBN 978-2-8327-0814-9



THIS PUBLICATION IS COPYRIGHT PROTECTED Copyright © 2025 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Secretariat Tel.: +41 22 919 02 11

3, rue de Varembé info@iec.ch CH-1211 Geneva 20 www.iec.ch

Switzerland

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search -

webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublishedStay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Discover our powerful search engine and read freely all the publications previews, graphical symbols and the glossary. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 500 terminological entries in English and French, with equivalent terms in 25 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

Preview

<u> 1EC TR 62746-2:2025</u>

https://standards.iteh.ai/catalog/standards/iec/40fe458f-be75-450d-89e7-f4d2eb025151/iec-tr-62746-2-2025

CONTENTS

F	OREWO	PRD	5
IN	ITRODU	JCTION	7
1	Scop	pe	10
2	Norn	native references	11
3	Term	ns, definitions and abbreviated terms	11
	3.1	Terms and definitions	
	3.2	Abbreviated terms	
4	_	elines	
	4.1	Common architecture model – Architectural criteria	
	4.2	SG CP (Smart Grid Connection Point)	
	4.2.1		
	4.2.2		
	4.2.3	·	
	4.2.4	,	
	4.2.5	Functional criteria of SG CP (Smart Grid Connection Point)	25
	4.3	The Communication of the Smart Grid and the Smart Grid Connection Point (interface into the premises)	
	4.4	Common messages – information to be exchanged	27
	4.4.1	General	27
	4.4.2		
	4.4.3	Relationship of user stories and use cases	29
	4.4.4		29
	4.4.5	Energy management concepts	32
	4.4.6	Function-specific profiles	34
	4.4.7	1LC 1R 02/40-2.2025	
Αı	nnex A	(informative) User stories and use cases collection	
	A.1	User stories	
	A.1.1		
		JWG1 Flex start washing machine	
	A.1.3	3 3	
	A.1.4	y	
	A.1.5		
	A.1.6	3	
	A.1.7 A.1.8	•	
	A. 1.6	3,	
	A. 1.8	3 ,	
	A.1.1		
	A.1.1	5,	
	A.1.1	•	
	A.1.1		
	A.1.1		
	A.1.1		
	A.1.1	3 1	
	A.1.1	5	

A.1.20 JWG19 Control appliances based on energy savings signal	A.1.19	JWG18 Control appliances based on price information	49
A.1.22 JWG21 Control appliances in case of natural disaster	A.1.20	JWG19 Control appliances based on energy savings signal	50
A.1.23 JWG22 Bilateral DR-negawatt	A.1.21	JWG20 Control appliances before power cut	50
A.1.24 JWG23 User story lighting	A.1.22	JWG21 Control appliances in case of natural disaster	51
A.1.25 JWG24 Energy market flexibility management	A.1.23	JWG22 Bilateral DR-negawatt	51
A.1.26 Japanese building scenarios on energy management	A.1.24	JWG23 User story lighting	52
A.2 User stories and use case mapping table	A.1.25	JWG24 Energy market flexibility management	53
A.3 Use case descriptions	A.1.26	Japanese building scenarios on energy management	54
A.3.1 Overview	A.2 Use	er stories and use case mapping table	57
A.3.2 High level use case (JWG1100) Flexible start of a smart device (SD)	A.3 Use	case descriptions	66
A.3.3 Specialized use case (JWG1110) Control of Smart home appliances based on price information by time slot	A.3.1	Overview	66
based on price information by time slot	A.3.2	High level use case (JWG1100) Flexible start of a smart device (SD)	66
A.3.4 High level use case (JWG112x) Manage mixed energy system like heat pumps with PV, storage battery	A.3.3		76
heat pumps with pv, storage battery	A.3.4	High level use case (JWG112x) Manage mixed energy system like heat	
A.3.6 High level use case (JWG120x) Provide local power managing capabilities	A.3.5	High level use case (JWG113x) Log mixed energy system events of	
A.3.7 High level use case (JWG2002) District Energy Management	A.3.6	High level use case (JWG120x) Provide local power managing	
A.3.8 High level use case (JWG2002) District Energy Management	A.3.7	High level use case (JWG121x) Provide local power managing	
A.3.9 High level use case (WGSP 211x) Exchanging information on consumption, price device status, and warnings with external actors and within the home	A.3.8		
A.3.10 High level use case (JWG212x, based on WGSP212x) Direct load-generation management (international)		High level use case (WGSP 211x) Exchanging information on consumption, price device status, and warnings with external actors and	
A.3.11 high level use case (WGSP2140) Tariff synchronization	A.3.10	High level use case (JWG212x, based on WGSP212x) Direct load-	
A.3.12 High level use case (JWG3000) Limitation of Power Consumption	A.3.11	·	
A.3.13 High level use case (JWG3001) Limitation of Power Production			
A.3.14 High level use case (JWG3002) Monitoring of Grid Connection Points			
A.3.15 High level use case (JWG3003) Monitoring of power consumption			
A.3.16 high level use case (JWG3004) Time of Use Tariff	_	, , , , , , , , , , , , , , , , , , , ,	
A.3.17 high level use case (JWG3005) Power Demand Forecast			
A.3.18 high level use case (JWG3006) Power Envelop		,	
A.3.19 high level use case (JWG4000) Residential Home Energy Management integrating DER flexibility aggregation			
integrating DER flexibility aggregation224		, , ,	200
Bibliography229	7 0. 10		224
	Bibliography.		229
Bibliography	A.3.17 A.3.18 A.3.19	high level use case (JWG3005) Power Demand Forecasthigh level use case (JWG3006) Power Envelophigh level use case (JWG4000) Residential Home Energy Manage integrating DER flexibility aggregation	ment
	ography .	, 55 5	
Figure 1 – Examples of demand response capabilities9	•		
	_		
Figure 2 – Smart environment as of today10	_		
Figure 2 – Smart environment as of today	=		
Figure 2 – Smart environment as of today	Figure 5 - Inte	ernal actor definition	14
Figure 2 – Smart environment as of today	Figure 6 - Sm	art Grid Functional Architecture Model	18
Figure 2 – Smart environment as of today	=		
Figure 2 – Smart environment as of today	_		
Figure 2 – Smart environment as of today	_		
Figure 2 – Smart environment as of today	Figure 9 – Exa	ample of a mapping of messages	21

Figure 10 – Different CEM configurations see SG-CG/M490 [5] to [9]	21
Figure 11 – Physical combinations	22
Figure 12 – Examples of CEM architecture	23
Figure 13 – "Group of domains" and "Functional Architecture Model"	24
Figure 14 – Smart Grid Connection Point SG CP	26
Figure 15 – SG CP (in the case of interruption of electrical power supply fr supplier)	0,
Figure 16 – User stories and use cases process	
Figure 17 – Relationship user stories and use cases	
Figure 18 – Examples of information to be exchanged	
Figure 19 – Traffic Light Concept	
Figure 20 – Structure of a power profile	
Figure 21 – Consumption and generation	
Figure 22 – Structure of an easy power profile	
Figure 23 – Structure of a price profile	
Figure 24 – Structure of a load / generation management profile	
Figure 25 – Structure of a temperature profile	
Figure A.1 – Kinds of user stories	
Figure A.2 – Use case and process	
Figure A.3 – Flexible start of a smart device – High-level use case overvie	
Figure A.4 – Power sequence – Modelling with slots and time constraints.	
Figure A.5 – Workflow of the use case Flexible start of a smart device	
Figure A.6 – Sequence diagram – Announcement of plan	
Figure A.7 – Sequence diagram – Shift preferred power sequence	
Figure A.8 – Sequence diagram – Select alternative power sequence	
<u>1EC 1R 02/40-2.2025</u>	
Figure A.9 – Sequence diagram – Configure current power sequence	
Figure A.10 – District energy management – High-level use case overview	
Figure A.11 – Exchanging information on consumption, price device status warnings with external actors and within the home – High-level use case of	overview119
Figure A.12 – Load-generation management (international) – High-level us overview	
Figure A.13 – Tariff synchronization – High-level use case overview	
Figure A.14 – Limitation of power consumption – High-level use case over	
Figure A.15 – Example for two instances of limitation of power consumption	
·	
Figure A.16 – Limitation of power consumption use case state machine	
Figure A.17 – Limitation of power production – High-level use case overvie	
Figure A.18 – Example of permitted ranges for power, depending on the revalid limit value	
Figure A.19 – Example for two instances of limitation of power production	
Figure A.20 – Limitation of power production use case state machine	
Figure A.21 – Monitoring of grid connection point – High-level use case ov	
Figure A.22 – Location of the grid connection point	
Figure A.23 – Sequence diagram – Use case monitoring of grid connection	
Figure A.24 – Monitoring of power consumption – High-level use case ove	•
Figure A.24 – Monitoring of power consumption – High-level use case ove	Tview 193

Figure A.25 – Sequence diagram – Use case monitoring of power consumption	194
Figure A.26 – Time of use tariff – High-level use case overview	198
Figure A.27 – Incentive table example for consumption	199
Figure A.28 – Unique tiers example for consumption and production	200
Figure A.29 – Power demand forecast – High-level use case overview	205
Figure A.30 – Power forecast example: power (P) curves over time (t)	206
Figure A.31 – Power over time limit curves	210
Figure A.32 – Power envelope – High-level use case overview	210
Figure A.33 – Example of permitted ranges for power limit curves	216
Figure A.34 – Example of active power consumption (hatched area)	217
Figure A.35 – Example of active power production (hatched area)	218
Figure A.36 – Residential home energy management integrating DER flexibility aggregation – High-level use case overview	227
Table 1 – Information criteria collection	30
Table 2 – Mapping user stories to categories	31
Table 3 – Mapping use cases to categories	32
Table 4 – Information guidelines for "Energy Profile"	36
Table 5 – Information guidelines "Price and Environment Profile"	37
Table 6 – Information guidelines "Direct Load / Generation Management Profile"	39
Table 7 – Information guidelines "Temperature Profile"	40
Table A.1 – User stories – Use case mapping table	58
Document Preview	

TEC TD (2746 2.2025

https://standards.iteh.ai/catalog/standards/iec/40fe458f-be75-450d-89e7-f4d2eb025151/iec-tr-62746-2-2025

INTERNATIONAL ELECTROTECHNICAL COMMISSION

Systems interface between customer energy management system and the power management system Part 2: Use cases

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international
 consensus of opinion on the relevant subjects since each technical committee has representation from all
 interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at https://patents.iec.ch. IEC shall not be held responsible for identifying any or all such patent rights.

IEC TR 62746-2 has been prepared by IEC technical committee 57: Power systems management and associated information exchange. It is a Technical Report.

This second edition cancels and replaces the first edition published in 2015. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) The Architecture Model of the Smart Grid Coordination Group (Figure 6) has been replaced with the draft Architecture Model of TC57 in collaboration with SC23K and TC13;
- b) The use cases from Edition 1 (2015) with the following IDs have been removed from the current document: JWG2000, JWG2001, JWG2010, JWG202x, JWG2041, JWG2042, JWG1111, WGSP2120, JWG30xx;