

TECHNICAL REPORT

**Electrical energy storage (EES) systems –
Part 3-200: Planning and performance assessment of electrical energy storage
systems – Design principles of electrochemical based EES systems**

Document Preview

[IEC TR 62933-3-200:2025](https://standards.iteh.ai/catalog/standards/iec/1e68c7d2-159b-4af9-ab37-4db4d8cd9801/iec-tr-62933-3-200-2025)

<https://standards.iteh.ai/catalog/standards/iec/1e68c7d2-159b-4af9-ab37-4db4d8cd9801/iec-tr-62933-3-200-2025>



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2025 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Secretariat
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search -

webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Discover our powerful search engine and read freely all the publications previews, graphical symbols and the glossary. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 500 terminological entries in English and French, with equivalent terms in 25 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

<https://standards.iteh.ai/catalog/standards/iec/1e68c7d2-159b-4af9-ab37-4db4d8cd9801/iec-tr-62933-3-200-2025>

<https://standards.iteh.ai/catalog/standards/iec/1e68c7d2-159b-4af9-ab37-4db4d8cd9801/iec-tr-62933-3-200-2025>

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD.....	8
1 Scope.....	10
2 Normative references	10
3 Terms, definitions and abbreviated terms	10
3.1 Terms and definitions.....	10
3.2 Abbreviated terms.....	11
4 Overview of electrochemical based EES systems	12
4.1 General.....	12
4.2 Application functions	12
4.3 System structure.....	13
4.4 Functions of subsystems.....	13
4.4.1 General	13
4.4.2 Accumulation subsystem	13
4.4.3 Power conversion subsystem (PCS)	14
4.4.4 Auxiliary subsystem.....	14
4.4.5 Control subsystem.....	14
5 Design cases of electrochemical based EES systems in power generation side.....	15
5.1 Case 1: 30 MW/15 MWh LFP EESS	15
5.1.1 General information	15
5.1.2 Integration scheme	15
5.1.3 Site and layout.....	17
5.1.4 Design of subsystems.....	18
5.2 Case 2: 15 MW/60 MWh FB EESS	23
5.2.1 General information	23
5.2.2 Integration scheme	24
5.2.3 Site and layout.....	25
5.2.4 Design of subsystems.....	26
5.3 Case 3: 50 MW/300 MWh NAS EESS	29
5.3.1 General information	29
5.3.2 Integration scheme	29
5.3.3 Site and layout.....	31
5.3.4 Design of subsystems.....	32
5.4 Case 4: 100 MW/400 MWh FB EESS	35
5.4.1 General information	35
5.4.2 Integration scheme	36
5.4.3 Site and layout.....	38
5.4.4 Design of subsystems.....	38
6 Design cases of electrochemical based EES systems in transmission and distribution side	42
6.1 Case 5: 99,8 MW/99,8 MWh LFP/NCM EESS.....	42
6.1.1 General information	42
6.1.2 Integration scheme	43
6.1.3 Site and layout.....	43
6.1.4 Design of subsystems.....	45
6.2 Case 6: 7,2 MW/8,6 MWh hybrid EESS.....	48
6.2.1 General information	48
6.2.2 Integration scheme	49

6.2.3	Site and layout.....	50
6.2.4	Design of subsystems.....	51
6.3	Case 7: 100 MW/200 MWh LFP EESS	53
6.3.1	General information	53
6.3.2	Integration scheme	54
6.3.3	Site and layout.....	54
6.3.4	Design of subsystems.....	56
6.4	Case 8: 70 MW/140 MWh LFP EESS	58
6.4.1	General information	58
6.4.2	Integration scheme	59
6.4.3	Site and layout.....	59
6.4.4	Design of subsystems.....	60
6.5	Case 9: 12 MW/37 MWh NCM EESS.....	64
6.5.1	General information	64
6.5.2	Integration scheme	65
6.5.3	Site and layout.....	67
6.5.4	Design of subsystems.....	69
7	Design cases of electrochemical based EES systems in customer side	77
7.1	Case 10: 1 MW/1 MWh Li-ion EESS with PV in a performance verified project	77
7.1.1	General information	77
7.1.2	Integration scheme	77
7.1.3	Site and layout.....	78
7.1.4	Design of subsystems.....	78
7.2	Case 11: 1 MW/3 MWh LC EESS in PV-storage-charging building	82
7.2.1	General information	82
7.2.2	Integration scheme	83
7.2.3	Site and layout.....	83
7.2.4	Design of subsystems.....	85
7.3	Case 12: 1 MW × 7 h/3 MW × 13,5 s NAS EESS in standby power system.....	88
7.3.1	General information	88
7.3.2	Integration scheme	89
7.3.3	Site and layout.....	90
7.3.4	Design of subsystems.....	90
8	Design considerations for electrochemical based EES systems	92
8.1	Application functions	92
8.1.1	Application functions in typical scenarios	92
8.1.2	Priority of application functions in typical scenarios	92
8.2	Sizing and selection of battery	93
8.2.1	Battery sizing.....	93
8.2.2	Battery selection.....	93
8.3	Integration scheme	95
8.3.1	Primary POC scheme	95
8.3.2	Auxiliary POC scheme	95
8.4	Site and layout.....	96
8.4.1	Site.....	96
8.4.2	Layout	96
8.5	Subsystem scheme	97
8.5.1	Accumulation subsystem	97

8.5.2	Power conversion subsystem.....	97
8.5.3	Auxiliary subsystem	101
8.5.4	Protection subsystem	102
8.5.5	Communication subsystem	103
8.5.6	Management subsystem	103
8.6	System safety measures	104
8.6.1	Fire detection and suppression	104
8.6.2	Lightning protection	104
8.6.3	Earthing of accumulation subsystem.....	105
Annex A (informative)	Basic information on electrochemical based EESS cases	106
Annex B (informative)	Primary POC of electrochemical based EESS to the grid.....	107
B.1	General.....	107
B.2	Primary POC of electrochemical based EESS in power generation side	107
B.3	Primary POC of electrochemical based EESS in transmission and distribution side	107
B.4	Primary POC of electrochemical based EESS in customer side.....	108
Annex C (informative)	Typical electrochemical based EESS information model.....	109
C.1	Logical devices (LD) and Logical nodes (LN) for electrochemical based EESS.....	109
C.2	Data objects for electrochemical based EESS.....	109
Bibliography		112
Figure 1	– Typical architecture of electrochemical based EES system	13
Figure 2	– Aerial view of Case 1	15
Figure 3	– Integration scheme of Case 1	16
Figure 4	– Single line diagram of phase A, B and C container	16
Figure 5	– Single line diagram of EES system.....	17
Figure 6	– Layout of Case 1	17
Figure 7	– PCS topology	19
Figure 8	– Architecture of the EMS network	21
Figure 9	– Actual operation curve recorded by EMS system.....	23
Figure 10	– View of Case 2	24
Figure 11	– Integration scheme of Case 2.....	25
Figure 12	– Layout of Case 2	26
Figure 13	– Performance of active power output	28
Figure 14	– Aerial view of Case 3	29
Figure 15	– Integration scheme of Case 3.....	30
Figure 16	– Single line diagram of EESS unit.....	31
Figure 17	– Layout of Case 3	32
Figure 18	– Operating modes for the EES system.....	35
Figure 19	– Aerial view of Case 4	36
Figure 20	– Integration scheme of Case 4.....	37
Figure 21	– Single line diagram of EESS unit.....	38
Figure 22	– BMS communication architecture	40
Figure 23	– Aerial view of Case 5	42
Figure 24	– Integration scheme of Case 5.....	43

Figure 25 – Layout of Case 5	44
Figure 26 – Front view of transformer and PCS.....	44
Figure 27 – The architecture of communication subsystem	47
Figure 28 – Actual operation curve recorded of typical unit	48
Figure 29 – Aerial view of Case 6	49
Figure 30 – Integration scheme of Case 6.....	50
Figure 31 – Internal layout of containers	50
Figure 32 – Communication architecture of LTO EESS	52
Figure 33 – Aerial view of Case 7	53
Figure 34 – Integration scheme of Case 7	54
Figure 35 – Layout of Case 7	55
Figure 36 – Aerial view of Case 8	59
Figure 37 – Layout of Case 8	60
Figure 38 – Aerial view of Case 9	64
Figure 39 – Integration scheme of Case 9.....	65
Figure 40 – BESS interconnection scheme	66
Figure 41 – View inside the container, power conversion room (left) and battery room (right).....	67
Figure 42 – Layout of Case 9	68
Figure 43 – Congestion management by two levels of intelligent automation using BESS.....	74
Figure 44 – Multi-service test, congestion management in priority against frequency regulation	75
Figure 45 – Circuit diagram of the BESS black start test	75
Figure 46 – Test 1: BESS soft start-up energization	76
Figure 47 – Test 2: connecting to windfarm, and test 3: grid coupling and switch to grid following mode.....	76
Figure 48 – Integration scheme of Case 10.....	77
Figure 49 – Layout of Case 10	78
Figure 50 – The architecture of control and communication subsystem	80
Figure 51 – The power and SOC of BESS following the AGC signals	81
Figure 52 – Measured P-Q capability of the PV-BESS plant.....	81
Figure 53 – The bus voltages and active power of the PV plant in black start of the PV plant with BESS	82
Figure 54 – Integration scheme of Case 11	83
Figure 55 – Layout of the accumulation subsystem in Case 11	84
Figure 56 – Layout scheme of the PCS in Case 11	85
Figure 57 – View of Case 12	88
Figure 58 – Integration scheme of Case 12.....	90
Figure 59 – Layout of Case 12	90
Figure 60 – Topology of single-stage conversion	98
Figure 61 – Topology of single-stage conversion with expansion	98
Figure 62 – Topology of two-stage conversion	99
Figure 63 – Topology of two-stage conversion with DC-common connection	99
Figure 64 – Topology of two-stage conversion with AC-common connection	100

Figure 65 – Cascaded topology.....	100
Figure B.1 – Typical primary POC of electrochemical based EESS in power generation side	107
Figure B.2 – Typical primary POC of electrochemical based EESS in transmission and distribution side	108
Figure B.3 – Typical primary POC of electrochemical based EESS in customer side.....	108
Figure C.1 – Overview: Logical Devices (LD) and Logical Nodes (LN) for electrochemical based EESS	109
Table 1 – Application functions of electrochemical based EESS in typical scenarios	12
Table 2 – Parameters of LFP battery cell	18
Table 3 – Parameters of battery pack	18
Table 4 – Parameters of battery cluster	18
Table 5 – Parameters of 5MW PCS.....	19
Table 6 – Parameters of FB EESS	27
Table 7 – Main Parameters of PCS	27
Table 8 – Verified control modes.....	28
Table 9 – Parameters of NAS battery cell	33
Table 10 – Parameters of battery module.....	33
Table 11 – Parameters of battery container.....	33
Table 12 – Main technical parameters of PCS.....	34
Table 13 – Parameters of flow battery.....	39
Table 14 – Parameters of NCM battery cell.....	45
Table 15 – Parameters of LFP battery cell	45
Table 16 – Parameters of the PCS and transformer	46
Table 17 – Parameters of LTO module.....	51
Table 18 – Parameters of the PCS and transformer	51
Table 19 – Main electrical parameters of LFP battery cell	56
Table 20 – Main electrical parameters of battery module	56
Table 21 – Main electrical parameters of battery container	56
Table 22 – Main electrical parameters of the PCS.....	57
Table 23 – Air-cooled accumulation subsystem parameters	61
Table 24 – Liquid-cooled accumulation subsystem parameters	61
Table 25 – Air-cooled PCS technical parameters	61
Table 26 – Liquid-cooled PCS technical parameters	62
Table 27 – Fire detector types of fire detection and alarm system	64
Table 28 – Parameters of BESS.....	70
Table 29 – Parameters of PCS and transformer	71
Table 30 – Parameters of HV/MV transformer	72
Table 31 – Main technical parameters of the PCS	79
Table 32 – Protection configuration of the PCS.....	79
Table 33 – Main technical parameters of the lead-carbon battery.....	86
Table 34 – Main technical parameters of the PCS	86
Table 35 – EES system specification	89