

TECHNICAL REPORT

**Power quality management -
Part 101: Power quality data application**

iteh Standards
(<https://standards.iteh.ai>)
Document Preview

IEC TR 63222-101:2025

<https://standards.iteh.ai/catalog/standards/iec/a9f83470-1c4e-4a5a-9737-f76d2b99d53f/iec-tr-63222-101-2025>



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2025 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Secretariat
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search -

webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Discover our powerful search engine and read freely all the publications previews, graphical symbols and the glossary. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 500 terminological entries in English and French, with equivalent terms in 25 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

[IEC TR 63222-101:2025](https://standards.iteh.ai/catalog/standards/iec/a9f83470-1c4e-4a5a-9737-f76d2b99d53f/iec-tr-63222-101-2025)

<https://standards.iteh.ai/catalog/standards/iec/a9f83470-1c4e-4a5a-9737-f76d2b99d53f/iec-tr-63222-101-2025>

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD.....	4
INTRODUCTION.....	6
1 Scope.....	7
2 Normative references	7
3 Terms and definitions	7
3.1 Terms and definitions.....	7
3.2 Abbreviated symbols.....	8
4 Understanding power quality data.....	9
4.1 General.....	9
4.2 For continuous power quality phenomenon	9
4.2.1 General	9
4.2.2 Equivalent thermal effect but covering up the cause of possible overload	10
4.2.3 Aggregation covering up the inducement for event of circuit tripping.....	10
4.2.4 Comparison of different aggregation methods.....	11
4.2.5 Impacts of sampling rules for aggregation.....	11
4.3 For discontinuous PQ phenomenon	13
4.3.1 General	13
4.3.2 Detailed event description	13
4.3.3 Aggregation for event	13
4.3.4 Critical current information with corresponding event.....	13
5 Methodology for power quality data application.....	14
5.1 General.....	14
5.2 Data pre-processing.....	14
5.2.1 General	14
5.2.2 Missing power quality data filling.....	14
5.2.3 Abnormal power quality data identification	15
5.3 Mechanism method	16
5.4 Non-mechanism method	16
6 Application on system economical operation.....	16
6.1 General.....	16
6.2 Approach	16
6.2.1 Analysis of additional loss of transformer.....	16
6.2.2 Analysis of additional loss of lines	19
6.3 Case.....	20
6.3.1 Overview	20
6.3.2 Background	20
6.3.3 Measured harmonic data	21
7 Application on potential risk early warning	24
7.1 General.....	24
7.2 Approach	24
7.2.1 Transformer overheating early warning.....	24
7.2.2 Capacitor fault early warning	26
7.2.3 Subsynchronous resonance early warning	27
7.3 Case.....	31
8 Application on management and consultation service	33

8.1	General.....	33
8.2	Approach	33
8.2.1	Voltage dip source identification	33
8.2.2	Voltage dip source location.....	37
8.2.3	Harmonic contribution determination.....	40
8.2.4	Daily/weekly/yearly distribution demonstration	46
8.3	Case.....	51
8.3.1	Harmonic contribution determination.....	51
8.3.2	Voltage dip source identification	57
	Bibliography.....	60
	Figure 1 – Characteristics of original disturbance variation	10
	Figure 2 – Resultant aggregation data	10
	Figure 3 – Cycle-by-cycle and IEC 61000-4-30 aggregation THD	11
	Figure 4 – Resultant aggregation data for different sampling rules	12
	Figure 5 – An example showing information of a single event	13
	Figure 6 – Point on wave of the event with the corresponding current.....	14
	Figure 7 – Flowchart of missing power quality data filling.....	15
	Figure 8 – Flowchart of abnormal power quality data identification.....	15
	Figure 9 – Single line schematic diagram for testing wiring	20
	Figure 10 – Spot welding machine	21
	Figure 11 – Equivalent circuit of spot welding machine system	21
	Figure 12 – Average harmonic voltage ratio of 0,4 kV busbar.....	22
	Figure 13 – 95 % probability maximum value of harmonic voltage of 0,4 kV busbar	22
	Figure 14 – Average harmonic current of 0,4 kV incoming line	23
	Figure 15 – 95 % probability value of each harmonic current of 0,4 kV incoming line	23
	Figure 16 – The technical flowchart for subsynchronous resonance analysis and early warning.....	28
	Figure 17 – Network impedance with a series resonance near 46 Hz	29
	Figure 18 – Network impedance with a distant resonance near 36 Hz	29
	Figure 19 – Distance resonances dominated by resistance – an example case with negative reactance dip.....	30
	Figure 20 – Minimum and maximum impedances for impedance dip calculation	31
	Figure 21 – IEEE 12-bus test system	32
	Figure 22 – Distant Resonances – 12 bus system	33
	Figure 23 – Block diagram of voltage dip sources identification.....	34
	Figure 24 – The lowest amplitude frequency	36
	Figure 25 – Modelling procedure of KFCM-SVM.....	37
	Figure 26 – Equivalent circuit for dip source location	38
	Figure 27 – Distribution of suspected fault points.....	40
	Figure 28 – Distribution system configuration for harmonic contribution determination at PCC.....	41
	Figure 29 – Current source equivalent circuit for harmonic analysis	41
	Figure 30 – Impedance measurement methods	42
	Figure 31 – Voltage and current during a disturbance	43

Figure 32 – Transient waveforms and frequency contents	43
Figure 33 – Harmonic voltage and current at the PCC when $K_1=0,5$, $K_2=10$	52
Figure 34 – Fundamental voltage and current at the PCC	54
Figure 35 – Estimation of harmonic impedance Z_u	55
Figure 36 – Polar diagrams of the distributions of 3rd background harmonic voltage.....	56
Figure 37 – Polar diagrams of the distributions of the 11 th background harmonic voltage.....	56
Figure 38 – Polar diagrams of the distributions of the 13 th background harmonic voltage.....	56
Figure 39 – Variation curve of V_{XB}	57
Figure 40 – 2 Distribution of feature samples in three-dimension space	58
Figure 41 – Typical waveforms of five categories	59
Table 1 – Comparison of different aggregation methods	11
Table 2 – Aggregation results for different sampling rules	12
Table 3 – 10 kV/0,4 kV distribution transformer parameters	21
Table 4 – Statistical report on the THD of 0,4 kV bus voltage during the testing period	22
Table 5 – Statistical report on harmonic current of 0,4 kV incoming line	23
Table 6 – The no-load loss caused by harmonic voltage	24
Table 7 – The load loss caused by harmonic current.....	24
Table 8 – Example – Measures for damping of series resonance	32
Table 9 – List of distant resonances – 12 bus system	32
Table 10 – Types of statistical values for pass rate calculation	47
Table 11 – Types of statistical values for judging whether or not the standard is exceeded	47
Table 12 – Values of network components	51
Table 13 – Contrast of calculation errors of $ Z_u $	52
Table 14 – 3 Contrast of calculation errors of $\angle Z_u$	53
Table 15 – Calculation average value of the utility harmonic impedance	55
Table 16 – 95 % Probability values of the customer-side harmonic voltage contribution	57
Table 17 – 95 % Probability values of the utility-side harmonic voltage contribution	57
Table 18 – Feature database of voltage dip	57
Table 19 – Recognition result of SVM	59

INTERNATIONAL ELECTROTECHNICAL COMMISSION

Power quality management - Part 101: Power quality data application

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at <https://patents.iec.ch>. IEC shall not be held responsible for identifying any or all such patent rights.

IEC TR IEC 63222-101 has been prepared by IEC technical committee 8: System aspects of electrical energy supply. It is a Technical Report.

The text of this Technical Report is based on the following documents:

Draft	Report on voting
8/1744/DTR	8/1750/RVDTR

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this Technical Report is English.

A list of all parts in the IEC 63222 series, published under the general title *Power quality management*, can be found on the IEC website.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn, or
- revised.

iTeh Standards (<https://standards.iteh.ai>) Document Preview

[IEC TR 63222-101:2025](https://standards.iteh.ai/catalog/standards/iec/a9f83470-1c4e-4a5a-9737-f76d2b99d53f/iec-tr-63222-101-2025)

<https://standards.iteh.ai/catalog/standards/iec/a9f83470-1c4e-4a5a-9737-f76d2b99d53f/iec-tr-63222-101-2025>