

TECHNICAL SPECIFICATION

**Measuring relays and protection equipment -
Part 216-1: Digital interface - General requirements and tests for protection
functions using digital communication as input and output**

Document Preview

[IEC TS 60255-216-1:2025](https://standards.iteh.ai/catalog/standards/iec/964d230c-4c66-4882-914b-a071d850a20a/iec-ts-60255-216-1-2025)

<https://standards.iteh.ai/catalog/standards/iec/964d230c-4c66-4882-914b-a071d850a20a/iec-ts-60255-216-1-2025>



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2025 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Secretariat
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search -

webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Discover our powerful search engine and read freely all the publications previews, graphical symbols and the glossary. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 500 terminological entries in English and French, with equivalent terms in 25 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC TS 60255-216-1:2025

<https://standards.iteh.ai/catalog/standards/iec/964d230c-4c66-4882-914b-a071d850a20a/iec-ts-60255-216-1-2025>

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD	8
INTRODUCTION	10
1 Scope	12
2 Normative references	13
3 Terms and definitions	14
4 Abbreviated terms	19
5 Functional chain of the protection function	22
5.1 General	22
5.2 Operate time of the functional chain	23
6 Engineering of digitally interfaced protection functions	26
6.1 IEC 61850 series communication configuration	26
6.2 Setting of protection functions	27
6.2.1 Reference values for protection function settings	27
6.2.2 Online change of settings	27
6.2.3 Import of protection application settings from SCL	28
6.2.4 Determination of setting values	30
6.3 Implementation of test mode and simulation	31
7 Digital inputs of protection functions	31
7.1 General	31
7.2 Input signal source	32
7.3 Attributes and flags	32
7.3.1 Quality Attribute	32
7.3.2 Data Attribute "source"	34
7.3.3 operatorBlocked	34
7.3.4 Test	34
7.3.5 Simulation	35
7.4 Sampled values	36
7.4.1 General	36
7.4.2 Redundant SV streams	37
7.4.3 Accuracy and performance characteristics of the protection function	38
7.4.4 Frequency transfer function	39
7.4.5 Buffering and Layer of the entry stage of the IED hosting protection functions	40
7.4.6 Comparison of the protection chain between protections with digital inputs and hard wired interfaced protections	42
7.4.7 Expected behaviour in case of non-nominal situation	43
7.5 GOOSE	57
7.5.1 General	57
7.5.2 Time performances	57
7.5.3 Expected behaviour in case of non-nominal values	59
7.6 Report of SV and GOOSE supervision	63
7.6.1 Description	63
7.6.2 Inconsistency detection and report generation	64
7.6.3 Time synchronisation and related supervision	64
7.7 Implementation of subscription supervision of GOOSE and SV	65
7.8 Specification of requirements related to abnormal values of Digital Inputs	66
7.9 Operating states of protection functions	67

7.10	Maintenance, testing and virtual isolation of IED inputs.....	69
7.11	Robustness to abnormal disturbing events.....	70
7.12	Resilience of communication inputs.....	71
8	Digital outputs of protection functions.....	72
8.1	General.....	72
8.2	Accuracy of time stamp of published data.....	72
8.3	Use of Tr and Op attributes.....	72
8.4	GOOSE.....	72
8.4.1	Interoperability.....	72
8.4.2	Time performance.....	73
8.4.3	Quality Attributes of published GOOSE.....	76
8.5	MMS.....	77
8.5.1	General.....	77
8.5.2	LN used to supervise communication.....	77
8.5.3	Other MMS information published by protection function.....	78
8.5.4	Requirements for server MMS association.....	79
9	Requirements for the IED hosting the protection function.....	79
9.1	General.....	79
9.2	Time synchronisation of the IED hosting the protection function.....	79
9.2.1	Requirements for the time synchronisation of the IED.....	79
9.2.2	Supervision of the time synchronisation signal.....	80
9.3	PICS and communication requirements.....	81
9.4	PIXIT.....	84
9.5	Cyber security requirements.....	85
10	Requirements for documentation.....	85
11	IEC 61850 based supervision and monitoring of protection functions.....	88
11.1	General.....	88
11.2	Recording of communication network events.....	88
12	Tests.....	89
12.1	General.....	89
12.2	Requirements regarding documentation and declaration.....	90
12.3	Verification of PICS.....	90
12.4	Accuracy of thresholds and measurements and related setting.....	90
12.5	Dynamic and static performance tests.....	92
12.5.1	General.....	92
12.5.2	Static performance tests.....	92
12.5.3	Dynamic performance tests.....	93
12.6	Functional tests.....	93
12.7	Verification of simulation and test according to the IEC 61850 series.....	94
12.8	Testing of setting changes performed by IEC 61850 services.....	95
12.9	Test of SV inputs.....	96
12.9.1	Quality Attributes.....	96
12.9.2	Handling of unused quality attributes.....	96
12.9.3	TimeStamp and supervision of synchronisation.....	96
12.9.4	Loss of synchronisation of the IED hosting the protection function.....	97
12.9.5	Switchover of SV streams.....	98
12.9.6	Inconsistent or delayed SV.....	98
12.9.7	Verification of confRev.....	100

12.9.8	Robustness to abnormal events	101
12.10	Loss of client/server association	102
12.10.1	General	102
12.10.2	Server tests related to MMS association	102
12.10.3	Communication recovery test.....	103
12.10.4	Robustness to abnormal events	103
12.11	Testing of GOOSE inputs	104
12.11.1	Quality attributes	104
12.11.2	Time stamp and supervision of synchronisation	105
12.11.3	Loss of GoCB publisher and GOOSE recovery	105
12.11.4	Robustness to abnormal events	105
12.11.5	Verification of confRev	106
12.12	GOOSE performance	106
12.13	Verification of MMS report	107
12.14	Tests related to cybersecurity	107
12.15	Verification after the download of a CID	107
12.16	Recommendations for FAT and SAT testing for digitally interfaced protection functions	107
12.16.1	General	107
12.16.2	Verifications prior to FAT or SAT	108
12.16.3	FAT (Factory Acceptance Test)	109
12.16.4	SAT (Site Acceptance Test).....	110
Annex A (informative)	Example of a specification of the expected behaviour of a protection function depending on the quality of received data	111
Annex B (informative)	Redundant SV streams received by protection functions	114
B.1	General.....	114
B.2	Example of double A/D redundant mechanism	114
Annex C (informative)	Example for criteria for the function supervising the GOOSE and SV.....	116
C.1	General.....	116
C.2	Sampled values	116
C.3	GOOSE	116
C.4	Advanced considerations	117
C.4.1	General	117
C.4.2	Monitoring of SV.....	118
C.4.3	Monitoring of GOOSE	118
Annex D (informative)	Advantages and drawbacks of explicit and structured data sets	120
D.1	Explanation of explicit and implicit datasets	120
D.2	Implications related to the use of the two approaches	121
Annex E (informative)	Stand-alone network recording device	123
Annex F (informative)	Guidance for the evaluation of the overall error of the analog acquisition chain	124
Annex G (informative)	General description of the digital processing of sampled values in the protection function.....	127
G.1	General.....	127
G.2	Acquisition chains for analog data.....	127
G.3	Frequency tracking	128
Annex H (informative)	Expected behaviour of protection functions for non-nominal conditions	131

Annex I (informative) Use case for functional testing of a blocking function.....	135
Annex J (informative) Use case for detection of transmission time delay of SV between MU and subscribing IED	137
J.1 Description	137
J.2 Operate time of the functional protection chain	137
J.3 Post-fault analysis for events related to communication network	139
Annex K (informative) Additional considerations for digitally interfaced protection functions	140
K.1 Characteristics of the analog acquisition IED	140
K.1.1 Accuracy classes of analog values	140
K.1.2 Sample rate	146
K.1.3 Frequency response and accuracy requirements for harmonics	147
K.1.4 Effects of electromagnetic interference	151
K.1.5 Publication of the data quality	152
K.1.6 Time synchronisation	153
K.1.7 Jitter and time delay	157
K.1.8 Robustness and start up	158
K.2 System related aspects	159
K.2.1 Architecture and configuration	159
K.2.2 System redundancy features	160
K.2.3 Time synchronisation	162
K.2.4 Client – server MMS associations	164
K.2.5 R-GOOSE and R-SV	165
K.3 Grouping of Logical Nodes related to a protection function	165
K.4 Version and consistency check of SCL configuration data	166
K.4.1 Context	166
K.4.2 ICD and IID file management	168
K.4.3 SCD file management	168
K.4.4 CID file management	169
K.4.5 Consistency check of CID	169
Annex L (informative) Role and responsibilities of the system integrator	170
Bibliography	172
Figure 1 – Functional chain of a digitally interfaced protection function	12
Figure 2 – Operate time of the functional chain of a protection function (example: LPIT).....	23
Figure 3 – Time delay in case of two SV streams	25
Figure 4 – Processing and transmission time and (symmetrical) jitter of SV	26
Figure 5 – Workflow for import of settings in IED based on SCD (see IEC 61850-6:2009 and IEC 61850-6:2009/AMD1:2018).....	30
Figure 6 – Data used for receiving simulation signals (IEC 61850-7-1:2011 and IEC 61850-7-1:2011/AMD1:2020, Figure 40).....	36
Figure 7 – Operation of SV input buffer of a protection function	42
Figure 8 – Comparison of Operate time of digitally interfaced protection chain and wire terminal interfaced protection IED	43
Figure 9 – Relation between quality attributes and range of analog energising values	46
Figure 10 – GOOSE timing considering simple protection application	58
Figure 11 – Process of reporting detection of abnormal SV or GOOSE data	63
Figure A.1 – Example of a dynamic data model for the distance protection function	111

Figure B.1 – Dataset for a current SV stream with redundant values	114
Figure D.1 – Example of one member of a structured data set of DO Op.....	120
Figure D.2 – Example of explicit and implicit data sets in SCL	121
Figure D.3 – Content of the structured member of the dataset of DO Op.....	121
Figure F.1 – Analog acquisition chain of an ECT (based on IEC 61869-9:2016)	124
Figure F.2 – Analog acquisition chain represented as functional chain.....	124
Figure F.3 – Combined error of the acquisition chain (based on IEC 61869-13:2021).....	125
Figure G.1 – Acquisition of analog data of a protection IED with analog inputs	127
Figure G.2 – Acquisition chain for analog data of a MU	128
Figure G.3 – Measurement chain of an IED based on process bus.....	128
Figure G.4 – DFT window set for 50 Hz in a 43 Hz waveform	129
Figure G.5 – Frequency response of sine and cosine filters	129
Figure I.1 – Example of functional testing of a digitally interfaced protection function implemented in an IED	135
Figure K.1 – Dynamic range concept example according to IEC 61869-13:2021, Figure 1305	143
Figure K.2 – Frequency response mask for measuring accuracy class 1 ($f_r = 60$ Hz, $f_s = 4\,800$ Hz) IEC 61869-1:2023 with an additional bode plot of a realistic frequency response	148
Figure K.3 – Tolerance scheme and a typical amplitude response of a SAMU	150
Figure K.4 – Global Error of time synchronisation	154
Figure K.5 – Time adjustment after reacquisition of synchronisation (IEC 61869-9:2016)	158
Figure K.6 – Protection function subscribing to redundant SV streams (example 1)	161
Figure K.7 – Redundant Protection functions subscribing to single SV streams (example 2)	161
Figure K.8 – Time synchronisation states	163
Figure K.9 – Inconsistent recovery of synchronisation of different MUs	164
Figure K.10 – IED configuration procedure (based on IEC 61850-6:2009 and IEC 61850-6:2009/AMD1:2018)	166
Table 1 – List of acronyms	19
Table 2 – Link between DA "detailQual" and validity (IEC 61850-7-2:2010 and IEC 61850-7-2:2010/AMD1:2020, Table D.1)	34
Table 3 – Interpretation of DA "detailQual" for Sampled Values and other analog values received by Protection Functions	44
Table 4 – Options for detailed specification for the expected behaviour of a protection function in case of non-nominal input signal.....	46
Table 5 – Definition of expected functional behaviour of a protection function	47
Table 6 – Definition of warnings or alarms generated by a protection function	47
Table 7 – Definition of propagation of the quality attribute by a protection function	48
Table 8 – Template to specify the expected behaviour of a protection function depending on the quality of received data	49
Table 9 – Interpretation of detailQual of a DO containing discrete information (Boolean or enumerate) received by Protection Functions	59