

TECHNICAL SPECIFICATION

**Selection and dimensioning of high-voltage insulators intended for use in
polluted conditions -
Part 2: Ceramic and glass insulators for AC systems**

Document Preview

[IEC TS 60815-2:2025](https://standards.iteh.ai/catalog/standards/iec/12e6c3f8-8b02-44e6-b0bc-b0178770fdc4/iec-ts-60815-2-2025)

<https://standards.iteh.ai/catalog/standards/iec/12e6c3f8-8b02-44e6-b0bc-b0178770fdc4/iec-ts-60815-2-2025>



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2025 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Secretariat
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search -

webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Discover our powerful search engine and read freely all the publications previews, graphical symbols and the glossary. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 500 terminological entries in English and French, with equivalent terms in 25 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

[IEC TS 60815-2:2025](https://standards.iteh.ai/catalog/standards/iec/12e6c3f8-8b02-44e6-b0bc-b0178770fdc4/iec-ts-60815-2-2025)

<https://standards.iteh.ai/catalog/standards/iec/12e6c3f8-8b02-44e6-b0bc-b0178770fdc4/iec-ts-60815-2-2025>

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD.....	3
1 Scope.....	5
2 Normative references.....	5
3 Terms, definitions and abbreviated terms.....	5
3.1 Terms and definitions.....	6
3.2 Abbreviated terms.....	6
4 Principles.....	7
5 Materials.....	7
6 Site pollution severity class.....	8
7 Determination of the reference unified specific creepage distance (RUSCD).....	8
8 Choice of shed profile	9
8.1 General recommendations.....	9
8.2 Profile suitability	11
9 Checking the shed profile parameters	12
9.1 Introductory remark.....	12
9.2 Alternating sheds and shed overhang	13
9.3 Spacing versus shed overhang	13
9.4 Minimum distance between sheds	14
9.5 Creepage distance versus clearance	15
9.6 Shed angle	15
9.7 Creepage factor.....	16
10 Determining USCD by correcting RUSCD.....	16
10.1 Introductory remark.....	16
10.2 Correction for altitude K_a	17
10.3 Correction for insulator diameter K_d	17
10.4 Correction for profile K_s	18
10.5 Correction for the number of similar insulators in parallel K_p	18
11 Determination of the final minimum creepage distance	19
12 Confirmation by testing.....	19
12.1 Introductory remark.....	19
12.2 Determination of the long-duration withstand voltage.....	19
12.3 Selection of the standard pollution withstand test type.....	20
12.4 Artificial pollution test parameters.....	20
12.5 Criteria of confirmation	21
Bibliography.....	22
Figure 1 – RUSCD as a function of SPS class	8
Figure 2 – Typical "standard" profiles	10
Figure 3 – Typical "open" profiles.....	10
Figure 4 – Typical "anti-fog" profiles	10
Figure 5 – Typical "alternating" profiles.....	11
Figure 6 – Typical pin insulator shed profiles.....	11
Figure 7 – Illustration and typical values of shed overhang	13

Figure 8 – Spacing versus shed overhang for uniform and alternating sheds	13
Figure 9 – Minimum distance between adjacent sheds of the same diameter for uniform and alternating sheds.....	14
Figure 10 – Creepage distance versus clearance for different sheds.....	15
Figure 11 – Illustrations of shed angle	15
Figure 12 – Correction for insulator diameter.....	18
Table 1 – Principal advantages (+) and disadvantages (–) of main shed profile types	9
Table 2 – Profile suitability, relative to a standard profile, for ceramic and glass insulators assuming the same creepage distance per unit or string.....	12
Table 3 – Classification of profile according to the values of shed overhang	13
Table 4 – Deviations for s/p for sheds with and without under-ribs	13
Table 5 – Deviations for c for different lengths.....	14
Table 6 – Deviations for l/d for different sheds.....	15
Table 7 – Deviations for shed angle	16
Table 8 – Deviations for creepage factor.....	16
Table 9 – Artificial pollution test parameters for confirmation by testing.....	20

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[IEC TS 60815-2:2025](https://standards.iteh.ai/catalog/standards/iec/12e6c3f8-8b02-44e6-b0bc-b0178770fdc4/iec-ts-60815-2-2025)

<https://standards.iteh.ai/catalog/standards/iec/12e6c3f8-8b02-44e6-b0bc-b0178770fdc4/iec-ts-60815-2-2025>