

IEC TS 61857-42

Edition 1.0 2025-08

TECHNICAL SPECIFICATION

Electrical insulation systems - Procedures for thermal evaluation Part 42: Specific requirements for evaluation of an electrical insulation system
(EIS) used for road transportation applications

Document Preview

IEC TS 61857-42:2025

https://standards.iteh.ai/catalog/standards/iec/51ac0c16-2058-4aac-b9b9-9eb322af6cfb/iec-ts-61857-42-2025

3 61857-42:2025-0

ICS 29.080.30 ISBN 978-2-8327-0586-5



THIS PUBLICATION IS COPYRIGHT PROTECTED Copyright © 2025 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Secretariat Tel.: +41 22 919 02 11

3, rue de Varembé info@iec.ch CH-1211 Geneva 20 www.iec.ch

Switzerland

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search -

webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublishedStay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Discover our powerful search engine and read freely all the publications previews, graphical symbols and the glossary. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 500 terminological entries in English and French, with equivalent terms in 25 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

Preview

IEC TS 61857-42:2025

impost, summandos de composito de composito

CONTENTS

	FC	OREWO	DRD	4		
	IN	TRODU	JCTION	6		
	1	Scop	7			
	2	Norn	Normative references			
	3	Terms and definitions				
		3.14	Terms related to Annex C			
	4	General considerations				
		4.1	Approach to qualification of EIS for road transportation applications	11		
		4.2	Overview of test procedure			
		4.3	Thermal endurance considerations for electrical insulating materials			
		4.4	Chemical compatibility considerations for electrical insulating materials			
	5	Test	14			
		5.1	Test object selection	14		
		5.2	General purpose models			
		5.3	Prototype parts for design qualification			
	6	Initia	Initial diagnostic subcycle			
		6.1	Overview	17		
		6.2	Initial impulse partial discharge test	17		
		6.3	Mechanical stress exposure			
		6.4	Cold exposure	18		
		6.5	Cold exposure	18		
		6.6	Initial dielectric diagnostic test	18		
	7	Thermal ageing				
		7.1	General			
		7.2	Ageing periods and temperatures	19		
		7d3rds	Methods of heating and free for the first feet of the first feet o	1857202-202		
		7.4	Ageing procedure	20		
		7.5	Confidence in a projected thermal rating			
	8	Diagnostic subcycle21				
		8.1	Overview	21		
		8.2	Impulse partial discharge test and alternative test procedures	21		
		8.3	Mechanical stress exposure and alternative test procedures	22		
		8.4	Cold exposure and alternative test procedures	22		
		8.5	Moisture exposure and alternative test procedures			
		8.6	Dielectric diagnostic test			
		8.7	Other diagnostic tests			
	9	Anal	ysing, reporting and classification	23		
		9.1	End-point criterion			
		9.2	Method of determining life			
		9.2.1				
		9.2.2	3			
		9.3	Extrapolation of data			
		9.3.1	,			
		9.3.2	•			
		9.4	Utilization of ageing data for different life requirements			
		9.5	Report of results	27		

10 Evai	iualio	on of data from candidate E15 and reference E15	28
10.1	Ger	neral	28
10.2	Det	ermining qualification	28
10.3	Qua	alification cases	28
10.3	3.1	Case A: Qualification for the same class temperature and same expected service life	28
10.3	3.2	Case B: Qualification for the same class temperature and a different expected service life	29
10.3	3.3	Case C: Qualification for a different class temperature and same expected service life	30
10.3	3.4	Case D: Qualification for a different class temperature and different expected service life	31
11 Eval	luatio	on of ageing factors in addition to thermal	32
11.1	Ger	neral	32
11.2	Mul	tifactor evaluation examples	33
11.2		Combined thermal and mechanical stress evaluation (EIS _{TM})	
11.2	2.2	Combined thermal and electrical stress evaluation (EIS _{TF})	33
11.2	3	Thermal evaluation of an EIS when combined with a liquid (EIS _{TA})	
11.3	_	ses of multifactor candidate EIS qualification	
11.3		gle or mutliple temperature multifactor evaluation	
11.4		alysis of results from multifactor evaluation	
_		rmative) Chemical compatibility of electrical insulating materials with	33
cool	ing fl	uids	38
Annex B	(info	rmative) GPM construction: Hairpin formette	39
B.1		angement of hairpin formette	
B.2	Cor	mponents of hairpin formette	39
B.3		sembly of hairpin formette	
B.4		st positions in hairpin formette 41857.42.2025.	
// Annex C	(norr	mative) Derivation of peak-to-peak test voltages for a diagnostic impulse	
C.1		neral	
C.2		ivation of maximum allowable peak-to-peak voltages in service	
C.3		ample of calculation of maximum allowable voltages in operation	
C.4		nancement factors	
C.4.		PD safety factor	
C.4.		Temperature enhancement factor	
C.4.		Ageing factor	
C.5		ivation of peak-to-peak test voltages	
	•	rmative) Additional discussion on analysis of test data	
Bibliogra	phy .		50
Figure 1	– Tes	st procedure flowchart	12
Figure 2	– Exa	ample for a segmented stator	15
Figure 3	– Exa	ample for a prototype stator	16
		henius plot – for example ageing	
		se A: Candidate EIS qualified for the same thermal class and the same	
		rice life	29

Figure 6 – Case B: Candidate EIS qualified for the same thermal class and different expected service life	30
Figure 7 – Case C: Candidate EIS qualified for a different class temperature and the same expected service life	31
Figure 8 – Case D: Candidate EIS qualified for a different service life and different thermal class from the reference	32
Figure 9 – Multifactor Case A : Multifactor candidate EIS EIS _{TX} qualified for the same	
class temperature and the same expected service life	36
Figure 10 – Multifactor Case C - Multifactor candidate EIS EIS _{TX} qualified for a	
different (lower) class temperature and the same expected service life	37
Figure B.1 – A three-dimensional view of a suitable hairpin formette made with steel frame and pairs of bolted L-shaped slot plates	39
Figure B.2 – Three-dimensional view of hairpin formette frame	40
Figure B.3 – Drawing of hairpin formette frame	40
Figure C.1 – Voltage impulse waveshape parameters	43
Figure C.2 – Jump voltage ($U_{ m j}$) associated with a converter drive	43
Figure C.3 – Comparison of phase-to-phase (left), phase-to-ground (centre), and turn-to-turn (right) voltages for a two-level converter	44
Figure C.4 – Worst-case voltage stressing the turn-to-turn insulation in a variety of random wound stators as a function of the impulse rise time	45
Figure D.1 – Arrhenius plot – using low average passing times	48
Figure D.2 – Arrhenius plot – using minimum passing times	49
(https://standards.iteh.ai)	
Table 1 – Guidance for test object selection	14
Table 2 – Initial dielectric diagnostic test settings	
Table 3 – Suggested ageing temperatures and ageing periods	
Table 4 – Test voltages <u>IEC TS 61857-42:2025</u>	
Table 5 – Example of calculated failure times for a 24-h ageing cycle at 235 °C	
Table 6 – Log average life of set of test objects – 24-h ageing cycle at 235 °C	
Table 7 – Log average life of set of test objects – 96-h ageing cycle at 215 °C	
Table 8 – Log average life of set of test objects – 288-h ageing cycle at 195 °C	
Table 9 – Data for Arrhenius plot	
Table 10 – Conditions for qualification of candidate EIS	
Table 11 – Overview on IEC 62332 series [20]	
Table C.1 – Summary of enhancement factors to be applied to the operating voltages	
	•

INTERNATIONAL ELECTROTECHNICAL COMMISSION

Electrical insulation systems - Procedures for thermal evaluation - Part 42: Specific requirements for evaluation of an electrical insulation system (EIS) used for road transportation applications

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at https://patents.iec.ch. IEC shall not be held responsible for identifying any or all such patent rights.

IEC TS 61857-42 was prepared by IEC technical committee 112: Evaluation and qualification of electrical insulating materials and systems.

The text of this Technical Specification is based on the following documents:

Draft	Report on voting
112/681/DTS	112/687/RVDTS

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/standardsdev/publications.

A list of all parts in the IEC 61857 series, published under the general title *Electrical insulation* systems – *Procedures for thermal evaluation*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn, or
- revised.

iTeh Standards (https://standards.iteh.ai) Document Preview

IEC TS 61857-42:2025

https://standards.iteh.ai/catalog/standards/iec/51ac0c16-2058-4aac-b9b9-9eb322af6cfb/iec-ts-61857-42-2025