

TECHNICAL SPECIFICATION

Vehicle connector, vehicle inlet and cable assembly for megawatt DC charging

**(<https://standards.iteh.ai>)
Document Preview**

IEC TS 63379:2026

<https://standards.iteh.ai/catalog/standards/iec/e1b38cff-a06c-4c5d-91de-088c4099549f/iec-ts-63379-2026>



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2026 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Secretariat
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search -

webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Discover our powerful search engine and read freely all the publications previews, graphical symbols and the glossary. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 500 terminological entries in English and French, with equivalent terms in 25 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

[IEC TS 63379:2026](https://standards.iteh.ai/catalog/standards/iec/e1b38cff-a06c-4c5d-91de-088c4099549f/iec-ts-63379-2026)

<https://standards.iteh.ai/catalog/standards/iec/e1b38cff-a06c-4c5d-91de-088c4099549f/iec-ts-63379-2026>

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD	9
INTRODUCTION	11
1 Scope	12
2 Normative references	12
3 Terms and definitions	14
4 General	15
4.100 System architecture	15
4.101 Manufacturers product data sheet	18
4.102 Maximum temperatures	18
4.103 Ambient rating	19
4.104 POC design	19
5 Ratings	19
6 Connection between the power supply and the electric vehicle	20
7 Classification of accessories	20
8 Marking	21
9 Dimensions	21
10 Protection against electric shock	21
11 Size and colour of protective earthing conductors	22
12 Provision for earthing	23
13 Terminals	23
14 Interlocks	23
14.100 Accessories with interlocks	23
14.100.1 General	23
14.100.2 Electrical interlock	24
14.100.3 Mechanical interlock	24
14.100.4 Test of interlock	24
14.101 Engage and disengage the latching device	25
14.101.1 General	25
14.101.2 Samples	25
14.101.3 Test sequence	25
14.102 Withdrawal test	27
15 Resistance to ageing of rubber and thermoplastic material	28
16 General construction	28
16.100 Thermal sensing device	29
16.101 Loss of thermal transport	29
16.101.1 Loss of thermal transport of connectors and cable assemblies	29
16.101.2 Loss of thermal transport of the vehicle inlet	30
16.102 Accessories using thermal sensing	30
16.103 Rated current for accessories	31
16.104 Operation conditions of thermal management system	31
16.105 Minimum cross section of line conductors	31
16.106 Contact temperature	31
17 Construction of socket-outlets	32
18 Construction of plugs and vehicle connectors	32
18.100 DC contact surface	32

18.101 Hand clearance zone	32
19 Construction of vehicle inlets	32
19.100 DC contact surface	32
20 Degrees of protection	33
21 Insulation resistance and dielectric strength	33
22 Breaking capacity	33
23 Normal operation	33
23.2 Load endurance test	33
24 Temperature rise	33
24.100 General test conditions	33
24.101 Temperature rise test for cable assembly	33
24.101.1 Temperature rise test for cable assembly of configuration HH	33
24.101.2 Temperature rise test for cable assembly of configuration JJ with thermal transport on or thermal sensing only	34
24.101.3 Temperature rise test for cable assembly of configuration JJ with thermal transport off	35
24.102 Test for thermal sensing device of cable assembly	36
24.102.1 Test for thermal sensing device of cable assembly of configuration HH	36
24.102.2 Test for thermal sensing device of cable assembly of configuration JJ	37
24.103 Temperature rise test for vehicle inlet	40
24.103.1 Temperature rise test for vehicle inlet of configuration HH	40
24.103.2 Temperature rise test for vehicle inlet of configuration JJ with thermal transport on	42
24.103.3 Temperature rise test for vehicle inlet of configuration JJ with thermal transport off	42
24.104 Test for thermal sensing device of vehicle inlet	43
24.104.1 Test for thermal sensing device of vehicle inlet of configuration HH	43
24.104.2 Test for thermal sensing device of vehicle inlet of configuration JJ	45
25 Flexible cables and their connection	46
25.100 Design of cables	46
26 Mechanical strength	46
27 Screws, current-carrying parts and connections	48
28 Creepage distances, clearances and distances through sealing compound	48
29 Resistance to heat and to fire	48
30 Corrosion and resistance to rusting	48
31 Conditional short-circuit current	48
32 Electromagnetic compatibility	48
33 Vehicle drive over	48
34 Thermal cycling	49
35 Humidity exposure	49
36 Misalignment	49
37 Contact endurance test	49
38 Liquid coolants	49
38.1 Type of coolant	49
38.2 Environmental considerations	49
38.3 Flammability	50
38.4 Conductivity	50

38.5	Material compatibility	50
38.6	Overpressure test	50
39	Signal integrity	51
Annex A (normative) Standard sheet of configuration HH: Vehicle coupler 1 500 V DC and up to 3 000 A		52
A.1	Vehicle inlet of configuration HH	52
A.1.1	Vehicle inlet of configuration HH, Sheet 1 (see Figure A.1)	52
A.1.2	Vehicle inlet of configuration HH, Sheet 2 (see Figure A.2)	53
A.1.3	Vehicle inlet of configuration HH, Sheet 3 (see Figure A.3)	54
A.1.4	Vehicle inlet of configuration HH, Sheet 4 (see Figure A.4)	55
A.1.5	Vehicle inlet of configuration HH, Sheet 5 (see Figure A.5)	56
A.1.6	Vehicle inlet of configuration HH, Sheet 6 (see Figure A.6)	57
A.1.7	Vehicle inlet of configuration HH, Sheet 7 (see 7).....	58
A.1.8	Vehicle inlet of configuration HH, Sheet 8 (see Figure A.8)	59
A.1.9	Vehicle inlet of configuration HH, Sheet 9 (see Figure A.9)	60
A.1.10	Vehicle inlet of configuration HH, table of keys.....	60
A.2	Vehicle connector of configuration HH	61
A.2.1	Vehicle connector of configuration HH, Sheet 1 (see Figure A.10).....	61
A.2.2	Vehicle connector of configuration HH, Sheet 2 (see Figure A.11).....	62
A.2.3	Vehicle connector of configuration HH, Sheet 3 (see Figure A.12).....	63
A.2.4	Vehicle connector of configuration HH, Sheet 4 (see Figure A.13).....	64
A.2.5	Vehicle connector of configuration HH, Sheet 5 (see Figure A.14).....	65
A.2.6	Vehicle connector of configuration HH, Sheet 6 (see Figure A.15).....	66
A.2.7	Vehicle connector of configuration HH, Sheet 7 (see Figure A.16).....	67
A.2.8	Vehicle connector of configuration HH, Sheet 8 (see Figure A.17).....	68
A.2.9	Vehicle connector of configuration HH, Sheet 9 (see Figure A.18).....	69
A.2.10	Vehicle connector of configuration HH, Sheet 10 (see Figure A.19).....	70
A.2.11	Dimensions of vehicle connector body outline (see Figure A.20)	71
A.2.12	Vehicle connector of configuration HH, table of keys	71
A.3	Coordinate systems for automatic docking and undocking of configuration HH.....	72
A.3.1	General.....	72
A.3.2	Coordinate system of vehicle inlet	72
A.3.3	Coordinate system of vehicle connector	72
A.3.4	Package space for automatic docking	73
Annex B (normative) Standard sheets of configuration JJ : Vehicle coupler 1 500 V DC and up to 1 600 A		74
B.1	Vehicle inlet of configuration JJ with mechanical coding	74
B.1.1	Vehicle inlet of configuration JJ with mechanical coding, Sheet 1 (see Figure B.1)	74
B.1.2	Vehicle inlet of configuration JJ with mechanical coding, Sheet 2 (see Figure B.2)	75
B.1.3	Vehicle inlet of configuration JJ with mechanical coding, Sheet 3 (see Figure B.3)	76
B.1.4	Vehicle inlet of configuration JJ with mechanical coding, Sheet 4 (see Figure B.4)	77
B.1.5	Vehicle inlet of configuration JJ with mechanical coding, Sheet 5 (see Figure B.5)	78
B.1.6	Vehicle inlet of configuration JJ with mechanical coding, table of keys.....	78
B.2	Vehicle inlet of configuration JJ without mechanical coding.....	79

B.2.1	Vehicle inlet of configuration JJ without mechanical coding, Sheet 1 (see Figure B.6).....	79
B.2.2	Vehicle inlet of configuration JJ without mechanical coding, Sheet 2 (see Figure B.7).....	80
B.2.3	Vehicle inlet of configuration JJ without mechanical coding, Sheet 3 (see Figure B.8).....	81
B.2.4	Vehicle inlet of configuration JJ without mechanical coding, Sheet 4 (see Figure B.9).....	82
B.2.5	Vehicle inlet of configuration JJ without mechanical coding, Sheet 5 (see Figure B.10).....	83
B.2.6	Vehicle inlet of configuration JJ without mechanical coding, table of keys	83
B.3	Vehicle connector of configuration JJ.....	84
B.3.1	Vehicle connector of configuration JJ, Sheet 1 (see Figure B.11).....	84
B.3.2	Vehicle connector of configuration JJ, Sheet 2 (see Figure B.12).....	85
B.3.3	Vehicle connector of configuration JJ, Sheet 3 (see Figure B.13).....	86
B.3.4	Vehicle connector of configuration JJ, Sheet 4 (see Figure B.14).....	87
B.3.5	Vehicle connector of configuration JJ, Sheet 5 (see Figure B.15).....	88
B.3.6	Vehicle connector of configuration JJ, Sheet 6 (see Figure B.16).....	89
B.3.7	Vehicle connector of configuration JJ, table of keys.....	89
Annex C	(normative) Specific information for configuration HH.....	90
C.1	General	90
C.2	Test setups for temperature rise tests and temperature sensing test.....	90
C.2.1	Test setups for temperature rise test and temperature sensing test of cable assembly.....	90
C.2.2	Test setups for temperature rise and temperature sensing test of vehicle inlet.....	91
C.3	Vehicle inlet reference device preparation.....	92
C.3.1	Validation measurement of the vehicle inlet reference device	92
C.3.2	Vehicle inlet reference device assembly.....	93
C.3.3	Vehicle inlet reference device sub-assembly.....	98
C.3.4	Vehicle inlet reference device components	105
Annex D	(normative) Specific information for configuration JJ	131
D.1	General	131
D.2	Reference devices and test setups for configuration JJ.....	131
D.2.1	Reference device and test setups for temperature rise test and thermal sensing device test of cable assembly (configuration JJ).....	131
D.2.2	Reference device and test setups for temperature rise test and thermal sensing device test of vehicle inlet (configuration JJ).....	133
D.3	Test setup for configuration JJ	135
D.4	Contacts for configuration JJ.....	136
D.5	Other drawings.....	136
D.5.1	Final assembly of the vehicle inlet reference device	136
D.5.2	Final assembly of the vehicle connector reference device	137
D.5.3	Sub-assembly of the vehicle inlet reference device.....	138
D.5.4	Sub-assembly of the vehicle connector reference device.....	139
D.5.5	Connector pin of vehicle connector reference device	140
D.5.6	Contact tube of vehicle inlet reference device	141
D.5.7	Contact clip of vehicle inlet reference device	142
D.5.8	Copper busbar of vehicle inlet reference device	143
D.5.9	Copper busbar of vehicle connector reference device	144

D.5.10	Connector pin holder	145
D.5.11	Connector pin fastening plate	146
D.5.12	Drilling jig for DUT connector interface	146
Annex E (informative)	Overview about tests	148
Annex F (normative)	Data to be provided	169
Bibliography		171

Figure 1	– Example of system architecture of connector design 1 and inlet design 1	16
Figure 2	– Example of system architecture of connector design 2 and inlet design 1	17
Figure 3	– Example of system architecture of connector design 2 and inlet design 2	18
Figure 4	– Verification of the latching device	25
Figure 5	– Interlock test setup for checking latched position and unlatched position	26
Figure 6	– Verification of the latching device	28
Figure A.1	– Vehicle inlet of configuration HH, Sheet 1	52
Figure A.2	– Vehicle inlet of configuration HH, Sheet 2	53
Figure A.3	– Vehicle inlet of configuration HH, Sheet 3	54
Figure A.4	– Vehicle inlet of configuration HH, Sheet 4	55
Figure A.5	– Vehicle inlet of configuration HH, Sheet 5	56
Figure A.6	– Vehicle inlet of configuration HH, Sheet 6	57
Figure A.7	– Vehicle inlet of configuration HH, Sheet 7	58
Figure A.8	– Vehicle inlet of configuration HH, Sheet 8	59
Figure A.9	– Vehicle inlet of configuration HH, Sheet 9	60
Figure A.10	– Vehicle connector of configuration HH, Sheet 1	61
Figure A.11	– Vehicle connector of configuration HH, Sheet 2	62
Figure A.12	– Vehicle connector of configuration HH, Sheet 3	63
Figure A.13	– Vehicle connector of configuration HH, Sheet 4	64
Figure A.14	– Vehicle connector of configuration HH, Sheet 5	65
Figure A.15	– Vehicle connector of configuration HH, Sheet 6	66
Figure A.16	– Vehicle connector of configuration HH, Sheet 7	67
Figure A.17	– Vehicle connector of configuration HH, Sheet 8	68
Figure A.18	– Vehicle connector of configuration HH, Sheet 9	69
Figure A.19	– Vehicle connector of configuration HH, Sheet 10	70
Figure A.20	– Dimensions of vehicle connector body outline	71
Figure A.21	– Vehicle inlet coordinate system of vehicle inlet according to configuration HH	72
Figure A.22	– Vehicle connector coordinate system of vehicle connector according to Configuration HH	73
Figure B.1	– Vehicle inlet of configuration JJ with mechanical coding, Sheet 1	74
Figure B.2	– Vehicle Inlet of configuration JJ with mechanical coding, Sheet 2	75
Figure B.3	– Vehicle inlet of configuration JJ with mechanical coding, Sheet 3	76
Figure B.4	– Vehicle inlet of configuration JJ with mechanical coding, Sheet 4	77
Figure B.5	– Vehicle inlet of configuration JJ with mechanical coding, Sheet 5	78
Figure B.6	– Vehicle inlet of configuration JJ without mechanical coding, Sheet 1	79
Figure B.7	– Vehicle inlet of configuration JJ without mechanical coding, Sheet 2	80