



ISO/IEC 11801-1

Edition 1.1 2025-11

INTERNATIONAL STANDARD

CONSOLIDATED VERSION

Information technology - Generic cabling for customer premises –
Part 1: General requirements

(<https://standards.iteh.ai>)
Document Preview

ISO/IEC 11801-1:2017

<https://standards.iteh.ai/catalog/standards/iec/dbb1a6cf-821f-4b5a-8ab1-cb952b32f9c7/iso-iec-11801-1-2017>



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2025 ISO/IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Secretariat
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search -

webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Discover our powerful search engine and read freely all the publications previews, graphical symbols and the glossary. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 500 terminological entries in English and French, with equivalent terms in 25 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

[ISO/IEC 11801-1:2017](https://standards.iteh.ai/catalog/standards/iec/dbb1a6ef-821f-4b5a-8ab1-cb952b32f9c7/iso-iec-11801-1-2017)

<https://standards.iteh.ai/catalog/standards/iec/dbb1a6ef-821f-4b5a-8ab1-cb952b32f9c7/iso-iec-11801-1-2017>

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD	13
INTRODUCTION	15
INTRODUCTION to Amendment 1	17
1 Scope	18
2 Normative references	18
3 Terms, definitions, abbreviations and symbols	24
3.1 Terms and definitions	24
3.2 Abbreviations	31
3.3 Symbols	33
3.3.1 Variables	33
3.3.2 Indices	34
4 Conformance	34
5 Structure of generic cabling	34
5.1 Functional elements	34
5.2 Interfaces	35
5.3 Cabling subsystems	36
5.3.1 Cabling subsystem 1	36
5.3.2 Cabling subsystems $n \geq 2$	36
5.3.3 Common subsystems	37
5.3.4 Tie cabling	37
5.3.5 Channel and permanent link	37
6 Channel performance requirements	38
6.1 General	38
6.2 Environmental performance	38
6.2.1 General	38
6.2.2 Environmental classification	38
6.3 Balanced cabling transmission performance	41
6.3.1 General	41
6.3.2 Component choice	42
6.3.3 Channel parameters	42
6.4 Coaxial cabling transmission performance	70
6.4.1 General	70
6.4.2 Component choice	71
6.4.3 Channel parameters	71
6.5 Optical fibre cabling transmission performance	73
6.5.1 Component choice	73
6.5.2 Channel parameters	73
6.6 Single pair cabling transmission performance	73
6.6.1 General	73
6.6.2 Component choice	74
6.6.3 Channel parameters	74
6.6.4 Cable sharing	84
7 Link performance requirements	84
7.1 General	84
7.2 Balanced cabling	86
7.2.1 General	86

7.2.2	Return loss	87
7.2.3	Insertion loss/attenuation.....	88
7.2.4	NEXT.....	90
7.2.5	Attenuation to crosstalk ratio at the near-end.....	94
7.2.6	Attenuation to crosstalk ratio at the far-end	96
7.2.7	Direct current loop resistance	100
7.2.8	Direct current resistance unbalance.....	102
7.2.9	Propagation delay.....	102
7.2.10	Delay skew	103
7.2.11	Unbalance attenuation and coupling attenuation.....	105
7.2.12	Alien crosstalk	109
7.3	Coaxial cabling	114
7.3.1	General	114
7.3.2	Return loss	114
7.3.3	Insertion loss.....	114
7.3.4	Direct current loop resistance	115
7.3.5	DC current carrying capacity.....	115
7.3.6	Screening attenuation.....	115
7.4	Optical fibre cabling	115
7.5	Single pair balanced cabling	116
7.5.1	General	116
7.5.2	Return loss	116
7.5.3	Insertion loss/attenuation.....	117
7.5.4	Direct current (DC) loop resistance.....	118
7.5.5	Direct current (DC) resistance unbalance	120
7.5.6	Propagation delay.....	120
7.5.7	Unbalance attenuation and coupling attenuation.....	121
7.5.8	Alien crosstalk	124
8	Reference implementation for backbone cabling subsystems.....	127
8.1	General.....	127
8.2	Balanced cabling	127
8.2.1	Component choice	127
8.2.2	Dimensions.....	128
8.3	Optical fibre cabling	129
8.3.1	General	129
8.3.2	Component selection	129
8.3.3	Dimensions.....	130
8.4	Single pair balanced cabling	130
8.4.1	Component choice	130
8.4.2	Dimensions.....	130
9	Cable requirements	132
9.1	General.....	132
9.2	Operating environment.....	132
9.3	Balanced cables	133
9.3.1	Basic requirements	133
9.3.2	Balanced cables of Category 5 through 7A, 8.1 and 8.2.....	133
9.3.3	Balanced cables of Category BCT-B	135
9.4	Coaxial cables	137

9.4.1	General	137
9.4.2	Environmental characteristics	137
9.4.3	Mechanical characteristics	137
9.4.4	Electrical characteristics	138
9.5	Optical fibre cable (cabled optical fibres)	138
9.5.1	Mechanical and environmental characteristics	138
9.5.2	Cabled optical fibre Categories	139
9.6	Single pair balanced cables	140
9.6.1	Basic requirements	140
9.6.2	Electrical characteristics	140
10	Connecting hardware requirements	140
10.1	General requirements	140
10.1.1	Overview	140
10.1.2	Location	140
10.1.3	Design	141
10.1.4	Operating environment	141
10.1.5	Mounting	144
10.1.6	Installation practices	144
10.1.7	Marking and colour coding	145
10.2	Category 5 through 7 _A , 8.1, and 8.2 connecting hardware for balanced cabling	145
10.2.1	General	145
10.2.2	Performance marking	145
10.2.3	Mechanical characteristics	145
10.2.4	Electrical characteristics	147
10.2.5	Additional requirements	159
10.3	BCT-B connecting hardware	160
10.4	Connecting hardware for use with coaxial cabling for BCT applications	160
10.4.1	General requirements	160
10.4.2	Performance marking	160
10.4.3	Electrical characteristics	160
10.5	Optical fibre connecting hardware	161
10.5.1	General requirements	161
10.5.2	Marking and colour coding	162
10.5.3	Mechanical and optical characteristics	162
10.6	Connecting hardware in accordance with IEC 60603-7 series	163
10.7	Connecting hardware in accordance with IEC 61076-3-104	164
10.8	Connecting hardware in accordance with IEC 61076-2-101 (Type D, 4 poles)	165
10.9	Connecting hardware in accordance with IEC 61076-2-109 (Type X, 8 poles)	165
10.10	Connecting hardware in accordance with IEC 61169-2 and IEC 61169-24 (Type F)	165
10.11	Connecting hardware for two optical fibres	165
10.12	Connecting hardware for twelve and twenty-four optical fibres	166
10.13	Connecting hardware for sixteen optical fibres in accordance with IEC 61754-7-4	166
10.14	Connecting hardware in accordance with IEC 63171-1	167
10.15	Connecting hardware in accordance with IEC 63171-6	167
10.16	Single pair connecting hardware requirements	168
10.16.1	General requirements	168

10.16.2	Mechanical characteristics.....	168
10.16.3	Electrical characteristics.....	168
11	Cord requirements.....	175
11.1	General.....	175
11.2	Operating environment.....	175
11.3	Balanced cords of Category 5 through 7 _A , 8.1, 8.2 and BCT-B.....	175
11.3.1	General.....	175
11.3.2	Identification.....	175
11.3.3	Operating environment.....	176
11.3.4	Return loss.....	176
11.3.5	NEXT.....	177
11.4	Coaxial cords.....	179
11.5	Optical fibre cords.....	179
11.5.1	General.....	179
11.5.2	Identification.....	180
11.5.3	Performance requirements for patch cords.....	180
11.6	Single pair cord requirements.....	180
11.6.1	General.....	180
11.6.2	Identification.....	180
11.6.3	Return loss.....	180
Annex A (normative)	Conformance testing procedures for balanced cabling of Classes A to F _A , I and II and optical fibre cabling.....	182
A.1	General.....	182
A.2	Channel and link performance testing.....	182
A.2.1	General.....	182
A.2.2	Conformance testing of balanced cabling channels, and links.....	182
A.2.3	Installation conformance testing of optical fibre cabling channels.....	183
A.3	Overview of test schedules.....	183
Annex B (normative)	Mechanical and environmental performance testing of connecting hardware for balanced cabling.....	186
B.1	Overview.....	186
B.2	Solderless connections.....	186
B.3	Free and fixed connectors (modular plugs and jacks).....	187
B.4	Other connecting hardware.....	188
Annex C (informative)	Electromagnetic characteristics.....	190
Annex D (informative)	Acronyms for balanced cables.....	191
Annex E (informative)	Supported applications.....	193
E.1	Supported applications for balanced cabling.....	193
E.2	Supported applications for optical fibre cabling.....	197
E.3	Supported applications for coaxial cabling.....	202
E.4	Supported industrial applications for optical fibre cabling.....	203
E.5	Supported applications for single pair balanced cabling.....	205
Annex F (informative)	Optical fibre cable OM1, OM2 and OS1.....	207
Annex G (informative)	Remote powering on single pair balanced cabling.....	209
G.1	General.....	209
G.2	Remote powering Class.....	209
G.3	Remote powering channel length.....	209
Annex H (informative)	Cable sharing for single pair channels.....	211

H.1	General.....	211
H.2	Cable sharing engineered approach.....	211
Annex I (informative) Length scaling of single pair channel PSAACR-F for application support		212
I.1	General.....	212
I.2	PS AACR-F length scaling	212
I.2.1	General	212
I.2.2	Example PS AACR-F calculation using T1-B at 15 m length	212
I.2.3	Example PS AACR-F calculation using T1-C at 40 m length	212
Bibliography.....		213

Figure 1 – Relationships between the generic cabling documents produced by ISO/IEC JTC 1/SC 25	17
Figure 2 – General functional elements.....	34
Figure 3 – Interconnect models.....	35
Figure 4 – Cross-connect models.....	35
Figure 5 – Equipment and test interfaces	36
Figure 6 – Link options	85
Figure 7 – Link designations	86
Figure 17 – Single pair link examples at maximum implementation	116
Figure 8 – Backbone cabling model	128
Figure 18 – Single pair cabling model	131
Figure 9 – Pin grouping and pair assignments for IEC 60603-7 series interface for Categories 5, 6, 6 _A and 8.1 (front view of fixed connector (jack), not to scale).....	163
Figure 10 – Pin grouping and pair assignment for the IEC 60603-7 series interface for Categories 7, 7 _A , 8.2 and BCT-B (front view of fixed connector (jack), not to scale)	164
Figure 11 – Pin grouping and pair assignments for the IEC 61076-3-104 interface for Categories 7, 7 _A , 8.2 and BCT-B (front view of fixed connector (jack), not to scale)	164
Figure 12 – Four position connector pin and pair assignments for IEC 61076-2-101 connecting hardware (front view of male connector).....	165
Figure 13 – Eight position connector pin and pair grouping assignments for IEC 61076-2-109 connecting hardware (front view of male connector r)	165
Figure 14 – Conductor assignment of IEC 61169-2 and IEC 61169-24 (Type F) connector.....	165
Figure 15 – Optical fibre assignments for connecting hardware for two optical fibres	166
Figure 16 – Optical fibre assignments for connecting hardware for 12 and 24 optical fibres (front view of fixed or free connector)	166
Figure 19 – Optical fibre assignments for connecting hardware for 16 optical fibres (front view of fixed or free connector).....	167
Figure 20 – Pin grouping and pair assignment for the IEC 63171-1 interface for single pair balanced cabling (front view of fixed connector (jack), not to scale)	167
Figure 21 – Pin grouping and pair assignment for the IEC 63171-6 interface for industrial single pair balanced cabling (front view of fixed connector (jack), not to scale)	167
Figure D.1 – Cable naming schema	191
Figure D.2 – Cable types	192