



# TECHNICAL SPECIFICATION

---

**Information technology - Brain-computer interfaces - Data format for non-invasive brain information collection**

Sample Document

get full document from [standards.iteh.ai](https://standards.iteh.ai)



**THIS PUBLICATION IS COPYRIGHT PROTECTED**  
**Copyright © 2026 ISO/IEC, Geneva, Switzerland**

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Secretariat  
3, rue de Varembe  
CH-1211 Geneva 20  
Switzerland

Tel.: +41 22 919 02 11  
[info@iec.ch](mailto:info@iec.ch)  
[www.iec.ch](http://www.iec.ch)

**About the IEC**

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

**About IEC publications**

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

**IEC publications search -**  
[webstore.iec.ch/advsearchform](http://webstore.iec.ch/advsearchform)

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

**IEC Just Published -** [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

**IEC Customer Service Centre -** [webstore.iec.ch/csc](http://webstore.iec.ch/csc)

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: [sales@iec.ch](mailto:sales@iec.ch).

**IEC Products & Services Portal -** [products.iec.ch](http://products.iec.ch)

Discover our powerful search engine and read freely all the publications previews, graphical symbols and the glossary. With a subscription you will always have access to up to date content tailored to your needs.

**Electropedia -** [www.electropedia.org](http://www.electropedia.org)

The world's leading online dictionary on electrotechnology, containing more than 22 500 terminological entries in English and French, with equivalent terms in 25 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

**Warning! Make sure that you obtained this publication from an authorized distributor.**

## CONTENTS

FOREWORD .....	2
INTRODUCTION .....	3
1 Scope .....	4
2 Normative references .....	4
3 Terms and definitions .....	4
4 Abbreviated terms .....	5
5 Basic data elements .....	5
5.1 Electroencephalography (EEG) .....	5
5.2 Magnetoencephalography (MEG) .....	5
5.3 Functional near-infrared spectroscopy (fNIRS) .....	5
5.4 Functional magnetic resonance imaging (fMRI) .....	6
6 Extensible and modular data .....	6
7 Metadata and annotation information .....	8
8 Standardized data format .....	9
8.1 Overview .....	9
8.2 BCI devices .....	9
8.3 Subjects .....	10
8.4 Data acquisition sessions .....	10
8.5 Data files .....	10
8.5.1 Overview .....	10
8.5.2 Data acquisition .....	11
8.5.3 Data processing .....	11
8.5.4 Annotations .....	12
8.5.5 Security by design .....	12
9 Naming convention for BCI data files .....	12
10 Integration of multiple BCI technologies .....	13
10.1 Overview .....	13
10.2 Compatibility with existing BCI technologies .....	13
10.3 Multimodal data integration and management for BCI technologies .....	14
11 Raw data format selection specification .....	16
12 Required metadata information .....	16
Bibliography .....	18
Figure 1 – Non-invasive unified BCI data formatting procedure .....	6
Figure 2 – Example of modular data structure for non-invasive data format .....	7
Figure 3 – Example of ETSI ENI format metadata and annotation structure .....	8
Figure 4 – Naming convention of data file .....	12
Figure 5 – File common dataset and each modality data designation .....	14
Figure 6 – Required data elements and extraction of required items .....	15
Figure 7 – Element composition and required itemized data .....	15
Figure 8 – Raw data converter and data combination .....	16
Table 1 – Required metadata elements .....	17

**Information technology -  
Brain-computer interfaces -  
Data format for non-invasive brain information collection**

**FOREWORD**

- 1) ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.
- 2) The formal decisions or agreements of IEC and ISO on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC and ISO National bodies.
- 3) IEC and ISO documents have the form of recommendations for international use and are accepted by IEC and ISO National bodies in that sense. While all reasonable efforts are made to ensure that the technical content of IEC and ISO documents is accurate, IEC and ISO cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC and ISO National bodies undertake to apply IEC and ISO documents transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC and ISO document and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC and ISO do not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC and ISO marks of conformity. IEC and ISO are not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this document.
- 7) No liability shall attach to IEC and ISO or their directors, employees, servants or agents including individual experts and members of its technical committees and IEC and ISO National bodies for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this ISO/IEC document or any other IEC and ISO documents.
- 8) Attention is drawn to the Normative references cited in this document. Use of the referenced publications is indispensable for the correct application of this document.
- 9) IEC and ISO draw attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC and ISO take no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC and ISO had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at <https://patents.iec.ch> and [www.iso.org/patents](http://www.iso.org/patents). IEC and ISO shall not be held responsible for identifying any or all such patent rights.

ISO/IEC TS 27571 has been prepared by subcommittee 43: Brain-computer interfaces, of ISO/IEC joint technical committee 1: Information technology. It is a Technical Specification.

The text of this Technical Specification is based on the following documents:

Draft	Report on voting
JTC1-SC43/185/DTS	JTC1-SC43/205/RVDTS

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this Technical Specification is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1, and the ISO/IEC Directives, JTC 1 Supplement available at [www.iec.ch/members\\_experts/refdocs](http://www.iec.ch/members_experts/refdocs) and [www.iso.org/directives](http://www.iso.org/directives).

## INTRODUCTION

Brain–computer interfaces (BCIs) have emerged as a promising area of research with applications spanning from neurorehabilitation to human–computer interaction. Non-invasive BCI technologies such as electroencephalography (EEG), magnetoencephalography (MEG), functional near-infrared spectroscopy (fNIRS) and functional magnetic resonance imaging (fMRI) have contributed significantly to our understanding of the human brain. [1]<sup>1</sup> However, the lack of a standardized data format for these diverse BCI technologies poses challenges to data sharing, integration and analysis. This document specifically addresses the integration challenges posed by multi-modal BCI systems, ensuring that data from different technologies can be combined effectively and efficiently. By establishing a uniform data format, this document facilitates deeper insights into neurological processes and enhances the practical deployment of BCI technologies across various fields.

To address this issue, this document provides a description of the current state-of-the-art and the need for a data fusion system to integrate and analyse data from different non-invasive BCI technologies. This document focuses on the following components: defining basic data elements for each technology, identifying technical information and metadata, designing an extensible and modular data structure, specifying metadata and annotation information for data comprehension and traceability, and establishing a unified data format for consistent data integration.

Data fusion demands situational awareness. It is a set of closed control loops that are responsible for

- a) ingesting each type of data and applying appropriate processing (e.g. data deduplication and cleansing and anonymization),
- b) normalizing those data into a common language using a consensual vocabulary,
- c) semantically enriching the normalized data based on context,
- d) understanding the normalized data in order to make decisions about the meaning of the data, and
- e) recording this understanding as a set of conclusions.

The resulting standardization will accelerate advancements in BCI research and applications by promoting consistent data organization, enhancing data quality, and enabling more effective collaboration among researchers and practitioners in the field.

---

<sup>1</sup> Numbers in square brackets refer to the Bibliography.

## 1 Scope

This document specifies the basic brain–computer interface (BCI) data format including the definition of basic data elements, technology-specific information and metadata, design of an extensible and modular data structure, specification of metadata and annotation information, and the development of a standardized data format and naming convention for BCI data. This document is applicable to non-invasive BCI technologies, such as electroencephalography (EEG), magnetoencephalography (MEG), functional near-infrared spectroscopy (fNIRS) and functional magnetic resonance imaging (fMRI), and provides a comprehensive approach to BCI metadata formats in the product development environment. It takes into consideration various applications, ranging from neurological rehabilitation to human–computer interaction.

## 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO/IEC 8663, *Information technology - Brain–computer interfaces - Vocabulary*

ISO/TS 21526:2019, *Health informatics - Metadata repository requirements (MetaRep)*

## 3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO/IEC 8663 and the following apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

- IEC Electropedia: available at <https://www.electropedia.org/>
- ISO Online browsing platform: available at <https://www.iso.org/obp>

### 3.1

#### **annotation**

specific type of metadata that provides additional information or explanation about a concept

### 3.2

#### **application programming interface**

##### **API**

interface used for communication between software applications

### 3.3

#### **dataset**

collection of related data used for a common purpose or task, organized in a structured format

### 3.4

#### **extensibility**

capability of a system to be expanded with new features

### 3.5

#### **interface**

shared boundary across which two or more separate components of a computer system exchange information

**3.6****modularity**

ability to separate and recombine selected elements of a system

Note 1 to entry: Modularity is typically facilitated by software architecture designed for data fusion.

**3.7****data encryption**

conversion of plaintext into ciphertext using an encryption algorithm to protect the confidentiality of the stored or transmitted data

**4 Abbreviated terms**

EEG	electroencephalography
ENI	experiential networked intelligence
ETSI	European Telecommunications Standards Institute
fNIRS	functional near-infrared spectroscopy
fMRI	functional magnetic resonance imaging
LED	light emitting diode
MEG	magnetoencephalography

**5 Basic data elements****5.1 Electroencephalography (EEG)**

Electroencephalography (EEG) measures the electrical activity of the brain through electrodes placed on the scalp. Basic data elements for EEG include timestamps, channel labels, electrode type (wet, semi-wet, or dry), number and positions of electrodes, and whether electrodes are active or passive. The data set also includes the sampling rate and raw voltage values. Additionally, information about the reference electrode and ground electrode, filtering settings, and electrode impedance should be included to ensure accurate data interpretation and analysis. The ground electrode provides a stable zero-voltage point, which is essential for reducing electrical noise and improving the overall quality of the EEG data.

**5.2 Magnetoencephalography (MEG)**

Magnetoencephalography (MEG) records the magnetic fields generated by neuronal currents in the brain. Basic data elements for MEG include timestamps, channel labels, sensor positions, sampling rate, and raw magnetic field values. Technology-specific information for MEG consists of sensor types (e.g. magnetometers, gradiometers), reference sensors, and noise reduction techniques.

**5.3 Functional near-infrared spectroscopy (fNIRS)**

Functional near-infrared spectroscopy (fNIRS) measures changes in haemoglobin concentration in the brain using near-infrared light. Basic data elements for fNIRS include timestamps, channel labels that specify the positions and types of light sources (LEDs or lasers) and detectors, optode positions, sampling rate, and raw optical density values. Wavelengths of near-infrared light, differential pathlength factor, and baseline correction methods should also be specified as technology-specific information.