

**ISO 10297:2024(en)**

Fourth edition

2024-04

Date: 2024-04-29

## **Gas cylinders — Cylinder valves — Specification and type testing**

*Bouteilles à gaz — Robinets de bouteilles — Spécifications et essais de type*

**iTeh Standards**  
**(<https://standards.itih.ai>)**  
**Document Preview**

[ISO 10297:2024](https://standards.itih.ai/catalog/standards/iso/63f2ec4a-76ca-4df9-947d-56cbbd2d2729/iso-10297-2024)

<https://standards.itih.ai/catalog/standards/iso/63f2ec4a-76ca-4df9-947d-56cbbd2d2729/iso-10297-2024>

© ISO 2024

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
CP 401 • Ch. de Blandonnet 8  
CH-1214 Vernier, Geneva  
Phone: + 41 22 749 01 11  
E-mail: [copyright@iso.org](mailto:copyright@iso.org)  
Website: [www.iso.org](http://www.iso.org)

Published in Switzerland

**iTeh Standards**  
**(<https://standards.iteh.ai>)**  
**Document Preview**

[ISO 10297:2024](https://standards.iteh.ai/catalog/standards/iso/63f2ec4a-76ca-4df9-947d-56cbbd2d2729/iso-10297-2024)

<https://standards.iteh.ai/catalog/standards/iso/63f2ec4a-76ca-4df9-947d-56cbbd2d2729/iso-10297-2024>

## Contents

Foreword.....	vi
Introduction.....	viii
1 — Scope.....	1
2 — Normative references.....	2
3 — Terms and definitions.....	2
4 — Valve description.....	9
5 — Valve design requirements.....	16
5.1 — General.....	16
5.2 — Materials.....	16
5.3 — Valve connections.....	17
5.4 — Mechanical strength.....	18
5.4.1 — Resistance to hydraulic pressure.....	18
5.4.2 — Resistance to mechanical impact.....	18
5.4.3 — Resistance to valve spindle impact for pin-index valves.....	19
5.5 — Valve operating mechanism.....	19
5.5.1 — Opening and closing of the valve.....	19
5.5.2 — Endurance.....	19
5.5.3 — Resistance to excessive torques.....	20
5.5.4 — Acetylene specific requirements.....	22
5.6 — Valve operating device.....	22
5.6.1 — Closing direction.....	22
5.6.2 — Handwheel diameter.....	23
5.6.3 — Exposure to flame.....	23
5.7 — Leakage.....	23
5.8 — Resistance to ignition.....	24
5.9 — Flow capacity.....	25
6 — Type testing.....	25
6.1 — General.....	25
6.2 — Test schedule.....	25
6.3 — Documentation.....	28
6.4 — Test samples.....	28
6.5 — Test report.....	29
6.6 — Test temperatures.....	29
6.7 — Test pressures.....	30
6.7.1 — Valve hydraulic test pressure.....	30
6.7.2 — Valve test pressure.....	30
6.8 — Test gases.....	31
6.8.1 — Gas quality.....	31
6.8.2 — Leak tightness tests.....	31
6.8.3 — Endurance tests.....	31
6.8.4 — Acetylene decomposition test.....	31
6.8.5 — Oxygen pressure surge test.....	31
6.9 — Hydraulic pressure test.....	31
6.10 — Flame impingement test.....	32
6.11 — Excessive torque tests.....	32
6.11.1 — Handwheel operated valves.....	32
6.11.2 — Key and toggle operated valves.....	33

6.11.3—VIPR type C with the flow selector acting as the primary valve operating mechanism and VIPR type B.....	33
6.12—Leak tightness tests.....	33
6.12.1—General.....	33
6.12.2—Internal leak tightness test.....	34
6.12.3—External leak tightness test.....	35
6.13—Endurance test.....	35
6.14—Endurance test of VIPR types B and C.....	36
6.15—Endurance test of the filling connection non-return valve.....	38
6.15.1—Filling connection non-return valve downstream of the valve operating mechanism.....	38
6.15.2—Filling connection non-return valve upstream of the valve operating mechanism.....	38
6.15.3—Test apparatus.....	39
6.16—Visual examination.....	39
6.17—Valve spindle impact test for pin-index valves.....	40
6.18—Pressure relief valve tightness test.....	40
7—Marking.....	40
Annex A (normative) Impact test.....	42
Annex B (normative) Tests for acetylene valves.....	44
B.1—Acetylene hydraulic pressure test.....	44
B.2—Acetylene seat leak tightness test.....	44
B.3—Acetylene decomposition test of VIPR designs.....	44
Annex C (normative) Oxygen pressure surge test.....	46
C.1—General.....	46
C.2—Test apparatus requirements.....	46
C.3—Test procedure.....	46
Annex D (informative) Example of a vacuum test.....	54
Annex E (normative) Endurance test machine.....	55
E.1—Typical arrangement.....	55
E.2—Requirements.....	55
E.2.1—Speed and application of torque.....	55
E.2.2—Alignment.....	55
E.2.3—Verification.....	56
E.2.4—Stroke of the endurance test.....	56
E.2.5—Record.....	56
Annex F (normative) Required tests for validation of changes and/or material variants within a valve design.....	57
Bibliography.....	60
Foreword.....	Error! Bookmark not defined.
Introduction.....	Error! Bookmark not defined.
1 Scope.....	Error! Bookmark not defined.
2 Normative references.....	Error! Bookmark not defined.
3 Terms and definitions.....	Error! Bookmark not defined.
4 Valve description.....	Error! Bookmark not defined.
5 Valve design requirements.....	Error! Bookmark not defined.
5.1 General.....	Error! Bookmark not defined.
5.2 Materials.....	Error! Bookmark not defined.

<b>5.3 Valve connections</b>	Error! Bookmark not defined.
<b>5.4 Mechanical strength</b>	Error! Bookmark not defined.
<b>5.5 Valve operating mechanism</b>	Error! Bookmark not defined.
<b>5.6 Valve operating device</b>	Error! Bookmark not defined.
<b>5.7 Leakage</b>	Error! Bookmark not defined.
<b>5.8 Resistance to ignition</b>	Error! Bookmark not defined.
<b>5.9 Flow capacity</b>	Error! Bookmark not defined.
<b>6 Type testing</b>	Error! Bookmark not defined.
<b>6.1 General</b>	Error! Bookmark not defined.
<b>6.2 Test schedule</b>	Error! Bookmark not defined.
<b>6.3 Documentation</b>	Error! Bookmark not defined.
<b>6.4 Test samples</b>	Error! Bookmark not defined.
<b>6.5 Test report</b>	Error! Bookmark not defined.
<b>6.6 Test temperatures</b>	Error! Bookmark not defined.
<b>6.7 Test pressures</b>	Error! Bookmark not defined.
<b>6.8 Test gases</b>	Error! Bookmark not defined.
<b>6.9 Hydraulic pressure test</b>	Error! Bookmark not defined.
<b>6.10 Flame impingement test</b>	Error! Bookmark not defined.
<b>6.11 Excessive torque tests</b>	Error! Bookmark not defined.
<b>6.12 Leak tightness tests</b>	Error! Bookmark not defined.
<b>6.13 Endurance test</b>	Error! Bookmark not defined.
<b>6.14 Endurance test of VIPR types B and C</b>	Error! Bookmark not defined.
<b>6.15 Endurance test of the filling connection non-return valve</b>	Error! Bookmark not defined.
<b>6.16 Visual examination</b>	Error! Bookmark not defined.
<b>6.17 Valve spindle impact test for pin-index valves</b>	Error! Bookmark not defined.
<b>6.18 Pressure relief valve tightness test</b>	Error! Bookmark not defined.
<b>7 Marking</b>	Error! Bookmark not defined.
<b>(normative) Impact test</b>	Error! Bookmark not defined.
<b>(normative) Tests for acetylene valves</b>	Error! Bookmark not defined.
<b>(normative) Oxygen pressure surge test</b>	Error! Bookmark not defined.
<b>(informative) Example of a vacuum test</b>	Error! Bookmark not defined.
<b>(normative) Endurance test machine</b>	Error! Bookmark not defined.
<b>(normative) Required tests for validation of changes and/or material variants within a valve design</b>	Error! Bookmark not defined.
<b>Bibliography</b>	Error! Bookmark not defined.

## Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO document should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see [www.iso.org/directives](http://www.iso.org/directives)).

ISO draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). ISO takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, ISO had not received notice of (a) patent(s) which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at [www.iso.org/patents](http://www.iso.org/patents). ISO shall not be held responsible for identifying any or all such patent rights.

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see [www.iso.org/iso/foreword.html](http://www.iso.org/iso/foreword.html).

This document was prepared by Technical Committee ISO/TC 58, *Gas cylinders*, Subcommittee SC 2, *Cylinder fittings*, in collaboration with the European Committee for Standardization (CEN) Technical Committee CEN/TC 23, *Transportable gas cylinders*, in accordance with the Agreement on technical cooperation between ISO and CEN (Vienna Agreement).

This fourth edition cancels and replaces the third edition (ISO 10297:2014), which has been technically revised. It also incorporates the Amendment ISO 10297:2014/Amd.-1:2017.

The main changes are as follows:

- clarification of the Scope concerning different VIPR designs;
- addition of several new terms and definitions, e.g. VIPR types A, B and C for easy referencing of different design types;
- oxygen pressure surge test:
  - for VIPRs transferred from ISO 22435 and amended,
  - for RPVs transferred from ISO 15996 and amended,
  - reference for test equipment and procedure to ISO 11114-6,
- endurance test for specific VIPR designs transferred from ISO 22435 and amended;

## ISO 10297:2024(en)

- endurance test of the filling connection non-return valve transferred from ISO 22435 with clarification of the test procedure without changes to the acceptance criteria;
- acetylene decomposition test of VIPR designs transferred from ISO 22435 and amended;
- subclause 5.3 "Dimensions" removed;
- introduction of [Table 2](#) for giving the different leakage rates depending on the valve design;
- [Table 4](#) (former Table 3) of test schedule amended;
- introduction of recommendations for flow capacity values and reference to CGA V-9 for the respective determination as an example;
- introduction of a valve spindle impact test for pin-index valves not permanently protected during transport and use;
- introduction of the hydraulic pressure test also in the closed position for manually operated valves;
- introduction of an additional tightness test for pressure relief valves located upstream of the valve operating mechanism;
- Annex D "Example of test schedule" removed;
- information on changes and/or material variants within a valve design moved to new [Annex F](#) and amended.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at [www.iso.org/members.html](http://www.iso.org/members.html).

This corrected version of ISO 10297:2024 incorporates the following corrections:

- in 5.5.4.2, the first sentence has been modified to adjust to the criteria for the regular hydraulic pressure test given in 5.4.1;
- in 6.4, third paragraph, the missing test number "no. 14" has been added;
- in Annex A, third paragraph, the alternative value "or 40 J" has been added for the impact energy used in the impact test.