



**International
Standard**

ISO 10322

**Ophthalmic optics — Semi-finished
blanks**

Optique ophtalmique — Verres semi-finis

**First edition
2026-04**

Sample Document

get full document from standards.iteh.ai

Sample Document

get full document from standards.iteh.ai



COPYRIGHT PROTECTED DOCUMENT

© ISO 2026

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

	Page
Foreword	iv
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Classification	1
5 Requirements	2
5.1 General.....	2
5.2 Optical requirements for the finished surface.....	2
5.2.1 General.....	2
5.2.2 Surface power.....	2
5.2.3 Uniformity of the surface power of spherical single-surface-power blanks and multifocal blanks.....	3
5.2.4 Surface addition power for multifocal blanks and variation power for power-variation blanks.....	3
5.3 Geometrical tolerances.....	4
5.3.1 Classification of, and tolerances on, the sizes.....	4
5.3.2 Thickness.....	5
5.3.3 Segment geometry for multifocal blanks.....	5
5.4 Orientation of the plane of transmission for polarizing blanks.....	6
5.5 Packaging.....	6
6 Test methods	6
6.1 General.....	6
6.2 Surface power.....	6
6.3 Addition power or variation power.....	7
6.3.1 General.....	7
6.3.2 Addition power for multifocal blanks.....	7
6.3.3 Variation power for blanks with power-variation surfaces.....	9
6.4 Segment geometry for multifocal blanks.....	9
6.5 Material and surface quality.....	9
7 Marking and identification	9
7.1 Marking.....	9
7.1.1 Blanks with spherical and aspherical surfaces.....	9
7.1.2 Blanks with power-variation surfaces.....	9
7.2 Labelling on the package.....	10
7.2.1 All type of blanks.....	10
7.2.2 Multifocal blanks.....	10
7.2.3 Power-variation blanks.....	10
7.3 Information to be made available.....	11
8 Reference to this document	11
Annex A (informative) Material and surface quality	12
Annex B (informative) Conversion of surface power and surface power tolerances from the refractive index of the blank to that of an instrument's fixed reference	13
Bibliography	16

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

ISO draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). ISO takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, ISO had not received notice of (a) patent(s) which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at www.iso.org/patents. ISO shall not be held responsible for identifying any or all such patent rights.

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 172, *Optics and photonics*, Subcommittee SC 7, *Ophthalmic optics and instruments*, in collaboration with the European Committee for Standardization (CEN) Technical Committee CEN/TC 170, *Ophthalmic optics*, in accordance with the Agreement on technical cooperation between ISO and CEN (Vienna Agreement).

This first edition of ISO 10322 cancels and replaces the fourth edition of ISO 10322-1:2016 and ISO 10322-2:2016, which have been combined and technically revised.

The main changes are as follows:

- the two original parts of the International Standard have been combined;
- blanks have been classified by the type of finished surface, not by their intended use, since what were termed single-vision blanks are now also used to make multifocal or power-variation surfaces by using free form technology;
- the terminology related to power-variation lenses that was introduced with ISO 21987^[1] has been adopted to avoid the separate descriptions necessary for progressive-power and degressive power blanks;
- in [5.1](#), a cross reference has been made to the requirements on the material of the blank that are in ISO 14889;
- the tables giving the spherical power and cylindrical power tolerances are now both in the same subclause, and the tolerances for cylindrical powers between 0,00 D and $\leq 0,25$ D have been transferred to the cylindrical power tolerance table;
- blank size: effective size is now called actual size and the tolerances for actual and usable sizes changed;
- the default position for the distance power measurement when measuring the addition power for multifocal blanks has been moved to the geometrical centre of the blank;

ISO 10322:2026(en)

- the text on addition power and variation power measurement has been made more similar to that in ISO 8980-1 and ISO 8980-2, where appropriate (these two standards are also being revised and combined).

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Sample Document

get full document from standards.iteh.ai

Sample Document

get full document from standards.iteh.ai

Ophthalmic optics — Semi-finished blanks

1 Scope

This document specifies requirements for the optical and geometrical properties of semi-finished blanks.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 7944, *Optics and photonics — Reference wavelengths*

ISO 8598-1, *Optics and optical instruments — Focimeters — Part 1: General purpose instruments*

ISO 13666, *Ophthalmic optics — Spectacle lenses — Vocabulary*

ISO 14889:2025, *Ophthalmic optics — Spectacle lenses — Fundamental requirements for uncut finished lenses*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 13666 and the following apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <https://www.electropedia.org/>

3.1

single-surface-power blank

blank with the finished surface having a single nominal surface power

Note 1 to entry: This includes blanks with spherical, aspherical, cylindrical and atoroidal surfaces.

[SOURCE: ISO 13666:2019, 3.8.2 – modified, “spherical”, “cylindrical” and “and atoroidal” have been added to Note 1 to entry.]

4 Classification

Semi-finished blanks (shortened to blanks in the remainder of this document for easier reading) shall be classified according to the finished surface as follows:

- a) single-surface-power blanks;
- b) multifocal blanks;
- c) power-variation blanks.