
**Fibre-reinforced plastics — Moulding
compounds and prepregs —
Determination of mass per unit area
and fibre mass per unit area**

*Plastiques renforcés de fibres — Mélanges à mouler et préimprégnés
— Détermination de la masse surfacique et de la masse des fibres par
unité de surface*

iTech Standards
(<https://standards.iteh.ai>)
Document Preview

ISO 10352:2020

<https://standards.iteh.ai/catalog/standards/iso/87d5bb59-03f4-4593-b50e-b6753b71cd92/iso-10352-2020>



iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

ISO 10352:2020

<https://standards.iteh.ai/catalog/standards/iso/87d5bb59-03f4-4593-b50e-b6753b71cd92/iso-10352-2020>



COPYRIGHT PROTECTED DOCUMENT

© ISO 2020

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

Page

Foreword	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Principle	2
4.1 Determination of mass per unit area	2
4.2 Determination of fibre mass per unit area	2
4.2.1 Method A: Extraction in Soxhlet-type apparatus	2
4.2.2 Method B: Extraction by immersion in solvent in a beaker	2
4.2.3 Method C: Decomposition by loss on ignition	2
4.2.4 Method D: Extraction by wet combustion	2
4.2.5 Method E: Method by calculation	2
5 Apparatus and reagents	3
5.1 General	3
5.2 For Method A	3
5.3 For Method B	3
5.4 For Method C	4
5.5 For Method D	4
6 Conditioning and testing	4
6.1 Conditioning	4
6.1.1 Materials for which no conditioning is required	4
6.1.2 Conditioning of material stored at ambient temperature	5
6.1.3 Conditioning of material stored at below ambient temperature	5
6.2 Testing	5
6.2.1 Test atmosphere	5
6.2.2 Time interval between conditioning and testing	5
7 Test specimens	5
7.1 Shape and dimensions	5
7.2 Number	6
7.3 Preparation	6
8 Procedure	8
8.1 Determination of mass per unit area	8
8.1.1 Materials made without using a solvent	8
8.1.2 Materials made using a solvent	8
8.2 Determination of fibre mass per unit area	9
8.2.1 Method A: Extraction in Soxhlet-type apparatus	9
8.2.2 Method B: Extraction by immersion in solvent	9
8.2.3 Method C: Decomposition by loss on ignition	9
8.2.4 Method D: Extraction by wet combustion	10
8.2.5 Method E: Method by calculation	11
9 Expression of results	11
9.1 Mass per unit area	11
9.1.1 Materials made without using a solvent	11
9.1.2 Materials made using a solvent	11
9.2 Fibre mass per unit area	12
9.2.1 Method A: Extraction in Soxhlet-type apparatus	12
9.2.2 Method B: Extraction by immersion in solvent	12
9.2.3 Method C: Extraction by decomposition by loss on ignition	12
9.2.4 Method D: Extraction by wet combustion	13
9.2.5 Method E: Method by calculation	13
10 Precision	13

10.1	Mass per unit area.....	13
10.2	Fibre mass per unit area.....	13
11	Test report.....	14

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

ISO 10352:2020
<https://standards.iteh.ai/catalog/standards/iso/87d5bb59-03f4-4593-b50e-b6753b71cd92/iso-10352-2020>