
Resilient, textile and laminate floor coverings — Test method for volatile organic compound (VOC) emissions

Revêtements de sol résilients, textiles ou stratifiés — Méthode d'essai des émissions de composés organiques volatils (COV)

Sample Document

get full document from standards.iteh.ai



PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

Sample Document

get full document from standards.iteh.ai



COPYRIGHT PROTECTED DOCUMENT

© ISO 2010

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

Page

Foreword	v
Introduction.....	vi
1 Scope	1
2 Normative references	1
3 Terms and definitions	2
4 Symbols and abbreviated terms	4
5 Apparatus	4
6 Sampling the product and transport and storage of sample	4
6.1 Sampling.....	4
6.2 Sample packaging and transport.....	5
6.3 Sample description	5
6.4 Storage of the sample prior to starting the testing.....	6
7 Preparation of test specimens	6
7.1 Specimens from rolls	6
7.2 Samples of rigid products such as tiles and planks	6
8 Emission test chamber system.....	7
8.1 General	7
8.2 Emission test chamber description.....	7
8.3 Air supply and mixing facilities	7
8.4 Airtightness.....	7
8.5 Air sampling manifold.....	7
8.6 Recovery and sink effects	8
9 Test conditions	8
9.1 Temperature and relative air humidity	8
9.2 Temperature and relative-air-humidity control systems	8
9.3 Supply-air quality and background concentration	9
9.4 Air velocity	9
9.5 Loading factor and air change rate	9
9.6 Air change rate in the emission test chamber	9
9.7 Emission test chamber airtightness.....	9
9.8 Efficiency of the internal emission-test-chamber air mixing	9
10 Preparation of emission test chamber	10
11 Test procedure.....	10
11.1 Test conditions in the emission test chamber	10
11.2 Background concentrations.....	10
11.3 Test specimen location in the emission test chamber.....	10
11.4 Time for measurements of test-chamber air concentration	10
11.5 Air sampling	10
12 Analysis of the air samples	12
12.1 Analysis of VOC.....	12
12.2 Analysis of formaldehyde and carbonyl compounds.....	12
13 Calculation of vapour concentrations and area-specific emission rates	12
14 Performance characteristics	12
15 Test report.....	13

Annex A (informative) General description of an emission test chamber	14
Annex B (informative) Evaluation systems	15
Bibliography	20

Sample Document

get full document from standards.iteh.ai

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 10580 was prepared by Technical Committee ISO/TC 219, *Floor coverings*.

Sample Document

get full document from standards.iteh.ai

Introduction

The health and comfort of the occupants of indoor spaces are influenced by the indoor climate that exists in a room (in particular, ventilation, temperature and relative humidity) and by potential indoor air pollutants. Such pollutants may have a variety of sources. International bodies have already dealt with the assessment of VOC emissions from building products. The results of their work have been published in reports, which contain sufficiently detailed information to be considered as “pre-normative” documents. The main purpose of this International Standard is to give guidance to those organizations that protect consumers from exposure to chemical pollutants (i.e. carcinogens, teratogens, irritants, odours) and resulting adverse health effects which could be caused by chemical emissions from materials. This protection can be effectively achieved by supporting the market demand for low-emitting flooring materials. In response to the need for improved consumer protection, different kinds of systems for evaluating material emissions have been developed in many countries and by industrial organizations.

This International Standard refers to existing international test methods related to VOC emissions from textile, resilient and laminate floor coverings.

Please be aware that some countries have legal regulations and requirements for emissions of VOC and formaldehyde based on mandatory test methods other than this method. The test method for VOC and formaldehyde described in this International Standard offers an alternative, but is not intended to replace existing legislative test methods.

Sample Document

get full document from standards.iteh.ai

Resilient, textile and laminate floor coverings — Test method for volatile organic compound (VOC) emissions

1 Scope

This International Standard specifies a general laboratory test method for determination of the area-specific emission rate of volatile organic compounds (VOC) and/or the vapour-phase VOC concentration under defined climate conditions.

This International Standard describes emission test chambers used for the determination of the emission of volatile organic compounds from resilient, textile and laminate floor coverings.

A description of an emission test chamber is given in Annex A. Annex B provides details of the evaluation systems used in Europe and North America, respectively.

Studies of the emission of volatile organic compounds from unused (pre-installation) floor covering products in test chambers require proper handling of the product prior to testing, and during the testing period. For each type of floor covering product, specifications are given for the sampling procedures, transport conditions and storage parameters that can affect emissions of volatile organic compounds. For each type of floor covering product, the preparation of a test specimen is prescribed.

NOTE Depending on the non-homogeneity of the product, it can be necessary to make measurements on multiple test specimens from the same sample in order to determine the specific emission rate.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 16000-3, *Indoor air — Part 3: Determination of formaldehyde and other carbonyl compounds — Active sampling method*

ISO 16000-6:2004, *Indoor air — Part 6: Determination of volatile organic compounds in indoor and test chamber air by active sampling on Tenax TA sorbent, thermal desorption and gas chromatography using MS/FID*

ISO 16000-9:2006, *Indoor air — Part 9: Determination of the emission of volatile organic compounds from building products and furnishing — Emission test chamber method*

ISO 16000-11:2006, *Indoor air — Part 11: Determination of the emission of volatile organic compounds from building products and furnishing — Sampling, storage of samples and preparation of test specimens*

ISO 16017-1:2000, *Indoor, ambient and workplace air — Sampling and analysis of volatile organic compounds by sorbent tube/thermal desorption/capillary gas chromatography — Part 1: Pumped sampling*

ASTM D5197, *Standard Test Method for Determination of Formaldehyde and Other Carbonyl Compounds in Air (Active Sampler Methodology)*