
**Plastics piping systems for renovation
of underground non-pressure
drainage and sewerage networks —**

**Part 3:
Lining with close-fit pipes**

*Systemes de canalisations en plastique pour la renovation des reseau
de branchements et de collecteurs d'assainissement enterrés sans
pression —*

Partie 3: Tubage par tuyau continu sans espace annulaire

Document Preview
(<https://standards.iteh.ai>)

ISO 11296-3:2018

<https://standards.iteh.ai/catalog/standards/iso/e4e46859-ac74-4655-9b12-0ac3cdf810d5/iso-11296-3-2018>



iTeh Standards
(<https://standards.itih.ai>)
Document Preview

ISO 11296-3:2018

<https://standards.itih.ai/catalog/standards/iso/e4e46859-ac74-4655-9b12-0ac3cdf810d5/iso-11296-3-2018>



COPYRIGHT PROTECTED DOCUMENT

© ISO 2018

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Fax: +41 22 749 09 47
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

Page

Foreword	v
Introduction	vi
1 Scope	1
2 Normative references	1
3 Terms and definitions	2
3.1 General	2
3.2 Techniques	2
3.3 Characteristics	2
3.4 Materials	2
3.5 Product stages	2
3.6 Service conditions	2
3.7 Joints	3
4 Symbols and abbreviated terms	3
5 Pipes at the “M” stage	3
5.1 Materials	3
5.1.1 General	3
5.1.2 Distinction between PVC-U types	3
5.1.3 Virgin material	3
5.1.4 Reprocessable material and recyclable material	3
5.2 General characteristics	4
5.2.1 Appearance	4
5.2.2 Colour	4
5.3 Material characteristics	4
5.4 Geometric characteristics	5
5.5 Mechanical characteristics	5
5.6 Physical characteristics	5
5.7 Jointing	5
5.8 Marking	6
6 Fittings at the “M” stage	6
7 Ancillary components	6
8 Fitness for purpose of the installed lining system at the “I” stage	6
8.1 Materials	6
8.2 General characteristics	6
8.3 Material characteristics	6
8.4 Geometric characteristics	6
8.5 Mechanical characteristics	8
8.6 Physical characteristics	9
8.7 Additional characteristics	9
8.8 Sampling	9
9 Installation practice	9
9.1 Preparatory work	9
9.2 Storage, handling and transport of pipes and fittings	9
9.3 Equipment	9
9.3.1 Butt fusion equipment and debanding equipment	9
9.3.2 Reduction equipment	10
9.3.3 Pipe skids/rollers	10
9.3.4 Winching and rod-pulling equipment	10
9.3.5 Pipe entry guides	10
9.3.6 Reforming equipment	10
9.3.7 Electrofusion equipment	10
9.3.8 Inspection equipment	11

9.3.9	Lifting equipment.....	11
9.4	Installation.....	11
9.5	Process-related inspection and testing.....	12
9.6	Lining termination.....	12
9.7	Reconnection to existing manholes and laterals.....	12
9.8	Documentation	12
9.9	Final inspection and testing.....	12
Annex A (normative) Factory-folded heat-reverted polyethylene (PE) pipe — Determination of memory ability		13
Bibliography		15

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

ISO 11296-3:2018

<https://standards.iteh.ai/catalog/standards/iso/e4e46859-ac74-4655-9b12-0ac3cdf810d5/iso-11296-3-2018>