
**Plastics piping systems for renovation
of underground water supply
networks —**

**Part 3:
Lining with close-fit pipes**

*Systèmes de canalisations en plastique pour la rénovation des réseaux
enterrés d'alimentation en eau —*

Partie 3: Tubage par tuyau continu sans espace annulaire

Document Preview

[ISO 11298-3:2018](https://standards.iteh.ai/catalog/standards/iso/a641f4cf-6f09-4602-85ca-953188e78055/iso-11298-3-2018)

<https://standards.iteh.ai/catalog/standards/iso/a641f4cf-6f09-4602-85ca-953188e78055/iso-11298-3-2018>



iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[ISO 11298-3:2018](https://standards.iteh.ai/catalog/standards/iso/a641f4cf-6f09-4602-85ca-953188e78055/iso-11298-3-2018)

<https://standards.iteh.ai/catalog/standards/iso/a641f4cf-6f09-4602-85ca-953188e78055/iso-11298-3-2018>



COPYRIGHT PROTECTED DOCUMENT

© ISO 2018

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Fax: +41 22 749 09 47
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

	Page
Foreword	v
Introduction	vi
1 Scope	1
2 Normative references	1
3 Terms and definitions	2
3.1 General.....	2
3.2 Techniques.....	2
3.3 Characteristics.....	3
3.4 Materials.....	3
3.5 Product stages.....	3
3.6 Service conditions.....	3
3.7 Joints.....	4
4 Symbols and abbreviated terms	4
4.1 Symbols.....	4
4.2 Abbreviated terms.....	5
5 Pipes at the “M” stage	5
5.1 Materials.....	5
5.1.1 Virgin material.....	5
5.1.2 Reprocessable and recyclable material.....	5
5.2 General characteristics.....	5
5.2.1 Appearance.....	5
5.2.2 Colour.....	5
5.3 Material characteristics.....	6
5.4 Geometric characteristics.....	6
5.5 Mechanical characteristics.....	6
5.6 Physical characteristics.....	6
5.7 Jointing.....	6
5.8 Marking.....	6
5.9 Regional requirements for pipes.....	7
6 Fittings at the “M” stage	7
6.1 Requirements.....	7
6.2 Marking.....	7
6.3 Regional requirements for fittings.....	7
7 Ancillary components	7
8 Fitness for purpose of the installed lining system at the “I” stage	7
8.1 Materials.....	7
8.2 General characteristics.....	7
8.3 Material characteristics.....	7
8.4 Geometric characteristics.....	8
8.5 Mechanical characteristics.....	8
8.6 Physical characteristics.....	9
8.7 Additional characteristics.....	9
8.8 Sampling.....	9
8.9 Regional requirements for the installed lining system.....	9
9 Installation practice	9
9.1 Preparatory work.....	9
9.2 Storage, handling and transport of pipes and fittings.....	10
9.3 Equipment.....	10
9.3.1 Butt fusion and debanding equipment.....	10
9.3.2 Reduction equipment.....	10
9.3.3 Pipe skids/rollers.....	11

9.3.4	Winching and rod-pulling equipment.....	11
9.3.5	Pipe entry guides.....	11
9.3.6	Reforming equipment.....	11
9.3.7	Electrofusion equipment.....	11
9.3.8	Inspection equipment.....	11
9.3.9	Lifting equipment.....	12
9.4	Installation.....	12
9.5	Process-related inspection and testing.....	12
9.6	Lining termination.....	13
9.7	Reconnection to the existing pipeline system.....	13
9.8	Final inspection and testing.....	13
9.9	Documentation.....	13
Annex A (normative) Factory-folded heat-reverted polyethylene (PE) pipe — Determination of memory ability.....		14
Bibliography.....		16

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[ISO 11298-3:2018](https://standards.iteh.ai/catalog/standards/iso/a641f4cf-6f09-4602-85ca-953188e78055/iso-11298-3-2018)

<https://standards.iteh.ai/catalog/standards/iso/a641f4cf-6f09-4602-85ca-953188e78055/iso-11298-3-2018>