
**Aerospace — Screws, pan head,
internal offset cruciform ribbed
or unribbed drive, stepped shank,
short or medium length MJ threads,
metallic material, coated or uncoated,
strength classes less than or
equal to 1 100 MPa — Dimensions**

*Aéronautique et espace — Vis à tête cylindrique, à empreinte
cruciforme déportée, avec ou sans saillies antidérapantes, à fût
dégagé et filetage MJ court ou de longueur moyenne, en matériau
métallique, revêtues ou non revêtues, des classes de résistance
inférieures ou égales à 1 100 MPa — Dimensions*



Sample Document

get full document from standards.iteh.ai



COPYRIGHT PROTECTED DOCUMENT

© ISO 2016, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

Contents

	Page
Foreword	iv
1 Scope	1
2 Normative references	1
3 Configuration and dimensions	1

Sample Document

get full document from standards.iteh.ai