
**Road vehicles — Unified diagnostic
services (UDS) —**

**Part 1:
Application layer**

Véhicules routiers — Services de diagnostic unifiés (SDU) —

Partie 1: Couches application

**(<https://standards.iteh.ai>)
Document Preview**

[ISO 14229-1:2020](https://standards.iteh.ai/catalog/standards/iso/5806338c-5bcf-4c4d-805a-62301d9399f4/iso-14229-1-2020)

<https://standards.iteh.ai/catalog/standards/iso/5806338c-5bcf-4c4d-805a-62301d9399f4/iso-14229-1-2020>



iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[ISO 14229-1:2020](https://standards.iteh.ai/catalog/standards/iso/5806338c-5bcf-4c4d-805a-62301d9399f4/iso-14229-1-2020)

<https://standards.iteh.ai/catalog/standards/iso/5806338c-5bcf-4c4d-805a-62301d9399f4/iso-14229-1-2020>



COPYRIGHT PROTECTED DOCUMENT

© ISO 2020

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Fax: +41 22 749 09 47
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

| Contents | Page |
|---|-------------|
| Foreword..... | ix |
| Introduction..... | x |
| 1 Scope | 1 |
| 2 Normative references | 1 |
| 3 Terms and definitions..... | 2 |
| 4 Symbols and abbreviated terms..... | 5 |
| 5 Conventions | 5 |
| 6 Document overview..... | 6 |
| 7 Application layer services | 7 |
| 7.1 General | 7 |
| 7.2 Format description of application layer services | 9 |
| 7.3 Format description of service primitives | 9 |
| 7.3.1 General definition..... | 9 |
| 7.3.2 Service request and service indication primitives..... | 10 |
| 7.3.3 Service response and service confirm primitives..... | 11 |
| 7.3.4 Service request-confirm and service response-confirm primitives | 11 |
| 7.4 Service data unit specification..... | 12 |
| 7.4.1 Mandatory parameters..... | 12 |
| 7.4.2 Vehicle system requirements..... | 14 |
| 7.4.3 Optional parameters - A_AE, application layer remote address..... | 15 |
| 8 Application layer protocol..... | 15 |
| 8.1 General definition..... | 15 |
| 8.2 A_PDU, application protocol data unit | 16 |
| 8.3 A_PCI, application protocol control information | 16 |
| 8.4 SI, service identifier | 17 |
| 8.5 A_NR_SI, Negative response service identifier | 17 |
| 8.6 Negative response/confirmation service primitive..... | 18 |
| 8.7 Server response implementation rules..... | 18 |
| 8.7.1 General definitions..... | 18 |
| 8.7.2 General server response behaviour | 19 |
| 8.7.3 Request message with SubFunction parameter and server response behaviour..... | 21 |
| 8.7.4 Request message without SubFunction parameter and server response behaviour | 25 |
| 8.7.5 Pseudo code example of server response behaviour | 27 |
| 8.7.6 Multiple concurrent request messages with physical and functional addressing..... | 29 |
| 9 Service description conventions | 29 |
| 9.1 Service description | 29 |
| 9.2 Request message..... | 30 |
| 9.2.1 Request message definition..... | 30 |
| 9.2.2 Request message SubFunction parameter \$Level (LEV_) definition | 31 |
| 9.2.3 Request message data-parameter definition | 33 |
| 9.3 Positive response message..... | 33 |
| 9.3.1 Positive response message definition..... | 33 |
| 9.3.2 Positive response message data-parameter definition | 34 |

| | | |
|--------|--|-----|
| 9.4 | Supported negative response codes (NRC_) | 34 |
| 9.5 | Message flow examples | 35 |
| 10 | Diagnostic and communication management functional unit | 36 |
| 10.1 | Overview | 36 |
| 10.2 | DiagnosticSessionControl (10 ₁₆) service | 36 |
| 10.2.1 | Service description | 36 |
| 10.2.2 | Request message | 40 |
| 10.2.3 | Positive response message | 41 |
| 10.2.4 | Supported negative response codes (NRC_) | 42 |
| 10.2.5 | Message flow example(s) DiagnosticSessionControl – Start programmingSession | 43 |
| 10.3 | ECUReset (11 ₁₆) service | 43 |
| 10.3.1 | Service description | 43 |
| 10.3.2 | Request message | 44 |
| 10.3.3 | Positive response message | 45 |
| 10.3.4 | Supported negative response codes (NRC_) | 46 |
| 10.3.5 | Message flow example ECUReset | 47 |
| 10.4 | SecurityAccess (27 ₁₆) service | 47 |
| 10.4.1 | Service description | 47 |
| 10.4.2 | Request message | 49 |
| 10.4.3 | Positive response message | 51 |
| 10.4.4 | Supported negative response codes (NRC_) | 51 |
| 10.4.5 | Message flow example(s) SecurityAccess | 52 |
| 10.5 | CommunicationControl (28 ₁₆) service | 54 |
| 10.5.1 | Service description | 54 |
| 10.5.2 | Request message | 54 |
| 10.5.3 | Positive response message | 56 |
| 10.5.4 | Supported negative response codes (NRC_) | 56 |
| 10.5.5 | Message flow example CommunicationControl (disable transmission of network management messages) | 57 |
| 10.5.6 | Message flow example CommunicationControl (switch a remote network into the diagnostic-only scheduling mode where the node with address 000A ₁₆ is connected to) | 57 |
| 10.5.7 | Message flow example CommunicationControl (switch to application scheduling mode with enhanced address information, the node 000A ₁₆ , which is connected to a sub-network, is addressed) | 58 |
| 10.6 | Authentication (29 ₁₆) service | 59 |
| 10.6.1 | Service overview | 59 |
| 10.6.2 | Authentication with PKI Certificate Exchange (APCE) | 60 |
| 10.6.3 | Authentication with Challenge-Response (ACR) | 65 |
| 10.6.4 | Common requirements | 69 |
| 10.6.5 | Request message | 71 |
| 10.6.6 | Positive response message | 78 |
| 10.6.7 | Supported negative response codes (NRC_) | 85 |
| 10.6.8 | Message flow example(s) Authentication | 86 |
| 10.7 | TesterPresent (3E ₁₆) service | 108 |
| 10.7.1 | Service description | 108 |
| 10.7.2 | Request message | 108 |
| 10.7.3 | Positive response message | 108 |
| 10.7.4 | Supported negative response codes (NRC_) | 109 |
| 10.7.5 | Message flow example(s) TesterPresent | 109 |
| 10.8 | ControlDTCSetting (85 ₁₆) service | 110 |
| 10.8.1 | Service description | 110 |
| 10.8.2 | Request message | 111 |

| | | |
|---------|---|-----|
| 10.8.3 | Positive response message..... | 112 |
| 10.8.4 | Supported negative response codes (NRC_)..... | 112 |
| 10.8.5 | Message flow example(s) ControlDTCSetting | 113 |
| 10.9 | ResponseOnEvent (86 ₁₆) service | 114 |
| 10.9.1 | Service description | 114 |
| 10.9.2 | Request message..... | 121 |
| 10.9.3 | Positive response message..... | 127 |
| 10.9.4 | Supported negative response codes (NRC_)..... | 130 |
| 10.9.5 | Message flow example(s) ResponseOnEvent..... | 131 |
| 10.10 | LinkControl (87 ₁₆) service..... | 146 |
| 10.10.1 | Service description | 146 |
| 10.10.2 | Request message | 147 |
| 10.10.3 | Positive response message | 149 |
| 10.10.4 | Supported negative response codes (NRC_) | 149 |
| 10.10.5 | Message flow example(s) LinkControl | 150 |
| 11 | Data transmission functional unit..... | 152 |
| 11.1 | Overview | 152 |
| 11.2 | ReadDataByIdentifier (22 ₁₆) service..... | 153 |
| 11.2.1 | Service description | 153 |
| 11.2.2 | Request message..... | 153 |
| 11.2.3 | Positive response message..... | 154 |
| 11.2.4 | Supported negative response codes (NRC_)..... | 155 |
| 11.2.5 | Message flow example ReadDataByIdentifier..... | 157 |
| 11.3 | ReadMemoryByAddress (23 ₁₆) service | 159 |
| 11.3.1 | Service description | 159 |
| 11.3.2 | Request message..... | 159 |
| 11.3.3 | Positive response message..... | 161 |
| 11.3.4 | Supported negative response codes (NRC_)..... | 161 |
| 11.3.5 | Message flow example ReadMemoryByAddress..... | 163 |
| 11.4 | ReadScalingDataByIdentifier (24 ₁₆) service..... | 166 |
| 11.4.1 | Service description | 166 |
| 11.4.2 | Request message..... | 166 |
| 11.4.3 | Positive response message..... | 166 |
| 11.4.4 | Supported negative response codes (NRC_)..... | 167 |
| 11.4.5 | Message flow example ReadScalingDataByIdentifier | 169 |
| 11.5 | ReadDataByPeriodicIdentifier (2A ₁₆) service..... | 172 |
| 11.5.1 | Service description | 172 |
| 11.5.2 | Request message..... | 176 |
| 11.5.3 | Positive response message..... | 176 |
| 11.5.4 | Supported negative response codes (NRC_)..... | 177 |
| 11.5.5 | Message flow example ReadDataByPeriodicIdentifier..... | 180 |
| 11.6 | DynamicallyDefineDataIdentifier (2C ₁₆) service | 191 |
| 11.6.1 | Service description | 191 |
| 11.6.2 | Request message..... | 192 |
| 11.6.3 | Positive response message..... | 195 |
| 11.6.4 | Supported negative response codes (NRC_)..... | 196 |
| 11.6.5 | Message flow examples DynamicallyDefineDataIdentifier..... | 197 |
| 11.7 | WriteDataByIdentifier (2E ₁₆) service..... | 212 |
| 11.7.1 | Service description | 212 |
| 11.7.2 | Request message..... | 212 |
| 11.7.3 | Positive response message..... | 213 |
| 11.7.4 | Supported negative response codes (NRC_)..... | 214 |
| 11.7.5 | Message flow example WriteDataByIdentifier | 215 |

| | | |
|--------|---|-----|
| 11.8 | WriteMemoryByAddress (3D ₁₆) service..... | 216 |
| 11.8.1 | Service description..... | 216 |
| 11.8.2 | Request message..... | 217 |
| 11.8.3 | Positive response message..... | 218 |
| 11.8.4 | Supported negative response codes (NRC_)..... | 219 |
| 11.8.5 | Message flow example WriteMemoryByAddress..... | 221 |
| 12 | Stored data transmission functional unit..... | 223 |
| 12.1 | Overview..... | 223 |
| 12.2 | ClearDiagnosticInformation (14 ₁₆) service..... | 223 |
| 12.2.1 | Service description..... | 223 |
| 12.2.2 | Request message..... | 224 |
| 12.2.3 | Positive response message..... | 225 |
| 12.2.4 | Supported negative response codes (NRC_)..... | 225 |
| 12.2.5 | Message flow example ClearDiagnosticInformation..... | 226 |
| 12.3 | ReadDTCInformation (19 ₁₆) service..... | 227 |
| 12.3.1 | Service description..... | 227 |
| 12.3.2 | Request message..... | 238 |
| 12.3.3 | Positive response message..... | 249 |
| 12.3.4 | Supported negative response codes (NRC_)..... | 263 |
| 12.3.5 | Message flow examples - ReadDTCInformation..... | 264 |
| 13 | InputOutput control functional unit..... | 297 |
| 13.1 | Overview..... | 297 |
| 13.2 | InputOutputControlByIdentifier (2F ₁₆) service..... | 297 |
| 13.2.1 | Service description..... | 297 |
| 13.2.2 | Request message..... | 298 |
| 13.2.3 | Positive response message..... | 299 |
| 13.2.4 | Supported negative response codes (NRC_)..... | 300 |
| 13.2.5 | Message flow example(s) InputOutputControlByIdentifier..... | 301 |
| 14 | Routine functional unit..... | 310 |
| 14.1 | Overview..... | 310 |
| 14.2 | RoutineControl (31 ₁₆) service..... | 311 |
| 14.2.1 | Service description..... | 311 |
| 14.2.2 | Request message..... | 312 |
| 14.2.3 | Positive response message..... | 314 |
| 14.2.4 | Supported negative response codes (NRC_)..... | 315 |
| 14.2.5 | Message flow example(s) RoutineControl..... | 317 |
| 15 | Upload download functional unit..... | 321 |
| 15.1 | Overview..... | 321 |
| 15.2 | RequestDownload (34 ₁₆) service..... | 321 |
| 15.2.1 | Service description..... | 321 |
| 15.2.2 | Request message..... | 322 |
| 15.2.3 | Positive response message..... | 323 |
| 15.2.4 | Supported negative response codes (NRC_)..... | 324 |
| 15.2.5 | Message flow example(s) RequestDownload..... | 325 |
| 15.3 | RequestUpload (35 ₁₆) service..... | 325 |
| 15.3.1 | Service description..... | 325 |
| 15.3.2 | Request message..... | 326 |
| 15.3.3 | Positive response message..... | 327 |
| 15.3.4 | Supported negative response codes (NRC_)..... | 328 |
| 15.3.5 | Message flow example(s) RequestUpload..... | 329 |
| 15.4 | TransferData (36 ₁₆) service..... | 330 |
| 15.4.1 | Service description..... | 330 |

| | | |
|---------------------|---|-----|
| 15.4.2 | Request message..... | 330 |
| 15.4.3 | Positive response message..... | 331 |
| 15.4.4 | Supported negative response codes (NRC_)..... | 332 |
| 15.4.5 | Message flow example(s) TransferData..... | 334 |
| 15.5 | RequestTransferExit (37 ₁₆) service..... | 334 |
| 15.5.1 | Service description..... | 334 |
| 15.5.2 | Request message..... | 335 |
| 15.5.3 | Positive response message..... | 335 |
| 15.5.4 | Supported negative response codes (NRC_)..... | 336 |
| 15.5.5 | Message flow example(s) for downloading/uploading data..... | 337 |
| 15.6 | RequestFileTransfer (38 ₁₆) service..... | 344 |
| 15.6.1 | Service description..... | 344 |
| 15.6.2 | Request message..... | 344 |
| 15.6.3 | Positive response message..... | 346 |
| 15.6.4 | Supported negative response codes (NRC_)..... | 348 |
| 15.6.5 | Message flow example(s) RequestFileTransfer..... | 350 |
| 16 | Security sub-layer definition..... | 353 |
| 16.1 | General..... | 353 |
| 16.1.1 | Purpose..... | 353 |
| 16.1.2 | Security sub-layer description..... | 353 |
| 16.1.3 | Security sub-layer access..... | 354 |
| 16.1.4 | General server response behaviour..... | 356 |
| 16.2 | SecuredDataTransmission (84 ₁₆) service..... | 358 |
| 16.2.1 | Service description..... | 358 |
| 16.2.2 | Request message..... | 358 |
| 16.2.3 | Positive response message for successful internal message..... | 360 |
| 16.2.4 | Supported negative response codes (NRC_)..... | 362 |
| 16.2.5 | Message flow example SecuredDataTransmission..... | 363 |
| 17 | Non-volatile server memory programming process..... | 366 |
| 17.1 | General information..... | 366 |
| 17.2 | Detailed programming sequence..... | 370 |
| 17.2.1 | Programming phase #1 — Download of application software and/or application data..... | 370 |
| 17.3 | Server reprogramming requirements..... | 379 |
| 17.3.1 | Requirements for servers to support programming..... | 379 |
| 17.3.2 | Software, data identification and fingerprints..... | 382 |
| 17.3.3 | Server routine access..... | 383 |
| 17.4 | Non-volatile server memory programming message flow examples..... | 383 |
| 17.4.1 | General information..... | 383 |
| 17.4.2 | Programming phase #1 — Pre-Programming step..... | 383 |
| 17.4.3 | Programming phase #1 — Programming step..... | 384 |
| 17.4.4 | Programming phase #1 — Post-Programming step..... | 389 |
| Annex A (normative) | Global parameter definitions..... | 390 |
| Annex B (normative) | Diagnostic and communication management functional unit data-parameter definitions..... | 400 |
| Annex C (normative) | Data transmission functional unit data-parameter definitions..... | 405 |
| Annex D (normative) | Stored data transmission functional unit data-parameter definitions.... | 422 |
| Annex E (normative) | Input output control functional unit data-parameter definitions..... | 444 |
| Annex F (normative) | Routine functional unit data-parameter definitions..... | 445 |