
Cleanrooms and associated controlled environments —

Part 13:
Cleaning of surfaces to achieve defined levels of cleanliness in terms of particle and chemical classifications

Salles propres et environnements maîtrisés apparentés —

Partie 13: Nettoyage des surfaces afin d'obtenir des niveaux de propreté par rapport aux classifications particulaire et chimique

get full document from standards.iteh.ai



Sample Document

get full document from standards.iteh.ai



COPYRIGHT PROTECTED DOCUMENT

© ISO 2017, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

Contents

	Page
Foreword	v
Introduction	vi
1 Scope	1
2 Normative references	2
3 Terms and definitions	2
4 General methodology	3
4.1 Overview.....	3
4.2 Methodology.....	4
5 Object description	6
6 Cleanliness specifications	7
7 Determination of initial contamination level	7
7.1 General.....	7
7.2 Determination of initial contamination level with respect to particle concentration.....	7
7.3 Determination of initial contamination level with respect to chemical concentration.....	7
8 Other requirements	8
9 Selection of a cleaning methodology	8
9.1 Selection procedure.....	8
9.2 Cleaning methodologies.....	8
9.2.1 Cleaning method.....	8
9.2.2 Categories of cleaning techniques.....	8
9.3 Cleaning process.....	9
10 Material compatibility check	9
11 Cleaning validation	10
11.1 General.....	10
11.2 Cleaning efficiency.....	11
11.2.1 Evaluation.....	11
11.2.2 Cleaning efficiency with respect to particle concentration.....	11
11.2.3 Cleaning efficiency with respect to chemical contamination.....	12
11.3 Cleaning appropriateness.....	13
11.3.1 Assessment.....	13
11.3.2 Cleaning appropriateness with respect to particle concentration.....	13
11.3.3 Cleaning appropriateness with respect to chemical concentration.....	14
12 Measurement methods	15
12.1 General.....	15
12.2 Direct measurement methods.....	15
12.2.1 General.....	15
12.2.2 Direct measurement methods with respect to SCP.....	16
12.2.3 Direct measurement methods with respect to SCC.....	16
12.3 Indirect measurement methods.....	16
12.3.1 General.....	16
12.3.2 Indirect measurement methods with respect to SCP.....	16
12.3.3 Indirect measurement methods with respect to SCC.....	17
13 Documentation	17
Annex A (informative) Aspects of cleaning	18
Annex B (informative) Cleaning methods	19
Annex C (informative) Material compatibility with cleaning agents	27
Annex D (informative) Cleanliness measurement	29

Bibliography34

Sample Document

get full document from standards.iteh.ai

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 209, *Cleanrooms and associated controlled environments*.

A list of all parts in the ISO 14644 series can be found on the ISO website.

Introduction

The term surface refers to the interface between two phases. For the purpose of this document, the surface is a solid. A “clean surface” is where one or more of the contamination categories (particles, chemical) are under control due to cleaning/decontamination. The degree of cleanliness is specified in the corresponding surface cleanliness classifications (see ISO 14644-9 and ISO 14644-10). Different cleaning methods are necessary depending on the degree of cleanliness (cleanliness class) required. This document gives guidance on the selection of cleaning methods to achieve specified cleanliness levels. For the selection procedure, the aspects of surface description, cleanliness specifications, types of contamination, cleaning techniques, material compatibility, and assessment methodology are taken into consideration. Most of the methods are suitable for removal of more than one contamination category at the same time; therefore, a common standard for the selection of a cleaning method for both particles, as well as chemical contamination, is needed.

Sample Document

get full document from standards.iteh.ai

Cleanrooms and associated controlled environments —

Part 13:

Cleaning of surfaces to achieve defined levels of cleanliness in terms of particle and chemical classifications

1 Scope

This document gives guidelines for cleaning to a specified degree on cleanroom surfaces, surfaces of equipment in a cleanroom and surfaces of materials in a cleanroom. Under consideration are all surfaces (external or internal) that are of interest. It provides guidance on the assessment of cleaning methods for achieving the required surface cleanliness by particle concentration (SCP) and surface cleanliness by chemical concentration (SCC) classes and which techniques should be considered to achieve these specified levels.

The appropriateness of cleaning techniques will make reference to the cleanliness classes and associated test methods found in ISO 14644-9 and ISO 14644-10.

The following matters of general guidance will be provided:

- expected surface cleanliness levels;
- suitability of cleaning methods;
- compatibility of surfaces with the cleaning technique;
- assessment of cleaning appropriateness.

The following will be excluded from this document:

- classification of cleaning methods;
- product produced within a cleanroom;
- specific surface-related cleaning methods;
- detailed description of cleaning mechanisms, methods and procedures of various cleaning methods;
- detailed material characteristics;
- description of damage mechanisms by cleaning processes and time-dependent effects;
- references to interactive bonding forces between contaminants and surfaces or generation processes that are usually time-dependent and process-dependent;
- other characteristics of particles such as electrostatic charge, ionic charges, etc.;
- chemical reactions between molecular contaminants and surfaces;
- microbiological aspects of surface cleanliness;
- radioactive aspects of contamination;
- health and safety considerations;
- environmental aspects such as waste disposal, emissions, etc.;

- selection and use of statistical methods.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 14644-8, *Cleanrooms and associated controlled environments — Part 8: Classification of air cleanliness by chemical concentration (ACC)*

ISO 14644-9, *Cleanrooms and associated controlled environments — Part 9: Classification of surface cleanliness by particle concentration*

ISO 14644-10, *Cleanrooms and associated controlled environments — Part 10: Classification of surface cleanliness by chemical concentration*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 14644-9, ISO 14644-10 and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

3.1 cleanliness

<of a solid surface>condition of a solid surface where the amount of *contamination* (3.4) (particle, chemical) is controlled to a specific level

3.2 cleaning appropriateness

relation between the required *cleanliness* (3.1) and the accomplished cleanliness under controlled conditions

Note 1 to entry: In some languages, the term cleaning efficacy is used to indicate cleaning appropriateness.

Note 2 to entry: In case of real operational conditions or monitoring, the term cleaning effectiveness is used.

3.3 cleaning efficiency

fraction of specific contaminants removed from a surface by a cleaning process

Note 1 to entry: The fraction is determined by the accomplished surface cleanliness in respect to the initial surface cleanliness.

3.4 contamination

unwanted matter in an undesirable location

3.5 particle

minute piece of matter with defined physical boundaries

[SOURCE: ISO 14644-1:2015, 3.2.1]

3.6

particle contamination

particles (3.5) having the potential to affect the process, the product, the personnel or the facilities

3.7


particle size

diameter of a sphere that produces a response, by a given particle-sizing instrument, that is equivalent to the response produced by the *particle* (3.5) being measured

4 General methodology

4.1 Overview

Multiple aspects need to be considered for cleaning. [Figure 1](#) provides an overview of the factors that contribute to the suitability of cleaning methods to achieve a defined level of surface cleanliness. For more details, see [Annex A](#).



Key

+ more details in [Figure A.1](#)

Figure 1 — Overview of cleaning aspects (non-exhaustive)

4.2 Methodology

Appropriateness of a cleaning technique for an application depends on many factors. For complex objects, it is advised to follow the sequence described in this clause and in the decision tree (see [Figure 2](#)). By using this procedure, it can be assured that all important issues are covered. For simple objects or surfaces, deviations from the sequence are allowable, as long as the critical information is documented.

The approach starts with describing the object that has to be cleaned. The description should cover, among others, composition of materials, chemical characteristics, surface finish and shape factors like geometrical complexity and size (step 1). In the second step, the objective of the cleaning procedure is to be specified in terms of the desired cleanliness of the object. To have a starting point, the initial contamination level should be assessed (step 3) and other requirements shall be listed (step 4). Based on type of contaminants and the required removal efficiency, a cleaning technique or a combination of techniques can be selected (step 5). The cleaning methodology shall be checked against the materials from the first step in order to avoid material compatibility issues (step 6). At the last step, a validation method shall be carried out (step 7). The validation shall at least comprise methods for determination of the cleaning performance and material compatibility. The performance of the cleaning shall be checked against the specification.

Sample Document

get full document from standards.iteh.ai




Figure 2 — Decision tree

5 Object description

In the object description, the following aspects shall be considered.

Physical properties of the object:

- physical dimensions;
- form/shape/complexity of the object;
- critical surfaces.

A general description of the object shall be given. Size, shape, complexity and identification of the critical surfaces set many boundary conditions for a cleaning method.

Surface(s):

- material composition of the object surface(s);
- complexity;
- materials/critical materials (sensitive to cleaning agents);
- thin/atomic surface layers (e.g. protective layers);
- other physical properties (e.g. electrostatic).

The composition of the object could be simple (one or more similar material(s)) or a system consisting of a range of different materials (e.g. metal/plastic/glass composition). Each individual material should be taken into account when choosing a cleaning method. Some combinations of materials can be very difficult to clean as one cleaning method may be suitable for one material but not the other. The selection of the cleaning method shall be the best compromise between minimal damage of the materials at maximum cleaning efficiency.

Chemical properties of the surface(s):

- chemical composition;
- state of the surface (hydrophobic, hydrophilic, lyophobic, lipophilic, etc.);
- energetic state of the surface (zeta potential).

Physical and chemical properties of a surface have a large influence on the choice of a cleaning method. Choice of a method shall take into account all involved materials/chemical composition of the surface(s) and the combination of materials undergoing cleaning.

The activity of the surface is determined by the chemical configuration of the final atomic layer. This is an important parameter in determining the choice of method. These layers may be hydrophilic (water wettable-lipophobic) or hydrophobic (water repellent but oil-wettable-lipophilic). The cleaning method used can influence the surface activity. The surface activity also influences the electrostatic properties of a material — a hydrophilic surface will have fewer tendencies to electrically charge.

Morphology:

Cleaning is influenced by the morphological aspects of a surface such as shape, size, structure, surface roughness or porosity. Morphological aspects may further complicate cleaning due to the accessibility of the surfaces to be cleaned and to the retention of cleaning agents and materials used for cleaning.

Object specific requirements:

- intended use of the object;