



International
Standard

ISO 16486-4

**Plastics piping systems for
the supply of gaseous fuels —
Unplasticized polyamide (PA-U)
piping systems with fusion jointing
and mechanical jointing —**

**Part 4:
Valves**

*Systèmes de canalisations en matières plastiques pour la
distribution de combustibles gazeux — Systèmes de canalisations
en polyamide non plastifié (PA-U) avec assemblages par soudage
et assemblages mécaniques —*

Partie 4: Robinets

**Third edition
2025-06**

iTeh Standards
(<https://standards.itih.ai>)
Document Preview

ISO 16486-4:2025

<https://standards.itih.ai/catalog/standards/iso/e2c5b217-e7af-420e-ab95-a0129e41d4e9/iso-16486-4-2025>



COPYRIGHT PROTECTED DOCUMENT

© ISO 2025

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

Page

Foreword	v
Introduction	vi
1 Scope	1
2 Normative references	1
3 Terms and definitions	2
3.1 General terms	3
3.2 Terms relating to design	3
4 Symbols and abbreviated terms	3
5 Material	4
5.1 Compound for valve body	4
5.1.1 Compound	4
5.1.2 Fusion compatibility	4
5.2 Material for non-polyamide parts	4
5.2.1 General	4
5.2.2 Components and elements	4
5.2.3 Metal parts	4
5.2.4 Elastomers	5
5.2.5 Greases and lubricants	5
5.2.6 Assembly	5
6 General characteristics	5
6.1 Appearance of the valve	5
6.2 Colour	5
6.3 Design	5
6.3.1 General	5
6.3.2 Valve body	5
6.3.3 Valve terminal ends	5
6.3.4 Operating device	6
6.3.5 Seals	6
7 Geometrical characteristics	6
7.1 General	6
7.2 Measurement of dimensions	6
7.3 Dimensions of spigot ends for valves	6
7.4 Dimensions of valves with electrofusion sockets	6
7.5 Dimensions of the operating device	6
8 Mechanical characteristics of assembled valves and regional requirements	7
8.1 General	7
8.2 Conditioning	7
8.3 Requirements	7
8.3.1 General	7
8.3.2 Air flow rate	13
8.4 Regional requirement	13
9 Physical characteristics	13
9.1 Conditioning	13
9.2 Requirement	14
10 Performance requirements	14
11 Technical file	14
12 Marking	15
12.1 General	15
12.2 Minimum required marking of valves	15
12.3 Additional marking	15

13	Delivery conditions	16
Annex A (normative)	Determination of the leaktightness of seat(s) and packing	17
Annex B (normative)	Test method for leaktightness and ease of operation after tensile loading	19
Bibliography		21

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[ISO 16486-4:2025](https://standards.iteh.ai/catalog/standards/iso/e2c5b217-e7af-420e-ab95-a0129e41d4e9/iso-16486-4-2025)

<https://standards.iteh.ai/catalog/standards/iso/e2c5b217-e7af-420e-ab95-a0129e41d4e9/iso-16486-4-2025>