
**Rubber latex — Determination of
apparent viscosity by the Brookfield test
method**

*Latex de caoutchouc — Détermination de la viscosité apparente par la
méthode d'essai de Brookfield*

Sample Document

get full document from standards.iteh.ai



Reference number
ISO 1652:2011(E)

© ISO 2011

PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

Sample Document

get full document from standards.iteh.ai



COPYRIGHT PROTECTED DOCUMENT

© ISO 2011

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

Page

Foreword	iv
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Principle	1
5 Apparatus	2
6 Sampling	2
7 Further preparation of test sample	4
8 Procedure	4
9 Expression of results	5
10 Precision	5
11 Test report	5
Annex A (informative) Viscosity-measurement methods	6
Annex B (informative) Precision statement	7
Bibliography	9

get full document from standards.iteh.ai

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 1652 was prepared by Technical Committee ISO/TC 45, *Rubber and rubber products*, Subcommittee SC 3, *Raw materials (including latex) for use in the rubber industry*.

This fourth edition cancels and replaces the third edition (ISO 1652:2004), which has been technically revised. The main change is the inclusion of precision data (see Annex B).

Sample Document

get full document from standards.iteh.ai

Rubber latex — Determination of apparent viscosity by the Brookfield test method

WARNING — Persons using this International Standard should be familiar with normal laboratory practice. This standard does not purport to address all of the safety problems, if any, associated with its use. It is the responsibility of the user to establish appropriate safety and health practices and to ensure compliance with any national regulatory conditions.

1 Scope

This International Standard specifies a method for the determination of the apparent viscosity of both natural rubber latex concentrate and synthetic rubber latices by the Brookfield method. The method is also suitable for the determination of the viscosity of natural latices from sources other than *Hevea brasiliensis* and also for compounded latices. Other methods for the determination of viscosity are referred to in Annex A.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 123, *Rubber latex — Sampling*

ISO 124, *Latex, rubber — Determination of total solids content*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

3.1

test sample

quantity of latex suitable for testing, obtained by straining a laboratory sample

[ISO 123]

4 Principle

The viscosity of a latex sample is determined by means of a viscometer which measures the torque produced on a specific spindle driven by an electric motor to rotate at a constant rotational frequency and at a controlled rate of shear while immersed to a specified depth in the latex. The apparent viscosity is obtained by multiplying the torque reading by a coefficient which depends on the rotational frequency and size of the spindle. Measurements may be made on the undiluted latex or on the latex after dilution to a required total-solids content.

This International Standard relates primarily to the manually operated type of viscometer rather than the digital ones currently produced. Comparative reference is made to the latter where appropriate.

NOTE Other methods exist for the determination of the viscosity of latices and emulsions (see Annex A).