
**Measurement of fluid flow in closed
conduits — Ultrasonic meters for gas —**

**Part 1:
Meters for custody transfer and
allocation measurement**

*Mesurage du débit des fluides dans les conduites fermées —
Compteurs à ultrasons pour gaz —*

Partie 1: Compteurs pour transactions commerciales et allocations

Document Preview

ISO 17089-1:2019

<https://standards.iteh.ai/catalog/standards/iso/4af29604-4a8b-48c2-9d37-8fed9fb38a61/iso-17089-1-2019>



iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

ISO 17089-1:2019

<https://standards.iteh.ai/catalog/standards/iso/4af29604-4a8b-48c2-9d37-8fed9fb38a61/iso-17089-1-2019>



COPYRIGHT PROTECTED DOCUMENT

© ISO 2019

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Fax: +41 22 749 09 47
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

Page

Foreword	vi
Introduction	vii
1 Scope	1
2 Normative references	1
3 Terms, definitions and symbols	1
3.1 Terms and definitions	1
3.1.1 Quantities	2
3.1.2 Meter design	2
3.1.3 Thermodynamic conditions	3
3.1.4 Statistics	3
3.2 Symbols and subscripts	5
3.3 Abbreviations	7
4 Principles of measurement	7
4.1 Basic formulae	7
4.2 Factors affecting the performance	9
4.3 Description of generic types	9
4.3.1 General	9
4.3.2 Transducers	9
4.3.3 Meter body and acoustic path configurations	10
4.3.4 Average velocity calculation	12
4.4 Contributions to the uncertainty in measurement	13
4.5 Reynolds number	13
4.6 USM classification	13
5 Meter characteristics	14
5.1 Operating conditions	14
5.1.1 Flow rates and gas velocities	14
5.1.2 Pressure	14
5.1.3 Temperature	14
5.1.4 Gas quality	14
5.2 Meter body, materials, and construction	15
5.2.1 Materials	15
5.2.2 Meter body	15
5.2.3 Connections	15
5.2.4 Dimensions	15
5.2.5 Ultrasonic transducer ports	16
5.2.6 Pressure tappings	16
5.2.7 Anti-roll provision	16
5.2.8 Flow conditioner	17
5.2.9 Markings	17
5.2.10 Corrosion protection	18
5.3 Transducers	18
5.3.1 Specification	18
5.3.2 Rate of pressure change	18
5.3.3 Transducer characterization	18
5.3.4 Path configuration	18
5.3.5 Marking	18
5.3.6 Cable	18
5.3.7 Robustness	19
5.4 Electronics	19
5.4.1 General requirements	19
5.4.2 Display	19
5.4.3 Power supply	19

5.4.4	Signal detection method	19
5.4.5	Sampling or pulsating flow	19
5.4.6	Signal-to-noise ratio	19
5.4.7	Alarm signal	19
5.4.8	Processing of data	19
5.4.9	Output	20
5.4.10	Cable jackets and insulation	20
5.4.11	Marking	20
5.5	Software	20
5.5.1	Firmware	20
5.5.2	MODBUS communication data specification	21
5.5.3	Discontinuity	21
5.5.4	Marking and version management	21
5.5.5	Monitoring and recording of measuring and diagnostic data	21
5.5.6	Correction functions and parameters	21
5.5.7	Inspection and verification functions	22
5.6	Exchange of components	22
5.7	Secondary measurements	22
5.7.1	General	22
5.7.2	Pressure measurement	22
5.7.3	Temperature measurement	22
5.8	Performance requirements	24
5.8.1	General	24
5.8.2	Accuracy requirements	24
5.8.3	Influence of pressure, temperature, and gas composition	25
5.9	Operation and installation requirements	26
5.9.1	General	26
5.9.2	Operational requirements	26
5.9.3	Installation requirements	27
5.9.4	Manual handling and transportation	30
5.10	Documentation	30
5.10.1	General	30
5.10.2	Generic meter documentation	30
5.10.3	Particular meter documentation	31
6	Test and calibration	31
6.1	Pressure testing and leakage testing	31
6.2	Individual testing — Static testing	31
6.2.1	General	31
6.2.2	Timing and time delays	31
6.2.3	Zero flow verification test	31
6.3	Individual testing — Flow calibration	32
6.3.1	General	32
6.3.2	Laboratory flow calibration	32
6.3.3	Judging the measurement performance of the meter	35
6.3.4	Adjustment and records	35
7	Type testing	37
7.1	General	37
7.2	Accuracy	38
7.3	Installation conditions	38
7.4	Path failure simulation and exchange of components	39
7.5	Electronics design testing	39
8	Audit trail and diagnostics for meter verification	40
8.1	General	40
8.2	USM Lifecycle Process	40
8.3	Production and Factory Acceptance Test	42
8.4	Initial Flow Calibration	42
8.5	Site installation and site acceptance test	43

8.6	Operation	43
8.7	Diagnostic warning and alarm levels in operation	44
8.7.1	MSOS and MSOS ratios warning & alarm levels	44
8.7.2	Velocity ratios warning & alarm levels	45
8.7.3	S/N ratios warning & alarm levels	45
8.8	Service and recalibration	45
8.8.1	General	45
8.8.2	Service Related Diagnostics	46
8.9	Diagnostic parameters	47
8.9.1	Speed of sound	47
8.9.2	Automatic gain control	49
8.9.3	Signal-to-noise ratio (S/N)	49
8.9.4	Acoustic signal acceptance	50
8.9.5	Flow profile	50
8.9.6	Standard deviation/turbulence	50
9	Operational practice	51
9.1	Temperature and pressure correction	51
9.1.1	Correction for the temperature	51
9.1.2	Correction for the pressure	53
	Annex A (informative) Registration of error bands	58
	Annex B (informative) Derivation and correction of USM errors	59
	Annex C (informative) Valve characterization and noise in a metering and regulating station	63
	Annex D (informative) The calibration time of ultrasonic flow meters	74
	Annex E (informative) Detailed calculation of geometry-related temperature and pressure corrections	80
	Annex F (normative) MODBUS communication data specification	102
	Annex G (informative) Disturbance tests	108
	Bibliography	110

ISO 17089-1:2019

<https://standards.iteh.ai/catalog/standards/iso/4af29604-4a8b-48c2-9d37-8fed9fb38a61/iso-17089-1-2019>

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 30, *Measurement of fluid flow in closed conduits*, Subcommittee SC 5, *Velocity and mass methods*.

This second edition cancels and replaces the first edition (ISO 17089-1:2010), which has been technically revised. The main changes compared to the previous edition are as follows:

- Clause 3 has been revised;
- Formulae have been corrected throughout the document;
- editorial and terminological changes throughout the document;

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

Ultrasonic meters (USMs) for gas flow measurement have penetrated the market for meters rapidly since 2000 and have become one of the prime flowmeter concepts for operational use as well as custody transfer and allocation measurement. Next to the high repeatability and high accuracy, ultrasonic technology has inherent features like: negligible pressure loss; high rangeability; and the capability to handle pulsating flows.

USMs can deliver extended diagnostic information through which it may be possible to demonstrate the functionality of an USM. Also, the measured speed of sound of the USM may be compared with the speed of sound calculated from pressure, temperature, and gas composition, to check the mutual consistency of the four instruments involved. Due to the extended diagnostic capabilities, this document advocates the addition and use of automated diagnostics instead of labour-intensive quality checks.

This document focuses on meters for custody transfer and allocation measurement (class 1 and class 2 meters). Meters for industrial gas applications, such as utilities and process, as well as flare gas and vent measurement, is the subject of ISO 17089-2.

Typical performance factors of the classification scheme are:

Class	Typical applications	Required accuracy class	Reference
1	Custody transfer	class 0.5 or class 1.0	This document
2	Allocation	class 1.5	This document
3	Utilities and process		ISO 17089-2
4	Flare gas and vent gas		ISO 17089-2

Typical configurations for class 1 and class 2 meters are multi-path meters with chords at different radial positions.

Typical configurations for class 3 and class 4 meters are single-path meters, meters with only diametrical paths, insertion type meters, household type, stack or chimney type, and flare type meters.

[ISO 17089-1:2019](https://standards.iteh.ai/ISO-17089-1:2019)

<https://standards.iteh.ai/catalog/standards/iso/4af29604-4a8b-48c2-9d37-8fed9fb38a61/iso-17089-1-2019>