
**Soil quality — Method for testing
effects of soil contaminants on the
feeding activity of soil dwelling
organisms — Bait-lamina test**

*Qualité du sol — Méthode pour tester les effets des contaminants
du sol sur l'activité alimentaire des organismes vivant dans le sol —
Test Bait-lamina*

Sample Document

get full document from standards.iteh.ai



Sample Document

get full document from standards.iteh.ai



COPYRIGHT PROTECTED DOCUMENT

© ISO 2016, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

Contents

Page

Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Principle	2
5 Reagents and material	3
5.1 Bait material.....	3
5.2 Reagents.....	3
6 Apparatus (equipment)	3
7 Procedure	3
7.1 General.....	3
7.2 Preparation of the bait-lamina strips.....	4
7.3 Experimental design and test performance.....	5
7.4 Examination of the bait-lamina strips.....	7
8 Expression of results	8
9 Validity of the test	8
10 Statistical analysis	8
11 Test report	8
Annex A (informative) Use of the bait-lamina method for monitoring the biological quality of soils	10
Annex B (informative) Examples are taken from one study performed in the Brazilian Amazon forest in which the removal of the litter layer was used as stressor^[30]	11
Bibliography	14

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT), see the following URL: [Foreword — Supplementary information](#).

The committee responsible for this document is ISO/TC 190, *Soil quality*, Subcommittee SC 4, *Biological methods*.

get full document from standards.iteh.ai

Introduction

Ecotoxicological test systems are applied to obtain information about the effects of contaminants in soil and are proposed to complement conventional chemical analysis [38]. In addition to laboratory tests with individual species from important organism groups (e.g. earthworms, enchytraeids, or collembolans), functional tests can be used to assess the activity of the whole soil organism community *in situ* in the field and, thus, the habitat function of soil. They are potentially useful for the evaluation of the effects of chemicals on the soil [1][11][12][26][28], as well as for the long-term monitoring of the biological quality of soils (see [Annex A](#)) [16][18][34]. Data for these purposes are gained by standardised methods since they can form the basis for far-reaching decisions (e.g. whether a given site should be remediated or not). In fact, the lack of such standardised methods is one of the most important reasons why functional methods have been so far relatively rarely used for the assessment of contaminated soils or for soil monitoring purposes.

The bait-lamina test is an approach which is used to measure the feeding activity of soil organisms *in situ* [23][35][36].

The important advantage of the bait-lamina method is its simplicity. Minimal training, special skill, or equipment is necessary. In contrast to the measurement of other functional parameters, like organic matter breakdown determined in a litterbag test [22][25][27], the bait-lamina method does not disturb the soil substrate, needs only short exposure periods (few days up to few weeks), and is rapidly evaluated.

In temperate regions, the applicability and usefulness of the bait-lamina test for the comparison and assessment of the influence of land use or chemicals on the feeding activity of soil communities has been demonstrated several times [2][14][28][31]. In addition, bait-lamina tests have also been applied in the tropics [13][15][30].

In addition to measures such as microbial respiration or litter decomposition, feeding activity is one of several functional parameters applicable for the assessment of the biological status of soils [7][13]. Recently, the bait-lamina test was used successfully in several case studies at which an environmental risk assessment for polluted soils was performed [8][21]. As a result of these works, the bait-lamina test was included into the tool box for site-specific risk assessment [e.g. the TRIAD approach (see ISO 19204)]. In fact, it became part of the recommended battery of tests for the ecological risk assessment of soils in Great Britain [9]. In addition, in the context of a European soil monitoring programme, the method was recommended for this purpose as well by the members of an EU Working Group [4].

Sample Document

get full document from standards.iteh.ai

Soil quality — Method for testing effects of soil contaminants on the feeding activity of soil dwelling organisms — Bait-lamina test

1 Scope

This International Standard specifies a technique for determining the effects of anthropogenic impacts (e.g. substances) in the context of the prevailing environmental conditions on the feeding activity of soil organisms in the field. In addition, the use of this method for monitoring the biological quality of soil is described (see [Annex A](#)). The breakdown of organic matter by soil invertebrates and microorganisms is a crucial process that determines important soil functions such as nutrient availability for plants and the maintenance of soil fertility. In addition, decomposing plant litter provides habitats and food for a wide range of organisms, thus supporting biodiversity and ecosystem services [33][34].

This International Standard is applicable to all soils in which soil organisms are active. The use of the bait-lamina test is independent from whether there is a litter layer or not. The sampling design of field studies in general is specified in ISO 23611-6 (see also Reference [20]). The design can vary according to the aim of the study as well as conditions (e.g. soil properties, contamination, etc.) of the site to be investigated.

This International Standard is not applicable for semi-terrestrial or very shallow soils. It can be difficult to use it under extreme climatic or geographical conditions (e.g. in high mountains).

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 11074, *Soil quality — Vocabulary*

ISO 23611-6, *Soil quality — Sampling of soil invertebrates — Part 6: Guidance for the design of sampling programmes with soil invertebrates*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 23611-6, ISO 11074, and the following apply.

3.1

exposure time

period in which the bait-lamina strips are exposed in the field, usually in the mineral soil ([3.2](#))

EXAMPLE In temperate zones: 10 d to 20 d; in tropical areas: 4 d to 8 d.

3.2

soil

topsoil with or without a *litter layer* ([3.3](#))